

B I B L I O G R A P H Y

- Aitken, E.H. (1947). The Common birds of India.
 Thacker and Co. Ltd., Bombay, pp.
- Ali Salim (1926). Mating habits of common Pariah kite (Milvus migrans govinda).
 J. of Bombay Natural History Society, 31 : 524-526.
- Ali, Salim (1941). The book of Indian Birds, 'Bombay'.
 Bombay Natural History Society.
- Ali Salim (1978). Birds of Prey,
 Hornbill No. 19.
- Ali Salim and Ripley S. Dillon (1968). Handbook of the Birds
 of India and Pakistan.
 Oxford University Press, _____ ?
- Ali Salim and Ripley S. Dillon (1983). Handbook of Birds of India
 and Pakistan.
 Compact Edition, Oxford University Press, PP.737.
- Ali Salim and Robert B. Grubb (1984). An Ecological study of
 bird hazards at Indian Aerodrames.
- Allen A.A. (1961). The book of bird life.
 D. Van. Nostrand Company (Canada) Ltd. pp. 396.
- Attwell, R.I.G. (1963). Some observations on feeding habits,
 behaviour and inter-relationships of northern Rhodesian
 Vultures.
 Ostrich Dec. 235-247.
- Baker, E.C.S. (1928). The fauna of British India including
 Burma and Ceylon, Vol.5
 London : Taylor & Francis.
- Bergier, Patrick and Gilles Cheylan (1982). Status, success in
 reproduction and feeding of the Egyptian Vulture,
Neophron percnopterus in the French Mediterranean region.
 ALAUDA 48(2/3)* : 75-98.
- Birkhead T.R. (1973). A winter roost of grey herons.
 Br. Birds (66) : 147-156.
- Brandl, Roland, Hans Utschick and Klaus Schmidtke (1985). Raptors
 and land-use system in Southern Africa.
 AFR.J.Ecol. 23(1) : 11-20.
- Brodie, J. (1980). Estimation of winter roosting times of the
 starling.
 Bird Study (27) : 117-119.

* Why is it so difficult for us journals?

- Brodsky, L.M. and P.J. Weatherhead (1984). Behavioural thermo-regulation in wintering black ducks : roosting and resting. *Can.J.Zool.* (62) : 1223-1226.
- Brooke, R.K. (1974). The migratory kite Milvus migrans migrans (Aves : Aceipitridae) of the Palaearctic in Southern Africa. *DURBAN MUS NOVII* 10(4) : 53-66.
- Brooks, W.S. (1968). Comparative adaptations of the Alaskan redpolls to the Arctic environment. *Willson Bull.* 80 : 253-280.
- Broom, D.M., W.J.A. Dick, C.E. Johnson, D.I. Sales and A.Zahavi (1976). Pied Wagtail Roosting and Feeding Behaviour. *Bird Study* 23 : 267-279.
- Brown, F.J. (1946). A Cheshire Starling roost 1944.5. *J.Anim.Ecol.* 15 : 75-81.
- Bunning, E. (1973). The physiological clock. Springer-Verlag, New York.
- Burton, R.G. and J.D. Mercer (1979). The natural history of Slapton Ley Nature reserve : XII Birds. *FIELD STUDY* 4(5) : 693-714.
- Congost Tor, Jose and Jorge Muntaner Yanguela (1976). Autumn and Winter presence and concentrations of Neophron percnopterus on Menorca. *INST.MONIC.CIENC.NAT.MISC.ZOOL.* 3(4) : 151-162.
- Cousilman, J.I. (1975). Waking and roosting behaviour of the Indian Myna. (p.95). *EMU* 74(3) : 135-148.
- Crook, J.H. (1965). The adaptive significance of avian social organisations. *Symp.Zool.Soc.Lond.* 14 : 181-218.
- Davis, G.I. and I.F. Lussenhop (1970). Roosting of starlings (Sturnus vulgaris) a function of light & time. *Anim.Behav.* 18 : 362-365.
- Davis, D.E. (1955). Population changes & roosting time of starlings. *Ecology* 36 : 423-430.
- Desai J.M. and Malhotra A.K. (1978). Breeding biology of Pariah kite Milvus migrans at Delhi Zoological Park. *Ibis* 121 : 320-325.

- Detlef Robel (1982). On the autumn migration of raptors along the Bulgarian section of the Black Sea Coast.
 FAUN ABH (DRES) 9(12-20) : 153-178.
- DeVisscher, M.N. (1978). Aspects du comportement du Heron Garde. Boeufs *Bubulcus ibis*, au dortoir dans une region de mangroves du Venezuela Le Gerfaut 68 : 177-193.
- Dharmakumarsinghji, R.S. (1954). Birds of Saurashtra
 Bombay : Author.
- District Census Handbook, Kolhapur (1981). The Director, Government of Maharashtra Publications Bombay pp. 227.
- Donald, C.H. (1918). The Birds of Prey of Punjab.
JBNHS 26 : 826-835.
- Dover, S., Basil, Edwards (1920). A note on the habits of Common
 Pariah kite. Cat?
JBNHS (27) : 633.
- Ehrstrom, C. (1956). Faglarnas uppdragande under solformar kelsen den 30 juni 1954.
 Var. Fagelvard 15 : 1-28.
- Eillot, P.R. (1932). Temperature and relative humidity in relation to the ending of the evening song of birds.
 J.Tenn.Acad.Sci. 7 : 204-213.
- Feare, C.I. (1976). Communal roosting in the Mynah.
Acridotheres tristis.
JBNHS 73 : 525-527.
- Fiuczynski Von Dietrich (1981). Berliner Milan-Chronik
 (Milvus migrans and Milvus milvus).
 Beitr.Vogelkd.Jena 27.
 J.Orn. 34 : 161-196.
- Fiuczynski Von Dietrich (1984). Kite chronicle of West Berline (West Germany) : (Milvus migrans and Milvus milvus) : BEITIR VOGELKD 27(3/4) : 161-196.
- Gadgil Madhav (1972). The function of communal roosts : Relevance of mixed roosts.
 Ibis 114 : 531-533.
- Gadgil Madhav and Ali Salim (1975). Communal roosting habits of Indian birds.
JBNHS 72(3) : 716-727.

- Gallushin, V.M. (1971). A huge urban population of birds of prey in Delhi, India.
 Ibis 113 : 552.
- Gaston, A.I. (1975). Methods for estimating bird populations.
 JBNHS 72(2) : 270-283.
- Genero Fulvio (1986). An investigation on the presence of the griffon vulture, Gyps fulvus in the eastern Alps (Italy, Yugoslavia).
 RIV ITAL ORNITOL, 55(3/4) : 113-126.
- Geric Smith P.W. (1982). Behaviour of birds entering and leaving communal roosts of Madagascar Fodies Foudia madagascariensis and Indian Mynahs Aerodotheres tritris.
 Ibis 124 : 529-534.
- Gray Lincoln (1974). The Avifauna of introduced Eucalyptus Plantations in Maharashtra.
 JBNHS 71(1) : 76-80.
- Grimm, Herbert (1986). The breeding population of birds of prey (Falconiformes) in the Kyffhäuser Mountains (East Germany)
 HERCYNIA 22(3) : 238-249.
- Grubb Robert, B. (1973). Calcium intake in Vultures of the Genus Gyps.
 JBNHS 70 : 199.
- Grubb Robert, B. (1970). Field identification of some Indian Vultures.
 JBNHS 75(1) : 444-468.
- Grubb Robert, B. (1974). The ecology and behaviour of Vultures in Gir Forest.
 Ph.D. Thesis, Bombay Univ.

Grubb Robert, B. (1978). Competition and Co-existence in Griffon Vulture Gyps bengalensis, Gyps indicus and Gyps fulvus in Gir Forest.
JBNHS 75(3) : 810-814.

Gurr, L. (1968). Communal roosting behaviour of the Australasian Harrier, Circus approximans in New Zealand.
Ibis 110 : 332-337.

Gyllin, R.H.; Kallander and M. Sylven (1977). The microdiminate explanation of town centre roosts of Jackdaws,
Corvus monedula.
Ibis. 119 : 358-361.

Hamilton, W.I., W.M. Gilbert, F.H. Heppner and R.I. Planck (1967). Starling roost dispersal and a hypothetical mechanism regulating rhythmical animal movement to and from dispersal centres.
Ecology, 48 : 825-833.

Hamilton, W.I. and W.M. Gilbert (1969). Starling dispersal from a winter roost.
Ecology 50 : 886-898.

Henry, G.M. (1955). A guide to the Birds of Ceylon.

Hubalek, Z. (1978). Morning departure of roost (Corvus frugilegus) from the winter roost.
Vestn.Cesk.Spol.Zool. 42 : 1-14.

Hinde, R.A. (1952). The behaviour of Great Tit (Parus major) and some other related species. Behaviour, Leiden, Suppl. 1-201.

Hindwood, R.A. (1948). A communal roost of the Indian Myna. Emu 47 : 315-317.

Houston David, C. (1976). Ecological isolation of African Scavenging birds. ARDEA 63(1/2) : 55-64.

Houston David, C. (1976). Breeding of whitebacked and Rupee's griffon vulture; Gyps africanus and G. neppellii. Ibis 118(1) : 14-40.

Houston David, C. (1981). The effect of food quality of breeding strategy in Griffon Vultures (Gyps sp.). J.Zool.Lond. 186 (2) : 175-184.

Jumber, J.F. (1956). Roosting behaviour of the starling in Central Pennsylvania Auk, 73 : 411-426.

Kadlec, J.A. and W.H. Drury (1968). Structure of the New England Herring gull population. Ecology 49 : 644-676.

Kemp A.C. & M.I. Kuemp (1976). Observations on the Whitebacked vulture Gyps africanus in the Kruger National Park with on other avian scavenger. KOEDOE 18 : 51-68.

Kessel, B. (1976). Winter activity patterns of black-capped chickadees in interior. Alaska Wilson Bull 88 : 36-61.

Krantz, P.E. & S.A. Gauthreaux (1975). Solar radiation, light intensity & roosting behaviour in birds. Wilson Bull 87 : 91-95.

Kuroda Nagahsia (1984). Morning & night flights from communal roost to territory in Corvus macrorhynchos.

J.YAMASHINA INST ORNITHOL 16 (2/3) : 93-113.

Lack, D. (1968). Ecological adaptations for breeding in birds. Methuen, London.

- Loman J. & S. Tammon (1980). Do roost's serve as "information Centres" for crows & ravens?
Am.Nat.115 : 285-289.
- Mahabal Anil and Bastawade D.B. (1985). Population ecology and communal roosting behaviour of Pariah kite Milvus migrans govinda in Pune (Maharashtra).
JBNHS 82 : 337-345.
- Martin & Haugen (1960). Seasonal changes in wood duck roosting flight habits.
Wilson Bull (72) : 238-243.
- Mason & Maxwell-Lefroy H. (1912). The food of Birds in India,
Mem.Agr.Dept. India,
Entomological Series Vol. 3. pp. ?
- Meinertzhagen, R. (1956). Roost of Wintering harriers.
Ibis 98 : 535.
- Meyburg, B.U. (1968). Observations on breeding biology of black kites (Milvus migrans).
VOGELWELT 88(3) : 70-84.
- Meyburg, B.U. (1971) : On the question of the incubation period of Black kite Milvus migrans.
Ibis 113 : 530.
- Michev Tanyu, M. (1982). The autumn migration of some waterfowl and birds of prey near Burgas, Bulgaria (Sept.13-23, 1978).
EKOLOGIYA (SOFIA) 6(8) : 43-48.
- Mirabelli Pietro (1979). Distribution of Falconiformes in Calabria.
RIV ITAL Ornitol 48(2) : 157-171.
- Mundy P.I. (1979). The Egyptian vulture (Neophron percnopterus) in Southern Africa.
BIO CONSERV 14(4) : 307-316. *Café?*
- Moffat, C.B. (1931). A pied wagtail roost in Dublin.
Br.Birds 24 : 364-366.
- Morse, D.W. (1980). Behavioural mechanisms in ecology.
Harvard University Press; Cambridge.
- Miskimen Mildred (1955). Meteorological & Social factors in autumnal migration of ducks.
THE CONDOR Vol. 57 : 179-184.

- Nice, M.M. (1935). Some observations on the behaviour of starlings and grackles in relation to light.
Auk 52 : 91-92.
- Nore, Therese (1980). Common diurnal raptors in Limousin, France during the migration period (buzzard, osprey, black kite, hen harrier & Montagu's harrier).
ALAUDA 47(3) : 183-194.
- Odum, P. Eugene (1971). Fundamentals of Ecology.
W.B. Saunders Company, Philadelphia, pp.
- Patterson, I.I., Dunnet G.M. & Fordham R.A. (1971). Ecological Studies of the rook Corvus frugilegus in north-east Scotland : dispersion.
J.Appl.Ecol. 8 : 803-821.
- Petretti, Alessio and Francesco Petrehi (1983). A population of diurnal raptors in Central Italy.
GERFAUT 71(2) : 143-156.
- Pitts, T.C. (1976). Fall and Winter roosting habits of Carolina Chickadees.
Wilson Bull 88 : 603-610.
- Pohl, H. (1971). Über beziehungen Zwischen Gradianen Rhythmen bei Vogeln.
J.Ornithol. 112 : 262-278.
- Post, W. (1982). Why do grey kingbirds roost communally?
Bird behaviour 4 : 46-49.
- Potts, G.R. (1967). Urban starling roost in the British Isles.
Bird Study 14 : 25-42.
- Radford, M.C. (1955). Nuthatch roosting times in relation to light as measured with a photometer.
Br.Birds 48 : 71-74.
- Ravelling, D.G.; W.E. Crew and W.D. Klimstra (1972). Activity patterns of Canada geese during winter.
Wilson Bull 84 : 278-295.
- Reebs, S.G. (1986). Influence of temperature and other factors on the daily roosting times of black-billed magpies.
Can.J.Zool. 64 : 1614-1619.
- Richardson, P.R.K., P.J. Mundy (1986). Bone crushing carnivores and their significance to osteodystrophy in griffon vulture chicks.
J.Zool.SER A. 210(1) : 23-44.

- Ripley, S.D. (1961). A synopsis of the birds of India and Pakistan
Bombay pp. 703.
- Ripley, S. Dillon (1968). Introductory chapter in a synopsis of the
Birds of India and Pakistan
ix-xxvi JBNHS.
- Ripley II, Dillon Ripley (1982). A synopsis of the birds of India
and Pakistan.
Bombay Natural History Society, pp. 652.
- Rome Andrea & Gillseppe Travison (1979). Note on the nesting of
black kite.
RIV IAAL ORNITHOLOGIC 48(1) : 23-29.
- Rudebeak, G. (1955). Some observations at a roost of European
Swallow and other birds in the South-eastern Transvaal
Ibis. 97 : 572-580.
- Samant Jay S. (1978). Studies on the hydrobiology of the Kalamba
reservoir at Kolhapur.
Ph.D. thesis.
- Schreiber, R.W. (1967). Roosting behaviour of the herring gull
in Central Maine.
Wilson Bull 79 : 421-431.
- Sengupta, S. (19⁵). Significance of Communal roosting in the
common myna (Acridotheres tristis) (Linn).
JBNHS Vol. 70(2) : 204-206.
- Shaver, J.M. & R. Walker (1931). A preliminary report on the
influence of light intensity upon the time ending of evening
song of the Robin & Mackingbird.
Wilson Bull 43 : 9-18.
- Siebert Heneri, C. (1951). Light intensity and the roosting flight
of herons in New Jersey.
Auk. 68 : 63-74.
- Siegfried, W.R. (1971). Communal roosting of the cattle egret.
TRANS R. SOC AFR 39(4) : 416-443.
- Smythies Bertram E. (1953). The Birds of Burma Oliver and Boyd
Edinburgh.
- Solman, V.E.F. (1966). The ecological control of bird hazards to
aircraft. Proceedings. Third Bird Control Seminar, Bowling
Green State University, Bowling Green, Ohio, September 13,
1966 : 38-52.
- Smeenk, C. (1976). Comparative ecological studies of some East
African Birds of Prey.
ARDEA, 62(1/2) : 1-97.

- Spencer, K.G. (1966). Some notes on the roosting behaviour of starlings.
Naturalist 898 : 73-80.
- Swingland, J.R. (1976). The influence of light intensity on the roosting time of the rook (Corvus frugileus).
Ani.Behav. 24 : 154-158.
- Sylven, Magnus (1987). Project Kite.
FAUNA FLORA (STOCKH) 81 (415) : 169-170.
- Szczepski, (1971). The unknown scientific work on birds of prey by Andrezej Dunajewski.
PRZEGI ZOOL 17(2) : 206-209.
- Terres, J.K. (1982). The Audubon Society encyclopedia of North American birds. B
Alfred A. Knopf, New York.
- Thiollay, Jean-March (1974). The birds of prey of the Savanna-forest contact zone in Ivory wast : Density dynamics & population structure.
ALAUDA 43(4) : 387-416.
- Ward, P. (1965). Feeding Ecology of the Black-faced Dioch ^h
Quela quela in Nigeria.
Ibis 107 : 173-214.
- Ward, P. & Zahavi, A. (1973). The importance of certain assemblages of birds as "information centres" for food finding.
Ibis 115 : 517-534.
- Warkentin Ian G. (1986). Factors affecting roost departure & entry by Winterina merlins.
Can.J.Zool. 64 : 1317-1319.
- Weathehead, P.J. & Greenwood, H. (1981). Age and condition bias of decoy-trapped birds.
J.Field Ornithol. 52 : 10-15.
- Weatherhead, P.J. (1981). The dynamics of red-winged black and populations at late summer roosts in Quebec.
J.Field Ornithol. 52 : 222-227.

- Weatherhead Patrick J. (1983). Two principal strategies in avian communal roosts.
The American Naturalist Vol. 121(2) : 237-243.
- Whistler (1935). Popular Handbook of Indian Birds.
- Wynne-Edwards, V.C. (1929). An investigation of the diurnal movements and social roosting habits.
Br. Birds 23 : 170-180.
- Wynne-Edwards, V.C. (1962). Animal dispersion in relation to social behaviour.
Edinburgh & London : Oliver & Boyd.
- Zahavi, A. (1971a). The function of pre-roost gatherings and communal roosts.
Ibis 113 : 106-109.
- Zahavi, A. (1976). Pied wagtail roosting & feeding behaviour.
Bird Stud. 23 : 267-279.
- Zar, J.H. (1974). Biostatistical analysis Prentice-Hall Inc. Englewood Cliffs N.J. pp.

ADDITIONAL REFERENCES

- Sokal, R.R. and F.J. Rohlf (1981). Biometry W.H. Freeman Co. San Francisco.
- Thompson, W.L. & Coutlee E.L. (1963). The biology and population structure of starlings at an urban roost.
Wilson Bull 75 : 358-372.
- Whistler Hugh (1986). A Popular Handbook of Birds.