



**BIBLIOGRAPHY**

## BIBLIOGRAPHY

- Abhayakumar, S .M, Zofair, and Dube, H. C., (1995): Physico-chemical features of two inter tidal sediments of Bhavnagar port. Poll. Res., 14(1): 65 – 71.
- Achary, G. P. K. (1988): In: Proc. National seminar on shellfish resources and farming, Session 1, 19-21 Jan 1987, Tubiccerin. CMFRI Bull. 42, 18.
- Achyutha Devi, J., and Ravi Shankar Piska, (2006): Effect of fluoride on tissue proteins of fresh water cat fish *Clarius batrachus* (Linn.) J. Aqua. Biol., Vol.21 (1): 184 - 187.
- Agarwal, A., and Sharma, K., (1982): State of India's Environment a citizen report, Center for science on Environment, New Delhi.
- Aiken, D. E., and Waddy, S. L., (1990): Winter temperature and spring photoperiod requirements for spawning in the American lobster, *Homarus americanus*, H. Milne Edwards, 1837. J. Shellfish Res. (1):41 - 43.
- Ajmal, M., Nomani, A. A., and Khan, M. A., (1984): Pollution in the Ganges River in India. Water Sci. Technol, 16(5-7): 347 - 358.
- Alabaster, J. S., and Lloyd, R., (1980): Water quality criteria for freshwater fish. Food and Agriculture Organization of the United Nations. Buttersworth, London.
- Alagarswamy,K. and K. A. Narsimhan (1973): Clam, cockle and oyster resource of an coasts. Proceeding of the Symposium on “Living Resources of The Seas around India”, special publication CMFRI, Cochin. 648-658.
- Alam, M. K., Maughan, O. E. and Van Ert, M. D., (1991): Chemical characterization of industrial effluents and their effect on fish survival. J. Environ. Sci. Health B., 26 (5-6): 683 - 696.
- Alam, M. K., Maughan, O. E. and Van Ert, M. D., (1991): Chemical characterization of industrial effluents and their effect on fish survival. J. Environ. Sci. Health B., 26 (5-6): 683 - 696.
- Alam, S. K., (1993): Ecology of zooplankton and benthos with special reference to waste water of Malad creek along Bombay coast. Ph.D. Thesis. University of Bombay.

- Al-Madfa, H., Abdel-Moati, M.A.R., and Al-Gimaly, F. H., (1998): *Pinctada radiata* (Pearl Oyster): A Bioindicator for Metal Pollution Monitoring in the Qatari Waters (Arabian Gulf). Bull. Environ. Contam. Toxicol., 60, 245 - 251.
- Ambrose, T., Cyrill, A. L., Vincent, S. and Lambert, R., (1994): Biochemical responses of *Cyprinus carpio Communis* to toxicity of tannery effluent. J. Ecobil., 3:213 - 216.
- Amutha, P. and Mahalingam, M., (1999): Effect of dairy effluent on the body composition of *Cyprinus carpio* (cyprinidae). J. Ecotoxicol. And Environ, Monit, 9 (1): 3 – 8.
- Amutha, P., Sungeetha, G., and Mahalingam, S., (2002): Dairy effluent induced alteration in protein, carbohydrate and lipid metabolism of fresh water teleost fish *Oreochromis mossambicus*. Poll. Res., 21:51 - 53.
- Anderson, B. S., Hunt, J. W., Hester M. and Phillips, B. M., (1996): Assessment of sediment toxicity at the sediment-water interface. In: G. K. Ostrander (Eds), Techniques in Aquatic Toxicology. CRC Lewis Publishers, Boca Raton: 609-624.
- Anithkumar, S., and Sreeram, K. N., (1996): Effect of water pollution on the biochemical parameters of selected tissues of *Channa striatus* J. Environ. Biol., 5(2):89-93.
- Anjaneyulu, Y., (2002): Environ impact assessment methodologies, B. S. publication.
- ANON (1998): Marine protected areas along the Maharashtra coast, Tech Report. NIO/con-1 (Nat. Inst. Oceanogr. Goa, India).
- ANON, (1997): Location of sea water intake and warm water discharge for Dhabhol Power Company, Tech.Report, NIO/CON-1(Nat.Inst. Oceanogr. Goa. India) 1997.
- Anonymous, (1982): Indian standard tolerance for inland waters subject to pollution, ISI (2 nd revision).
- APHA (1981): Standard methods for the examination of water and waste water (15 Ed), American Public Health Association, Washington, D.C.
- APHA (1992): Standard methods for the examination of water and wastewater. 18 th ed. APHA, Washington, DC.

- Appukuttan K. K., Nair, K. P., and Thomas, K. T., (1988): In: Proc. National seminar on shellfish resources and farming, Session 1, 19-21 Jan 1987, Tubicorin. CMFRI Bull. 42, 14.
- Arun, S., Thirumurugan, R., Visakan, R., Balamuragan, S., Arivazhagan, R., Subramanian P., Prince, V. S., and Malarvihi, T., (2000): Toxicity induced biochemical modulations and phase II xenobiotics conjugating enzyme (GST) in *Oreochromis mossambicus*. Asian. J. S. Microbial Biotech. And Environ. Sci., 2 (34):326 - 330.
- Arunkumar, K. S., and Joseph, Sabu., (2006): Environmental degradation of coastal ecosystems: A case study from Kadinakulam Estusry, Southen Kerala. Poll. Res. 25(3): 535 – 542. 2006.
- Ashraf, W., (2005): Accumulation of heavy metals in kidney and heart tissues of *Epinephelus microdon* from Arabian Gulf. Environ. Monit. Assess. 101, 311.
- ATSDR (1999): Agency for Toxic Substances and Diseases Registry Tox FAQs for Cadmium CAS 7440 – 43 – 9. Atlanta, G.A.
- Atuma, S. O., Egborge, A. B. M., (1986): Insecticides and metals in Nigeria surface waters-Warri River. Int. J. Environ. Stud., 27, 139-142.
- Aucoin, J., Blanchard, R., and Billiot, C., (1999): Trace metals in fish and sediments from Lake Boeuf, South Eastern Louisiana. Micro. Chem. J., 62 (2), 299 - 307.
- Aurbach, P. S. and Halsted, B. W., (1983): Hazardous Marine life, Management wilderness and environment emergencies. Ed. by Pauls Aurbach and Edward C, New York, Macmillan, 213 - 259.
- Awari, S. B., and Gaikwad, S. A., (1991): Cadmium toxicity on *Ambassis ranga* (Hamilton- Buchanan) - Trends in Ecotoxicology, 1989-1992(1990).The Accadamy of Environmental Biology.
- Ayyadurai, K., Kamalim, N. and Rajgopal, D. K., (1983): Mercury pollution in water in Madras city. Environ. Hlth.25:15 - 20.
- Bamber, R. N., (1987): The effects of acidic sea water on young carpet shell clams *Venerupis decussata* (L.) (Mollusca: Veneracea). J. Exp. Mar. Biol. Ecol. 108: 241 - 260.

- Barlas, N., (1999): A pilot study of heavy metal concentration in various environments and fishes in the upper Sakarya river basin, Turkey. Environmental Toxicology, 14, 367 – 373.
- Barnes, H. and Black-Stock, J., (1973): Estimation of lipids in marine animals, detail investigation of sulphophosphovallin Method. J. Exp.Mar.Biol.Ecol., 12:103 - 118.
- Baruah, B. K., Sengupta, S., and Das, M., (2004): Effect of paper mill effluent on muscle protein of fish *Heteropneustes fossilis* (Bloch) J. Poll. Res., 23(4):623 - 625.
- Basa, Siraj, P., and Usha Rani, A., (2003): Cadmium induced antioxidant defense mechanism in freshwater teleost *Oreochromis mossambicus* (Tilapia). Eco. Toxicol. Environ. Saf., 56 (2), 218 – 221.
- Bath, K.S., and Kaur, H., (1999): Physico-chemical characteristics of water of Buddha-Nallah (Ludhiana, Punjab), Ind. J. Environ. Sci. 3(1):27 -30.
- Bebianno, M. J., Geret, F., Hoarau, P., Serafim, M.A., Coelho, M. R., Gnassia-Barelli, M., and Romeo, M., (2004): Biomarkers in Ruditapes decussatus: a potential bio-indicator species, Biomarkers. 9: 305 - 330.
- Bengtsson, B. E., (1978): Use of a harpacticoid copepod in toxicity tests. Mar. Pollut. Bull. 9: 238 - 241.
- Bharati, S.G, and Murthy, K. S. R., (1990): Effect of industrial effluent on river Kali around Dandeli Karnataka. Indian. J. Environ. Helt., 32(2): 167 - 171.
- Bhilave, M. P, Muley, D. V., and Deshpande, V.Y., (2004): Bioaccumulation of Heavy metals in various organs of the fish *Cirrhinus mrigala* and *Cyprinus carpio* after exposure. J. Aquatic. Biol., Vol.( 19) 2:115 - 118.
- Bilkhi, M. H., Yusuf, A. K., and Qudri, M. Y., (1987): Hydrobiology of Arebar Lake, Kashmir. Comp. Physiol. Ecol., 12(3):131 - 139.
- Birtwell, I. K., (1989): Comments on the sensitivity of salmonids to reduced levels of dissolved oxygen and to pulp mill pollution in Neroutsos Inlet, British Columbia. Can. Tech. Rep. Fish. Aquat. Sci. 1695. Fisheries and Oceans Canada, West Vancouver, BC.

- Bodrova, N. V. and Kraiukhin, B. V. (1956): Trudy Inst. Biol. Vodokharan. 9(12): 39 – 47.
- Bohlin, H., Morth, C. M., and Holm, N. G., (2005): Department of Geology and Geochemistry, Stockholm University, Stockholm, Sweden Geophysical Research Abstracts, Vol. 7, 07341, 2005 S Ref-ID: 1607-7962/gra/EGU05-A-07341 European Geosciences Union 2005.
- Brayan, G. W., (1971): The effect of heavy metals on marine and estuarine organisms. Proc. R. Soc. Lond. (Series B.) 177:309 - 310.
- Bretaud, Sandrine, Saglio, Philippe, Saligaut, Christian, Auperin, Benoit (2002): Biochemical and behavioural effects of carbofuran in goldfish (*Carassius auratus*) J. Environ. Toxicol. Chem., 21(1):175 - 181.
- Bright, M., Dworschak, P. C. and Stachowitzsch, M. (Eds.) (2002): The Vienna School of Marine Biology: A Tribute to Jorg Ott. Facultas Universitatsverlag, Wien: 89 - 100
- Brugs, W. A., Cormick, J. H. M., Neiheisel, T. W., Spear, R. L., Stephan, C. E., and Stokes, G., (1977): Effect of pollution on fresh water fish. J. Water Poll. Contr. Fed. 49: 1425 - 1493.
- Brugs, W. A., Cormick, J. H. M., Neiheisel, T. W., Spear, R. L., Stephan, C. E., and Stokes, G., (1977): Effect of pollution on fresh water fish. J. Water Poll. Contr. Fed. 49: 1425 - 1493.
- Brugs, W. A., Cormick, J. H. M., Neiheisel, T. W., Spear, R. L., Stephan, C. E., and Stokes, G., (1977): Effect of pollution on fresh water fish. J. Water Poll. Contr. Fed. 49: 1425 - 1493.
- Bryan, G. W., (1976): The effects of heavy metals on marine and estuarine organisms. Proc. R. Soc. London (Series B) 177: 389 - 410.
- Bryan, G. W., (1985): Bioavailability and effects of heavy metals in marine deposits. In: B. H. Ketchum (Eds), Wastes in the ocean, vol. 6: Nearshore wastes disposal: 41 - 79.
- Cairn, J., Heath, A. G., and Parkar, B. C., (1975): Temperature influence on chemical toxicity to aquatic organism. J. Wat. Poll. Cont. Fed. Vol. 47 (2): 267 - 280.

- Calmano, W., and Forstner, U., (1996): Sediments and Toxic Substances. Environmental Effects and Ecotoxicology. Springer, Berlin, 335 pp.
- Canadian Water Quality Guidelines (1984): Canadian Water Quality Guidelines for the Protection of Aquatic Life help to protect all plants and animals that live in our lakes, rivers, and oceans. <http://www.ec.gc.ca/ceqg-rcqe/English/ceqg/water/default.cfm>.
- Canli, M., (1995): Natural occurrence of metallothionein like proteins in the hepatopancreas of the Norway lobster *Nephrops norvegicus* and effects of Cd, Cu, and Zn exposures on levels of the metal bound on metallothionein. Turk. J. Zool., 19, 313 - 321.
- Canli, M., Ath, G., (2003): The relationship between heavy metal ( Cd, Cr, Cu, Fe, Pb, Zn) levels and the size of six Mediterranean fish species, environ. Pollut. 121 (1):129 – 136.
- Canli, M., Ay, O., Kalay, M., (1998): Levels of heavy metals (Cd, Pb, Cu, Cr and Ni) in tissues of *Cyprinus carpio*, *Barbus capito* and *Chondrostoma regium* from the Seyhan River, Turkey. Turkish. J. Zoology 22:149 – 157.
- Carins, J., Dickson, K. L., Westlake, G. F., (1975): Biological monitoring of water and effluent quality. ASTM Publ., 607, Philadelphia.
- Carins, J., Heath, A.G. and Parker, B.C. (1975): Temperature influence on chemical toxicity to aquatic organisms. J. Wat. Poll. Cont. Fed. Vol.47 (2): 267 - 280.
- Chaisemartin, C., (1983): ‘Natural adaptation to fertilizers containing heavy metals of healthy and contaminated populations of *Austropotamobius pailipes* (LE)’, Hydrobiology 17, 229 – 240.
- Chan, Tik - Yuen and Bharava, D. S., (1992): Toxicological effects of cadmium on the marine biota, Indian J. Environ. Protec., Vol.12:161 -165.
- Chapman, P. M. and Wang, F.Y., (2001): Assessing sediment contamination in estuaries. Environ. Toxicol. Chem., 20: 3 - 22.
- Chauhan, R. R. S., and Saxena, K. K., (1992): Effects of temperature on the toxicity of some metals to *Heteropneustes fossilis* (Bl) Polln. Res. 11(3): 131 - 134.
- Chauhan, S. V. S., Kumar, J., and. Singh, T., (1993): Physicochemical characteristics of effluents from tanneries. Acta. Ecologica. 15(1): 39 - 42.

- Chen, M. H., (2002): Base line metal concentrations in sediments and fish and the determination of bio indicators in the subtropical Chi – ku Lagoon, S. W. Taiwan, Baseline/ Marine Pollution Bulletin. 44, 703 – 724.
- Choudhari, Anil, and Mukta, Bharati, (2006): Preliminary observation of physico-chemical characteristics of industrial waste water influenced by printing and dying industries. J. Aqua. Biol., Vol.21 (2): 89 - 92.
- CIFRI (1981): Central Inland Fisheries Research Institute, Annual Report Project No.2011, CIFRI Barrackpur, India.
- Cohen, T., Hee, S., and Ambrose, R., (2001): Trace metals in fish and invertebrates of three California Coastal Wetlands. Marine Pollution Bulletin, 42, 232 – 242.
- Colinvaux, P. A., (1973): Introduction to ecology. John Wiley and Sons, New York.
- Colodey, A. G., Harding, L. E., Wells, P. G. and Parker, W. R., (1990): Effects of pulp and paper mill effluents and their constituents on estuarine and marine environments in Canada: A brief review. Regional Program Report 90-08, Environment Canada, Environmental Protection Service, Pacific, and Yukon and Atlantic Regions, Vancouver and Halifax.
- Copeland, R. A., and Ayres, J. C., (1972): Trace element distribution in water, sediment, phytoplankton, zooplankton and benthos of Lake Michigan. Res. group Inc, Ann Arbor, USA.
- Cox, R. A., (1965): The physical properties of sea water. In: Chemical oceanography, J.P. Riley and G. Skirrow, eds. Academic Press, London.
- Crane, M., Higman, M., Olsen, T., Simpson, P., Callaghan, A., Fisher, T. and Kheir, R. (2000): An in situ system for exposing aquatic invertebrates to contaminated sediments. Environ. Toxicol. Chem., 19: 2715 - 2719.
- Daniels Ranjit R. J., (2002): Fresh Water Fishes of Peninsular India. Publ. Universties Press (India) Pvt. Ltd., Hyderabad 500 029 (A.P.) India.
- Das, S. M., (1978): High pollution in Lake Nainital, U.P. as evidenced by biological indicators. Sci. and Cult. 44, 236 - 237.
- Dave and Goran, (1985): The influence of pH on the toxicity of Al,Cd and Fe to eggs and larvae of Zebra fish *Brachydonus rerio*. Ecotoxicol. Environ. Saf.10 (2):253-267.

- Davenport, J., and Redpath, K. J., (1984): Toxins: Drugs and pollution in marine animals, Edited by L. Bilis, J. Zudunaisky and R. Gilles (Springer Verlag), 176.
- Davenport, J., Gryffudd, D., and Beaumont, A. R., (1975): An apparatus to supply water of fluctuating salinity and its use in study of the salinity tolerance of larvae of the scallop *Pecten maxima*. J. Mar. Biol. Assoc. U. K. 55:391 - 409.
- Davies, C. A., Tomlinson, K., and Stephenson, T., (1991): Heavy metals in River tee estuary sediments. Environ. Technol. 12: 961 – 972.
- Davis, J. C., (1975): Minimal dissolved oxygen requirements of aquatic life with emphasis on Canadian species: A review. J. Fish. Res. Board Can. 32(12): 2295 - 2332.
- Davis, J. C., (1975b): Minimal dissolved oxygen requirements of aquatic life with emphasis on Canadian species: A review. J. Fish. Res. Board Can. 32(12): 2295 - 2332.
- De Lisle, P. F., and Roberts, M. H. (Jr.), (1988): The effect of salinity on cadmium toxicity to the estuarine mysid *Mysidopsis bahia*: Role of chemical speciation. Aquat. Toxicol. 12:357 - 370.
- De, Zwaan and Zandee, D. I., (1972): Body distribution and seasonal changes in glycogen content of common sea muscle *Mytilus edulis*. Comparative Biochem. Physiol. (Biochemistry), 43:53-55.
- Dean, H., Maurer, D., and Virgas, J. A., (1986): Trace metal concentration in sediment and invertebrates from the Cult of Nicoya Costarica, Marine Pollution Bulletin 17(3):128 - 131.
- Dehadrai, P. V., (1990): Pollution and Aquaculture. 11<sup>th</sup> Annual Session of the Acadamy of Environmental Biology, Aurangabad, India. (December, 1990).
- Dehadrai, P. V., and Poniah, A. G., (1997): Conserving India's fish biodiversity. Intl. J. Env. Sci., 23:315 - 326.
- Denton, G. R. W., and Burdon-Jone, C., (1986): Trace metal in fish from Great Barrier Reef. Marine Poll. Bulletin. 17(5):201 - 209.
- Department of water affairs and forestry (1996): Water Quality Guidelines, Aquatic Ecosystem use. Volume 7, 1st. Ed. DWAF, Pretoria.

- Depledge M. H., Amaral-Mendes, J. J., Daniel, B. Halbrook, R. S., Loepper-Sams, P. Moore M. N. and Peakall, D. B., (1993): The conceptual basis of the biomarker approach. In: D. B. Peakall and L. R. Shugart (Eds), Biomarkers: Research and Application in the assessment of Environmental Health, vol. 68. NATO ASI Series H: Cell Biology. Springer Verlag, Berlin: 15 - 29.
- Deshmukh, J. U., and Ambore, N.E., (2006): Seasonal variations in temperature and dissolved oxygen in river Godavari at Nanded, Maharashtra due to industrial pollution. *J. Aqua. Biol.* Vol 21(2): 97 - 100.
- DeVries, A. L., (1971): Freezing resistance in fishes. In: Fish physiology, Vol. VI, Environmental relations and behaviour, W.S. Hoar and D.J. Randall, eds. Academic Press, New York. Drinkwater, K.F. 1986. Physical oceanography of Hudson Strait and Ungava Bay. In: Canadian inland seas, I.P. Martini, ed. Elsevier Oceanography Series 44. New York.
- Dhanekar S., Rao, P., Srivastava, H., and Pandya, K., (1985): Acute mercury toxicity to some fresh water fishes. *Proc. Symp. Asses. Environ. Pollut*, pp. 229 - 233.
- Dickie, L. M., and Trites, R. W., (1983): The Gulf of St. Lawrence. In: Estuaries and enclosed seas, B.H. Ketchum, ed. Elsevier Publishers Ltd., Amsterdam.
- Dickinson, W. W., Dunbar, G. B. and McLeod, H., (1996): Heavy metal history from cores in Wellington Harbour, New Zealand. *Environmental Geology*. 1996, No.27. P.59-69. State Monitoring Program raw data. Ministry of Environment, 1995 – 2002.
- Dimitrova, M. S., Thishinova, T., and Velcheva, V., (1994): Combined effects of Zinc and Lead On the hepatic superoxide dismutase-catalase system in carp.com.J.Biochem.Physiol., 108:43 - 46.
- Doudoroff, P., and Katz, M., (1953): Critical review of literature on toxicity of industrial wastes and their components of fish. *Sewage industrial wastes*, 25,pp.802 - 839.
- Drever, J. I., (1988): The geochemistry of natural waters. 2<sup>nd</sup> ed. Prentice Hall, Englewood Cliffs, NJ.
- Driscoll, S. K., and McElroy, A. E., (1996): Bioaccumulation and metabolism of benzo[a]pyrene in three species of polychaete worms. *Environ. Toxicol. Chem.*, 15: 1401 - 1410.

- Eggens, M., Bergman, A., Vethaak, D., Vanderweiden, M., Celander, M., and Boon, J. P., (1995): Cytochrome p 4501a indexes as biomarkers of contaminant exposure - results of a field study with plaice (*Pleuronectes platessa*) and flounder (*Platichthys flesus*) from the southern North Sea. *Aquat. Toxicol.* 32: 211 - 225.
- Eisler, R., and Hannekey, R. J., (1977): Acute toxicities of cadmium, chromium, mercury, nickel and zinc to estuarine macro fauna. *Arch. Environ. Contam. Toxicol.*, 6:315.
- Evtusheso, Z. S., Luckyanova, O. N., Belcheva, N. N., (1990): Cadmium bioaccumulation in organs of Scallop, *Mizuhopecten yessoensis* Mar. Biol. Vol. 104 No.2 pp.247 - 250.
- FAO (1992): Committee for Inland Fisheries of Africa. Report of the third session of the Working Party on Pollution and Fisheries. Accra, Ghana, 25-29 November 1991. FAO Fisheries Report, 471, Rome, FAO.
- Farkas, A., Salanki, J., Specziar, A., (2002): Relation between growth and the heavy metal concentration in organs of bream *Abramis brama* L. populating Lake Balaton. *Arch. Environ. Contam. Toxicol.*, 43 (2), 236 - 243.
- Farombi, E. O., Adelowo, O. A., and Ajimoko, Y. R., (2007): Biomarkers of oxidative stress and heavy metal levels as indicators of environmental pollution in African cat fish (*Clarias gariepinus*) from Nigeria Ogun River. *Int. J. Environ. Res. Public. Health*: 4(2), 158 – 165.
- Faulkner, S., (2004): Urbanization impacts on the structure and function of forested wetlands. *Urban Ecosystems*, 7, 89 - 106.
- Fergusson, J. E. (1990): The heavy elements: Chemistry, environmental impact and health effects (614 pp.). New York: Pergamon Press.
- Fostner, U., and Prosi, F., (1979): Heavy metal pollution in freshwater ecosystems. In: Ravera O. (ed.) *Biological Aspects of Freshwater Pollution*. Pergamon Press, Oxford, Great Britain. 129 - 161.
- Freeda,D., Gnana, R., Geetha, S., and Ebanazar, J.,( 2001): The draining water quality characteristics of five rural places in and around Thittgudi, Tamilnadu, India. *Poll.Res.* 22 (1):111- 115.

- Galloway, J. N., (1979): Alteration of trace metal geochemical cycles due to the marine discharge of waste water. *Geochimica Cosmochimia Acta* 43: 207 – 218.
- Ganapati, P. N., and Raman, A. V., (1976): Mass mortality of fishes in Visakhapatnam harbour. *Indian J. Mar. Sci.* 7: 54 - 55.
- Garcia-Montelongo, F., Diaz, C., Galindo, L., Larrechi, M. S., and Rius X., (1994): Heavy metals in three fish species from the coastal waters of Santa Cruz de Tenerife (Canary Islands). *Scientia Marina*, 58, 179–183.
- George, Chinnamma, and Mathew, P. T., (1996): Biochemical and nutritional Evaluation of yellow clams. *Fish. Techn.* Vol. 33(1) pp. 41 - 45.
- Ghose, B. B., Ray, P., and Gopalakrishnan, V., (1973): Survey and characterization of waste waters discharged into the Hooghly estuary. *J. Inland Fisheries Society of India*, 82 - 101.
- Giancoli, D. C., (1991): Physics, principles with applications. Prentice Hall, Englewood Cliffs, NJ.
- Gogate, S. S., (1960): Some aspects of Hydrobiology of Bombay waters. M. Sc Thesis submitted to University of Mumbai.
- Goldberg, E. P., (1975): The mussel watch- A first step in global marine monitoring, *Mar. Poll. Bull.* 6, pp.111 - 115.
- Gorden, A. N., and Pople, A. R., (1998): Trace metal concentration in liver and kidney of sea turtles from South- Eastern Queensland, Australia *Mar. fresh water Res.* 49:409-414.
- Greenberg, D. A., (1984): The effects of tidal power development on the physical oceanography of the Bay of Fundy and Gulf of Maine. In: Update on the marine consequences of tidal power development in the upper reaches of the Bay of Fundy, D.C. Gordon Jr. and M.J. Dadswell, eds. *Can. Tech. Rep. Fish. Aquat. Sci.* 1256.
- Hudson, P. V., (1988): The effect of metal metabolism uptake, disposition and toxicity in fish. *Aquatic Toxicology*, 11, 3 – 18.
- Hansen, M.M., Jensen, A., and Lasen, H., (1982): Trend monitoring problems in the interpretation of concentration using fish as indicator organisms, ICES, S.M.E., 25.

- Harris, J. R. W., Cleary, J. J., and Valkirs, A. O., (1996): Particle-water partitioning and the role of sediments as a sink and secondary source of TBT. In: M. A. Champ & P. F. Seligman (Eds), Organotin. Environmental fate and effects. Chapman & Hall, London: 459 - 474.
- Harrison, P. J., Fulton, J. D., Taylor, F. J. R., and Parsons, T. R., (1983): Review of the biological oceanography of the Strait of Georgia: Pelagic environment. Can. J. Fish. Aquat. Sci. 40(7):1064 - 1094.
- Harte, J., Holdren, C., Schneider, R., and Shirley, C., (1991): Toxics A to Z, a guide to everyday pollution hazards (p. 478). Oxford, England: University of California Press.
- Heath, A. G., (1987): Water pollution and fish physiology, CRC Press Inc. Boca Rotan. Florida, pp. 245.
- Heath, R. G. M., and Claassen, M., (1999): An Overview of the Pesticide and Metal Levels Present in Populations of the Larger Indigenous Fish Species of Selected South African Rivers. WRC Report No. 428/1/99, 318 pp.
- Hong, H., and Kester, D. R., (1985): Chemical forms of iron in the Connecticut River estuary. Estuarine Coastal Shelf Sci. 21:449 - 459.
- Hopky, G. E., Chiperzak, D. B. Lawrence, M. J., and March. L. de., (1990): Seasonal salinity, temperature, and density data for Tuktoyaktuk Harbour and Mason Bay, N.W.T., 1980 to 1988. Can. Data Rep. Fish.Aquat. Sci. No 801. Fisheries and Oceans Canada, Winnipeg.
- Horne, A. J., and Goldman, C. R., (1983): Limnology, McGraw Hill International Book Company.
- Houston, A. H., (1982): Thermal effects upon fishes. National Research Council of Canada, Associate Committee on Scientific Criteria for Environmental Quality, Ottawa.
- Hughes, G. M., and Ballintijn, C. M., (1968): Electromyography of the respiratory muscles and gill water flow in the dragonet. J. Exp. Biol. 49:583 - 602.
- Hung, T. C., (1982): Study on heavy metals in rivers and estuaries of Western Taiwan. Sustainable clear water. Proceeding of the regional work shop on limnology and water resources management in the developing countries of Asia and Pacific, Uni.

- of Malaya, Kuala, Lumpur, Malaysia. Lim, R. P., Viner, A. B., Lim, L. H. S., Furtado, J. I. eds.28,181 - 192.
- Hutcheson, M., Miller, D. C., and White, A. Q., (1985): Respiratory and behavioural responses of the grass shrimp *Palaeomonetes pugio* to cadmium and reduced dissolved oxygen. *J. Mar. Biol.* 88(1):59 - 66.
- Hylland, K., Sandvik, M., Skare, J. U., Beyer, J., Egaas, E. and Goksoyr, A., (1996): Biomarkers in flounder (*Platichthys flesus*) - an evaluation of their use in pollution monitoring. *Mar. Environ. Res.*, 42: 223 - 227.
- Ibok, U. J., Udosen, E. D., Udoidiong, O. M., (1989): Heavy metals in fishes from some streams in Ikot Ekpene Area of Nigeria. *Nig. J. Tech Res.*, 1, 61-68.
- India's Environment Action Programme (1995): Approaches and Initiatives towards Sustainability Developed by centre for Environment Education, Ahmedabad, supported by ministry of Environment and Forests, Government of India.
- IRPTC (1984): Chemical safety international registrar of potentially toxic chemicals, UNEP, Geneva. pp 269.
- Jagdeesh, K. B., Shaffi, S. A., and Jeelani, S., (1989): Vanadium induced changes in glycogen content of *Clarius batrachus* (Linn) and *Channa punctatus* (Bloch). *J. Acta. Physiol. Hung.* 74(1):43 - 48.
- Jana, S., and Bandopadhyaya, N., (1987): Effects of heavy metals on some biochemical parameters in the fresh water fish, *Channa punctatus*. *Environ. Col.*, 5(3):488 - 493.
- Janiyani, K. L., Wate, S. R., and Joshi, S. R., (1993): Physicochemical characteristics of oil sludge from various sources of refinery. *Proc. Acad. Environ. Biol.* 2(2): 149 - 155.
- Jent, S., Heing, J. S., and Tate, C. M., (1998): 'Concentration distribution and composition of selected trace elements in bed sediment and fish tissue in the South Platte River Basin, USA, 1992-1993', National Water-Quality Assessment (NAWQA) program report, 1998.
- Jesudas, L., and Akila, R., (1995): Studies on the Physico-chemical characteristics of the sugar factory effluents. *Indian J. Environ. Pollu.* 16(11):808 - 810.

- Jordao, C. P., Pereira, M. G., Bellato, C. R., Pereira, J. L., and Matos, A. T. (2002): Assessment of water systems for contaminants from domestic and industrial sewages. *Environmental Monitoring and Assessment*, 79, 75 – 100.
- Joseph, K. O., and Shrivastava, J. P., (1993): Heavy metal load in edible oyster, *Crassostrea madrasencis* from the Ennore estuary Madras. *J. Environ. Biol.* 14(2): 121 - 127.
- Joshi, P. K., Bose, M., Harish, D., (2002): Haematological changes in the blood of *Clarias batracus* exposed to mercury choride. *J. Ecotoxicol. Environ. Monit.* 12: 119 – 122.
- Kaiser, K. L. E., and Valdmanis, I., (1982): Apparent octanol / water partition coefficients of pentachlorophenol as a function of pH. *Can. J. Chem.* 60 (16):2104-2106.
- Kakulu, S. E., Osibanjo, O., Ajayi, S. O., (1987): Trace metal content of fish and shellfishes of the Niger Delta Area of Nigeria. *Environ. Int.*, 13, 247 - 251.
- Kalay, K., Ay, O., and Canlı, M., (1999): Heavy metal concentration in fish tissues from the North Mediterranean Sea . *Bull. Envviron. Contam. Toxicol.* 63: 673 – 681.
- Kalay, M., and Canlı, M., (2000): Elimination of essential (Cu, Zn) and nonessential (Cd, Pb) metals from tissue of a freshwater fish *Tilapia zilli*. *Turkish Journal of Zoology*, 24, 429 – 436..
- Kalfakakon, V., and Akrida- Demertzı, K., (2000): Transfer factors of heavy metals in aquatic organism of different trophic level. <http://business.nol.gr/-bio/allfile/HTML/Kalfak.htm>.
- Kalle, T., (1971): Salinity: General Introduction. In: *Marine ecology: A comprehensive, integrated treatise on life in oceans and coastal waters*, Vol. 1 (Part 2), O. Kinne, ed. Wiley-Interscience, London.
- Kane, A., Donald, and Charles, R. F., (1987): Effects of Aluminium and pH on the early life stages of small mouth bass (*Microterus dolomieu*). *Water. Res.* 21(6): 633 - 640.
- Kapila, Manoj, and Ragothaman, (1999): Mercury, copper and cadmium induced changes in the total proteins level in muscle tissue of an edible estuarine fish *Boleophthalmus dussumieri* (CUV). *J. Environ. Biol.*, 20(3): 231-234.

- Karanjkar, D. M., (2001): Impact of industrial effluents on fresh water fish *Lebio rohita*. M.Phil. dissertation, S.U.Kolhapur.
- Kargin, F., (1996a): Effects of EDTA on accumulation of cadmium in *Tilapia zilli*. Turkish Journal of Zoology, 20, 419 – 421.
- Karuppasamy, R., (1999): The effect of phenyl mercury acetate (PMA) on the physiology, biochemistry and histology of selected organs in fresh water fish *Channa punctatus* (Bloch). Ph. D. Thesis Annamalai University, India.
- Katti, S. R., and Sathyanesan, A. G.; (1983): Lead nitrate induced changes in lipid and cholesterol levels in fresh water fish *Clarius batrachus*. Toxicol. Lett. 19(1-2):93 - 96.
- Kaufmann, P. R., Herlihy, A. T., and Baker, L. A., (1992): Sources of acidity in lakes and streams of the United States. Environ. Pollut. 77:115 - 122.
- Ketchum, B. H., (1967): Estuaries edited by Lauft G. H. (publication no. 83. American Association for Advancement off Science, Washigton DC) p.329.
- Khan, M. A., (2005): Environmental appraisal of depleting fish diversity of Kashmir valley. In: Fish Biology. Ed. Arvind Kumar. ABH Publ. Corp, New Delhi, pp. 39 - 43.
- Kinne, O., (1963): The effects of temperature and salinity on marine and brackish water animals. I. Temp. Oceanogr. Mar. Biol. Ann. Rev. 1:301 - 340.
- Knutzen, J., (1981): Effects of decreased pH on marine organisms. Mar. Pollut. Bull. 2: 25 - 29.
- Koli A K., Williams W. R., McClary, E B., Wright E L, and Burrell T. M., (1977): Mercury levels in freshwater fish of the state of South Carolina. Bull. Environ. Contam. Toxicol. 17(1) 82 - 89.
- Krauel, D. P., (1975): A summary of the physical oceanography of the Bras d'Or Lake system. Fisheries and Marine Services, Tech. Rep. No.570. Bedford Institute of Oceanography, Dartmouth, NS.
- Krishnaraja, A. P., Rege, M. S., and Joshi, A. G., (1987): Toxic effects of certain heavy metals (Hg, Cd,Pb,As and Je) on the inter-tidal crab, *Scylla serrata*.21:109 - 119.

- Kulkarni, B. G., and Masurekar, V. B., (1985): Toxicities of aromatic petroleum hydrocarbons to the clam, *Meretrix casta* (Hanley) In: Current Pollution Research in India (Ed: R. K. Trivedy), Environmental Publications, Karad. 251 - 254.
- Kulkarni, P. G., and Dharwadkar, S. M., (1998): Effect of dairy effluent on biochemical parameters of wheat seeds and fish. Proc. Acad. Environ. Biol., 7(1): 57 - 60.
- Kulo, A., and Miyahara, S., (1991): Case history-Minamata mercury pollution in Japan .J. Water Sci .Tech.23:283 - 290.
- Kumar, A., and Mathur, R. P., (1991): Bioaccumulation kinetics and organ distribution of lead in a fresh water teleost, *Colisa fasciatus*. Environ. Technol. 12 731 - 735.
- Kumar, A., and Thakore, S., (2004): Water in understanding Environment. Ed. Kiran B. Chhokar, Mamata Pandya, Meena Raghunathan, CEE. Sage Publ. New Delhi,
- Kumar, Anil, and Sharma, R. K., (1999): Physico-chemical characteristics of river Sengar in district Etawah( U.P.), Indian. J. Environ. Sciences3 (2):201-203.
- Kumar, H. D., Bisaria, G. P., Bhandar, L. M., Rana B. C., and Sharma V., (1974): Ecological studies on algae isolation from the effluents of an oil refinery, a fertilizer factory and brewery. Ind. J. Environ. Hlth. 10(3):247 - 255.
- Kurelec, B., (1993): The genotoxic disease syndrome. Mar. Environ. Res., 35: 341-348.
- Lakshmanan, P. T., Shynamma, B. S., Balchanda, A. W., and Nambisan P. N. K., (1983): Distribution and variability of nutrients in Cochin back waters, southwest coast of India. Indian J. Mar. Sci. 16: 99 – 102.
- Langston, W. J., (1990): Toxic effects of metals and the incidence of marine ecosystems. In: Furness, R. W., Rainbow, P. S., editors. Heavy Metals in the Marine Environment. CRC Press, New York 256 pp.
- Langston, W. J., Bryan, G. W., Burt, G. R., and Gibbs, P. E., (1990): Assessing the impact of tin and TBT in estuaries and coastal regions. Funct. Ecol., 4: 433-443.
- Laws, E. A., (1981): Aquatic pollution. John Willey and Sons, New York pp.482.
- Laxman, T., (1988): Levels of cadmium in sea food products. Fishery Tech. Vol. 25 pp. 142 - 146.
- Lee, J., Connolly, R. M., Dale, P .E. R., Dunn, R. J. K., Knight, J. M., Lemckert, C. J., Mckinnon, S., Powell, B., Teasdale, P. R., Welsh, D. T. and Younge, G. R., (2006): Impact on urbanization on coastal wetlands: a case study of Coombabah

- Lake, South-east Queensland. Brisbane, Technical Report No.54, CRC for Coastal Zone, Estuary and Waterway Management, pp. 219.
- Lithor, G., (1975): Methods for detection measurement and monitoring of water pollution, FAO. Rome, pp. 41.
- Lloyd, R., (1992): Pollution and Freshwater Fish. Fishing-News Books, Division of Blackwell Scientific Publications, Ltd., United Kingdom, 176 pp.
- Long, E. R., MacDonald, D. D., Severn, C. G. and Hong, C. B., (2000): Classifying probabilities of acute toxicity in marine sediments with empirically derived sediment quality guidelines. Environ. Toxicol. Chem., 19: 2593 - 2601.
- Lonkar, S. D., (1972): Seasonal variation in the Hydrological conditions in the coastal waters of Ratnagiri. Mahasagar. Vol.4. 101 - 106.
- Lowry, O. H., Rosenbrough, N. J., Farr, A. N. and Randall, R .J., (1951): Protein estimation with Folin Phenol reagents. J.Biol.Chem. 193:265-275.
- Luckey, and Venugopal, (1977): A new classification system for toxic compounds. J. Toxicol. Environ. Health. 2: 633 - 638.
- Luoma, S. N., and Ho, K. T., (1998): Appropriate uses of marine and estuarine sediment bioassays. In: P. Calow (Eds), Handbook of Ecotoxicology. Blackwell Science, Berlin: 193 - 226.
- Mahapatra, D., (1996): Indian Journal of Environment Protection, 16:724 - 729.
- Mahapatra, M. K. and Mishra, A., (2004): Effect of Limnological Parameters as Indigenous inland fishery diversity of western belt of Orissa. Fishery Management. Ed. Arvind Kumar. ABH Publ., New Delhi, 110 002, pp. 65 - 70.
- Mahyaoui, M., and Sanghi, M., (1987): Sea water pollution by heavy metals. Rev. Int. Oceanogr. Med. No. 87-88, pp115 - 124.
- Mane, P., (1988): Studies on the effects of aquatic pollution on the physiology of digestion of commercially important common edible fish in Panchganga River. Ph. D. Thesis, Shivaji University, Kolhapur.
- Mann, (1958): Annual fluctuations in sulphate and bicarbonate, hardness in pond. Limnol. Oceanogr. 3: 418 – 422.

- Marichamy, R., C. P., Gopinathan, and Ponsiraimeetan, (1985): Studies on primary and secondary production in relation to hydrography in the inshore waters of Tuticorin, K. Mar. Biol. Ass. India, 27 (1 and 2): 129 – 137.
- Mark, E., Hart, B. T. and Beckett R. (1982): Trace metals in Sediment from the Yarra River. Australia Journal Freshwater Research. 33: 761 – 778.
- Martin, J. M., and Whitfield, M., (1983): The significance of river in put of chemical elements to the ocean. In: Wong C. s., Boyle, E., Bruland, K. W., Burton, J. D. and Goldberg, E. D. (eds) Trace metals in Sea Water. Plenum, New York. 265 - 296.
- Martinez, C. B. R., Nagae, M. Y., Zaia, C. T. B. V., and Zaia, D. A. M., (2004): Acute morphological and physiological effects of lead in the neotropical fish *Prochilodus lineatus*. Braz. J. Biol., 64(4): 1 - 23.
- Maruthi, Y. A., and Subba Rao, M. V., (2000): Effect of distillery effluent on biochemical parameters of fish *Channa punctatus* (Bloch.) J. of Environ. And Poll. 7(2): 111 – 113.
- Mckee, T., and Wolf, D., (1971): American Sewage Practice. Vol. III. Disposal of sewage McGraw hill Book Company.
- Mcleay, D. J., and Brown, D. A., (1974): Growth stimulation and biochemical changes in juvenile coho salmon *Oncorhynchus kisuth* exposed to bleached kraft pulp mill effluent to 20 days. J. Fish Res. Bd. Can., 31:1043 - 1049.
- Mcleay, D. L., and Gordon, M. R., (1977): Leucocrit: A simple haematological technique for measuring acute stress in salmonid fish, including stressful concentrations of papermill effluents. J. Fish. Res. Bd. Can., 34:2164 - 2175.
- McLeay, D., and Associates Ltd. (1987): Aquatic toxicity of pulp and paper mill: A review. Report EPS 4/PF/1. Environment Canada, Environmental Protection Service, Ottawa.
- McLusky, D. S., Bryant, V., and Campbell, R., (1986): The effects of temperature and salinity on the toxicity of heavy metals to marine and estuarine invertebrates. Oceanogr. Mar. Biol. Ann. Rev. 24:481 - 520.

- McNeely, R. N., Neimanis, V. P., and Dwyer, L., (1979): Water quality sourcebook: A guide to water quality parameters. Environment Canada, Inland Waters Directorate, Water Quality Branch, Ottawa.
- Mellanby, K., (1980): The biology of pollution. 2<sup>nd</sup> Edition. Edward Arnold (Pub). Ltd. London pp. 68.
- Merian, E., (1991): Metals and their compounds in the Environment. Occurrence, Analysis and Biological Relevance. UCH. Weinhein-New York-Basel-Cambridge.
- Mhatre, G. N., Chapekar, S. B., Ramanirao, I. V., Patil, M. R., and Haldar, B. C., (1983): Effect of industrial pollution on Kalu river ecosystem. Environ. Pollut. 21:67 - 78.
- Miller, D. C., Poucher, S., Cardin, J. A., and Hansen, D., (1990): The acute and chronic toxicity of ammonia to marine fish and a mysid. Arch. Environ. Contam. Toxicol. 19: 40 - 48.
- Miller, K. I. and Magnum, C. P., (1988): An investigation of the nature of Bohr, Root, and Haldane effects in Octopus *Dofleini hemocyanin*. J. Comp. Physiol. B. 158: 547 - 552.
- Mishra, and Saksena, D. N., (1988): Industrial effluent pollution at Birlanager, Gwalior. IX th Annual Session and National Symposium On fish assessment and management cf Acad. Env. Boil. India at Valvada (Gujarat).
- Mishra, S. R., and Saksena, D. N., (1989): Industrial pollution at BirlaNagar, Gwalior. Poll. Res. No.8 (2): pp 77 - 86.
- Mishra, S., Panda, D. and Panigrahy, R. C., (1993): Physico- chemical parameters of the Bahuda estuary (Orissa). East coast of India. Indian J. Mar. Sci. 22(Mar): 75 – 77.
- Mitra, A.T., Mandal, and Bhattacharya, D.P., (1999): Concentration of heavy metals in Penaeus spp. of bracking water wetland ecosystem of West Bengal, India. Indian J. Environ. and Ecoplant, 2 (2):97 - 106.
- Mohan, C. V., Gupta, T. R., and Menon, N. R., (1986): Filtration in some tropical intertidal bivalves exposed to mercury and cadmium mixtures. Fitea. Fish. Technol. 23(2):204 - 210.
- Moore, H. B., (1966): Marine ecology. John Wiley and Sons Inc., New York.

- Morrisey, D. J., Turner, S. J., Mills, G. N., Williamson, R. B. and Wise, B. E., (2003): Factor affecting the distribution of benthic macro fauna in estuaries contaminated by urban runoff. *Marine Environmental Research*, 55(2), 113 - 136.
- Muley, D. V., and Patil I. M., (2006): A study of water quality and fish diversity of Pauna River Maharashtra. *J. Aqua. Biol.* Vol. 21(1): 68 – 75.
- Muley, D. V., Kamble, G. B., and Bhilave, M. P., (2000): Effects of heavy metals on nucleic acids in *Cyprinus carpio*. *J. Environ. Biol.*, 21(4):367 - 370.
- Muley, D. V., Karanjkar, D. M., and Muske, S. V., (2007): Impact of industrial effluents on biochemical composition of fresh water fish *Labio rohita*. *J. Environ. Biol.* 58(2): 245 – 249.
- Munkittrick, M. R., and Van Der Kraak, G. J., (1998): An overview of recent studies on the potential of paper mill effluents to alter reproductive parameters in fish. *J. Toxicol. and Environ. Health-part -B: Critical Reviews*, Vol. 1(4): 347 - 371.
- Naidu, K. A., Naidu, K. A, and Ramamurthi, R., (1984): Acute effect of mercury toxicity on some enzymes in liver of teleost, *Sarotherodon mossambicus*. *J. Ecotoxicol Environ. Sat.* 8(3):215 - 218.
- Nair, V. R., Mustafa, S., Mehta P, Govindan, E., Ram, J. and Gajbhaiya, S. N., (1998): Biological characteristics of Vashisti estuary, Maharashtra (West coast of India) *Indian J. of Mar. Sci.* 27: 310 - 316.
- Narbonne, F., (1973): Toxicity of lead nitrate in carp metabolism. *J. C. R. Soc. Biol.*, 4:167-572.
- Newman, M. C., (1998): Fundamentals of Ecotoxicology. Ann. Arbor Press, Chelsea, USA. pp. 25-39
- Nikolsky, G.V., (1999): Ecology of fishes. Allied scientific publishers Bikaner. pp 105 - 113.
- Nriagu, J. O. and Pacyna, J. M., (1988): Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature*. 333: 134– 139.
- Odum, E. P., (1971): Fundamentals of ecology, 3rd Ed, W.B. Saunders Company, Philadelphia, 574 pp.
- Olafia, F. G., Olafia, A. K., Onwude, T. E., (2004): Lethal and sub lethal effects of copper to African cat fish *Clarias gariepinus*. *African. J. Biomed. Research.* 65 - 70.

- Pailwan, I. F., (2005): Limnology and fisheries potential of perennial tanks of Kolhapur, Dist. Ph. D. Thesis. Shivaji University Kolhapur.
- Paka, S., and Rao, N., (1997): Inter relationship of physico-chemical factors pf a pond. J. Environ. Bioll., 18(1): 67 - 72.
- Pande, K.S., (2001): An Interal Pollution study of surface water, sediments and ground waters of river Ramganga at Moradabad. J. Poll. Res. 20(4):601-608.
- Pandey, A. K., Siddiqui, S. Z., and RamaRao, K. V., (1993): Physicochemical and biological characteristics of Hussain sagar, an industrially polluted lake, Hyderabad. Proc. Acad. Environ. Biol. 2(2):161 - 167.
- Pandey, B. N., Kumar, K., and Das, P. K. L., (1993): Preliminary study on the physico-chemical quality of water of the river Koshi at Purnia. J. Ecobiol., 5(3) 237-239.
- Rao, P. D., Bhaskar, B. R., Srinivasa Rao, K., Durga Prasad, Y. V. K., Someswara Rao, N., and Venkateswara Rao, T. N. V., (1990): Haematological effects in fishes from complex pollutd waters of Visakhapatnam harbour. Mar. Environ. Res. 30: 217 - 231.
- Part, P., and Lock, R. A. C., (1983): Diffusion of cadmium and mercury in a mucous solution from rainbow trout. Comp. Biochem. Physiol., 76 C (2):259-263.
- Paterson, R. H., Daye, P. G., and Metcalfe, J. L., (1980): Inhibition of Atlantic Salmon (*Salmo salar*) hatching at low pH. Can. J. Fish. Aquat. Sci. 37(50): 770 - 774.
- Pauchard, A., Aguayo, M., Pena, E., and Urrutia, R., (2006): Multiple effects of urbanization on the biodiversity of developing countries: The case of a fast-growing metropolitan area (Concepcion, Chile) Biological Conservation, 127, 272 - 281.
- Paul, A. J., (1983): Light, temperature, nauplii concentrations, and prey capture by first feeding pollock larvae *Theragra chalcogramma*. Mar. Ecol. Prog. Ser. 13: 175 - 179.
- Paul, A. J., (1986): Respiration of juvenile pollock, *Theragra chalcogramma* (Pallas), relative to body size and temperature. J. Exp. Mar. Biol. Ecol. 97:287 - 293.
- Paul, A. J., and Nunes, P., (1983): Temperature modification of respiratory metabolism and caloric intake of *Pandalus borealis* (Kroyer) first zoeae. J. Exp. Mar. Biol. Ecol. 56:163 - 168.

- Paul, A. J., and Nunes, P., (1986): Temperature modification of respiratory metabolism and caloric intake of *Pandalus borealis* (Kroyer) first zoeae. *J. Exp. Mar. Biol. Ecol.* 66:163 - 168.
- Paul, A. J., Paul, J. M., and Smith, R. L., (1988): Respiratory energy requirements of the cod *Gadus macrocephalus Tilesius* relative to body size, food intake, and temperature. *J. Exp. Mar. Biol. Ecol.* 122:83 - 89.
- Paul, A. J., Paul, J. M., and Smith, R. L., (1990): Rates of oxygen consumption of yellowfin sole (*Limanda aspera* Pallas) relative to body size, food intake and temperature. *J. Cons. Int. Explor. Mer* 47:205 - 207.
- Pawar, B. A., and Mane, U. H., (2006): Hydrography of Sadatpur Lake, near Pravaranager, Ahemadnager Districk, Maharashtra. *J. Aqua. Bil.*, Vol. 21(1): 101 - 104.
- Peerzada, N., McMorrow, L., Skiliros S., Guinea, M., and Ryan, P., (1990): Distribution of heavy metals in Gove Harbour, Northern Territory, Australia. *Science of the*
- Pereira-Filho, J., Schettini, C. A. F., Rorig, L., and Siegle, E., (2001): Intra tidal Variation and Net Transport of Dissolved Inorganic Nutrients, POC and Chlorophyll a in the Camboriu River Estuary, Brazil. *Estuarine, Coastal and Shelf Science*, 53, 249 - 257.
- Phillips, D. J. H., (1976): The common mussel *Mytilus edulis* as an indicator of pollution by zinc, cadmium, lead and copper. In: Effects of environmental variables on uptake of metals. *Mar. Biol.* 38:59 - 69.
- Poole, C. L., Strik, J. J. T., (1975): Sub lethal effects of toxic chemicals on aquatic animals, In: J.H. Koeman and J.J.T.W.A. Strick (Eds) Elsevier, Amsterdam, pp, 81 - 91
- Preston, A., Jefferies, D. F., Dutton, J. M., Harvey, B. R. and Steele, A. K., (1972): British Isles coastal water, the concentration of selected heavy metals in sea water, suspended matter and biological indicators a pilot survey. *Environ. Pollut.* 3: 69 - 82.
- Pria and Parivartan, (1998): Vikasachya shodhat- Lote industrial area. Publisher Pria, New Delhi and Parivartan, Chip'un.

- Prinsenberg, S. J., (1986): Salinity and temperature distributions of Hudson Bay and James Bay. In: Canadian inland seas, I.P Martini, ed. Elsevier Publishers Ltd., Amsterdam.
- Protasowicki M., Niedzwiecki E., Ciereszko W., (1993): Heavy metals and chloroorganic substances in sediment cores from the Szczecin Lagoon. In: Pollutants in Environment, (eds.A. Smoczyńska et al.), ART Olsztyn, 155 - 159.
- Qasim, S. Z., and Sen Gupta, R., (1983): Environmental characteristics of the ocean In: Pfafflin, J. R., and Zeigler, E. N. (eds), Encyclopedia of Environmental Science and Engineering, vol. I, pp. 294 - 309. Gordon and Breach Science Publishers, New York.
- Quadrose Goldin, Mishra Vidya, Ullal K. S., and Athalye, R. P., (2001): Status of water quanity of Thane creek (India), Ecol. And Cons. 7 (3): 2001; pp235 – 240.
- Quasim, S. Z., and Sengupta, R., (1980): Present status of marine pollution in India. Management of environment. Ed. by B. Patel, J. Wiley Eastern limited, Bombay, pp.310 - 318.
- Rae, J. R. and Rao, K.V.R., (1981): Lipid derivatives in the tissues of the fresh water teleost, *Sarotherodon mossambicus* after effect of Methyl Parathion. Proc. Indian.
- Raje G. B., Muley D. V., Mankar D. D., (2005): Analysis of heavy metals in ground water from Lote industrial area in Ratnagiri district (Maharashtra). Jr. of Industrial pollution control pp-381 - 386.
- Raje, G. B., Muley D. V., Mankar D. D., (2005): Analysis of heavy metals in ground water from Lote industrial area in Ratnagiri district (Maharashtra). Jr. of Industrial pollution control pp-381 - 386.
- Rajlaxmi, S., and Sreelatha, K., (2005): Studies on physico-chemical parameters of the Bhaty estury on Ratnagiri Coast of Maharashtra. J. Aqua.Biol., Vol.20 (2):110 - 112.
- Ramakrishna, T., Naidu, A. K., Asokanathan, N., Dilipkumar, T., Haridasan, C., Monomani, T., Sassendran, C. K., and Visalakshi, T., (1987): A longitudinal study of physico- chemical characteristics of Ollipuiramkadavu back waters – Preliminary report. Proc. Natn.Sem. Estuarine Management, Trivandrum. 223 – 225.

- Ramaswamy, S. N., Somasekhar, R. K., and Artal, G. D., (1982): Ecological studies on algae in waste from rubber tyre factory, Ind. J. Environ .Hlth., 24(1):1 - 7.
- Rana, B. C. and Palria, S., (1982): Ecological studies on the certain heavy metals pollution in Rajasthan. In: S.P. Banerjee (ed) Proc.Nat.Sem.Minerals and Ecology, VI/5:1-5.
- Randall, D. J., and Smith, J. C., (1967): The regulation of cardiac activity in fish in a hypoxic environment. Physiol. Zool. 40: 104-113.
- Rao, K. S., (1967): J. Mar. Biol. Ass. India, 9: 141 – 146.
- Rao, Panduranga, D., Bhaskar, B. R., Srinivasa Rao, K., Durga Prasad, Y. V. K., Someswara Rao, N., and Venkateswara Rao, T. N. V., (1990): Haematological effects in fishes from complex pollutd waters of Visakhapatnam harbour. Mar. Environ. Res. 30: 217 - 231.
- Ravera, O., (1975): Critique of concept and technique regarding biological indicators. Bull. 3001 (42): 111 - 121.
- Reddy, M. S., Mehta, B., Dave, S., Joshi, M., Karthikeyan, L., Sarma, V. K. S., Basha, S., Ramachanraiah, G., and Bhatt, P., (2007): Bioaccumulation of heavy metals in some commercial fishes and crabs of the Gulf of Cambay, India. Current Science, Vol. 92. No.11.1489 - 1491.
- Regoli, F., Nigro, M. and Orlando, E., (1992): Effects of copper and cadmium on the presence of renal concentrations in bivalve *Donacilla cornea*. Comp, Biochem. Physiol., 102(1):192 - 198.
- Rijstebil, J. W., Mur, L. R., Wijnholds, J. A. and Sinke, J. J., (1989): Impact of a temporal salinity decrease on growth and nitrogen metabolism of the marine diatom *Skeletonema costatum* in continuous cultures. Mar. Biol. 101:121 - 129.
- Robert, G. S., Grindley, J. and Willium, E. M., (1940): Chemical methods for the study of river pollution, London, H.M.SO. Fish Invert. Ser. I: 4(2).
- Roesijadi, G., and Robinson, W. E. (1994): Metal regulation in aquatic animals: Mechanism of uptake, accumulation and release. In: Malins D. C., Ostrander, G.K., editors. Aquatic Toxicology (Molecular, biochemical and Cellular Perspectives), Lewis Publishers, London, 539 pp.

- Sabnis, M. M., (1984): Studies on some Major and Minor Elements in the Polluted Mahim River Estuary. Ph. D. Thesis, University of Bombay.
- Sahu, K. C. and Mukherjee, S., (1983): Monitoring of water and sediments of Ulhas River, north east of Bombay. Mahasagar 16, 135 – 142.
- Sakar, S. K., (1991): Effects of temperature on eggs, fry, and fingerlings of *Labeo rohita* exposed to urea Prong. Fish. Cult., 53:242 - 245.
- Sarala Devi, K., Sankaranarayanan, V. N., and Venugopal, P., (1991): Distribution of Nutrients in Periyar river estuary. Indian J. Mar. Sci. 20(Mar.): 49 – 54.
- Sarkar, S. K., (1997): Influence of temperature on the feeding rates of fish exposed to some agricultural chemicals. J. Environ. Biol., Vol.18( 3):283 - 286.
- Sastray, K. V., Sachdeva, S., and Rathee, P., (1997): Chronic toxic effects of cadmium and copper and their combination of some enzymological and biochemical parameters in Channa punctatus. J. Environ. Biol., 18(3):291 - 303.
- Sawane, A. P., Puranik, P. G., and Bhate, A. M., (2006): Impact of industrial pollution on river Irai, district Chandrapur, Maharashtra, with reference to fluctuations in Carbon dioxide and pH. J. Aqua. Biol., Vol.21 (1): 105-110.
- Saxena, A. B., Subbarao, D., and Khan, Z. U., (1982): Studies on the acute toxicities of copper, mercury and cadmium to *Danio malabaricus* and *Punctis ticto*. J. Environ. Sci. Health, 17(5) pp.557-665.
- Saxena, M. M., (1998): Environmental Analysis of Water, Soil and Air. Published by Agro Botanica Bikaner.
- Scott, A. S. and Wright, D. A., (1988): Distribution of trace metals in the sediments and biota of Chesapeake Bay. Mar. Poll. Bull. 19: 425 – 431.
- Sengupta, R., and Sankaranarayanan, V. N., (1975): Pollution studies off Bombay. Mahasagar - Bull. Nat. Inst. of Oceanography, 7, 73 - 78.
- Sengupta, R., Moraes, C., Kureishy, T., Sankaranarayanan, V., Jana, T. K., Naqvi, S. W. A. and Rajagopal, M. D., (1979): Chemical Oceanography of the Arabian Sea. Part.IV, Laccadive Sea. Indian. J. Mar. Sci. 8:215 - 221.
- Serra, R., Carpene, E., Torresani, G., Andreucci, A., Grandini, S., (1993): Concentration of Zn, Cu, Fe and Cd in *Liza ramada* and *Leuciscus cephalus*. Archivio Veterinario Italiano. 44: 166 – 174.

- Shaffi, S. A., (1981): Mercury toxicity in biochemical and physiological alteration in nine fresh water teleost. *Toxicology letters*, Vol.8 (3): 187 - 194.
- Shah, S. L., Altindag, A., (2005): Effects of heavy metal accumulation on the 96 – hr LC<sub>50</sub> values in Tench *Tinca tinca* L., 1758. *Turk. J. Vet. Anim. Sci.* 29: 139 – 144.
- Shanthi, K., and Dhanlakhmi, V., (2006): Effect of sugar mill effluent on biochemical changes in the liver of fresh water fish *Cirrhinus mrigala*. *Indian J. Environ., and Ecopl.*, 12 (3): 727 - 730.
- Sharma, Rajesh Kumar., Agrawal, Madhoolika., and Marshall, F. M., (2004): Effects of waste water irrigation on heavy metal accumulation in soil and plants. Paper presented at a National Seminar, Bangalore University, Bangalore, Abst. No. 7. p. 8.
- Shivaraj, K. M., and Patil, H. S., (1988): Toxicity to copper and cadmium to fresh water fishes. *Envi. Ecol.* 6 (1):5 - 8.
- Singh, S. R., and Srivastava, V. K., (1988): Variation of water quality of Ganga River between Bauxer and Ball. *Poll.Res.*, 7(3-4):85 - 92.
- Skirrow, G., (1965): The dissolved gases-carbon dioxide. In: *Chemical oceanography*, J.P Riley and G. Skirrow, eds. Academic Press, London.
- Smith, P. C., (1989): Seasonal and inter-annual variability of current, temperature, and salinity off southwest Nova Scotia. *Can. J. Fish. Aquat. Sci.* 46(l):4 - 20.
- Sobha, K., Poornima, A., Harini, P., and Veeraiah, K., (2007) A study of biochemical changes in the fresh water fish, *Catla catla* (Ham.) exposed to the heavy metal toxicant Cadmium chloride. *Kahmandu University J. of Sci, Eng.and Technol.* Vol. I, No. IV.
- Sobha, K.,Poornima, A.,harini, P., and Veeraiah, K., (2007) A study of biochemical changes in the fresh water fish, *Catla catla* (Ham.) exposed to the heavy metal toxicant Cadmium chloride. *Kahmandu University J. of Sci, Eng.and Technol.* Vol. I, No. IV.
- Sprague, J. B., (1973): The ABCs of pollutant bioassay using fish- In biological methods for the water quality. *Am. Soc. Test. Mater. Tech. Publi.* 528:6-36.

- Sprague, J. B., (1985): Factors that modify toxicity. In: Fundamentals of aquatic toxicology, G.M. Rand and S.R. Petrocelli, eds. Hemisphere Publishing, New York.
- Strickland, J. D. H., (1965): Production of organic matter in the primary stages of the marine food chain. In: Chemical oceanography, J.P Riley and G. Skirrow, eds. Academic Press, London.
- Stumpe, R. P., and Haines, J. W., (1998): Variations in tidal level in the Gulf of Mexico and implications for tidal wetlands. *Estuarine, Coastal and Shelf Science*, 46, 165 - 73.
- Subramanian, M. A., Vishwanathan, S., and Varadraj, G., (1988): A report on the physicochemical Parameters of the sewage and industrial effluents in and around Erode, Tamil Nadu. *The Indian Zoologist*. 12(1, 2): 185 - 187.
- Suess E., Erlenkeuser H., (1975): History of metal pollution and carbon input in Baltic Sea sediments. *Meyniana*, 27(11), 63 - 75.
- Sultana, R., and Rao, S. K., (1994): Tissue disorganisation in a hyperplastic liver of a catfish *Mystus gulio* (Ham.) collected from the highly polluted harbour waters of Visakhapatnam. *Indian J. Mar. Biol. Assn. India*. 36: 286 - 290.
- Sultana, R., Rao, D. P., (1998): Bio accumulation patterns of zinc, copper, lead and cadmium in Grey mullet, *Mugil cephalus* (L.) from harbour waters of Visakhapatnam, India. *Bull. Environ. Contam. Toxicol*, 60; 949 - 955.
- Suresh, A., Sivaramakrishna, B., Victoramma, P. C., and Radhakrishnaian, K., (1991): Shift in protein metabolism in some organs of fresh water fish *Cyprinus carpio* under mercury stress. *J. Biochem. Int.*, 24(2): 379-389.
- Swiss, J. J., (1984): The effects of heated effluents on marine water quality in the Atlantic region. In: Health of the northwest Atlantic, R.C.H. Wilson and R.F. Addison, eds. Department of the Environment/Department of Fisheries and Oceans/Department of Energy, Mines and Resources, Ottawa.
- Szefer, P., and Szefer, K., (1985): Occurrence of ten metals in *Mytilus edulis* (L) and *Cardium glaucum* (L) from the Gdansk bay. *Marine Poll. Bulletin*. 16(11):446 - 450.

- Szefer, P., and Szefer, K., (1985): Occurrence of ten metals in *Mytilus edulis* (L) and *Cardium glaucum* (L) from the Gdansk bay. Marine Poll. Bulletin. 16(11):446 - 450.
- Talwar, P. K., and Jhingran, A. G., (1991): Inland Fishes of India and adjacent countries (Volume I and II). Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi. 541: 542 - 1158 pp.
- Tanasichuk, R. W., and Ware, D. M. (1987): Influence of inter annual variations in winter sea temperature on fecundity and egg size in Pacific herring (*Clupea harengus pallasi*). Can. J. Fish. Aquat. Sci. 45(8):1485 - 1495.
- Tebutt, THY., ( 1992): principles of water quality control , 4 th edition , Pergamon Press, U.K.
- Tejam, B. M., and Haldar, B. C., (1975): A Preliminary survey of mercury in fish from Bombay and Thana environment. Indian J. Environ Health, 17:9-16.
- Thomas, K. R., George, M. J., and Babu, C.R., (2002): Fresh water fishes of Southern Kerala with notes on the distribution of endemic and endangered species. J. Bombay. Nat. Hist. Soc. 99 (1): 47 - 53.
- Thomson, R. E., (1981): Oceanography of the British Columbia coast. Canadian Special Publication of Fisheries and Aquatic Sciences No. 56. Fisheries and Oceans, Ottawa.
- Thorat, S. R., and Wagh, S. B., (1998): Study on the Physico-chemical parameters of Tannery effluents at Aurangabad. National Symposium on Environmental issues and strategies for sustainable development. No.2.36.Jan.23-25 Aurangabad.
- Thorat, S. R., and Wagh, S. B., (1998): Study on the Physico-chemical parameters of Tannery effluents at Aurangabad. National Symposium on Environmental issues and strategies for sustainable development. No.2.36.Jan.23-25 Aurangabad.
- Thurberg, E. P., Calabrese, A., and Gould, E., (1977): Response of the lobster *Homarus americanus* to sub lethal levels of cadmium and mercury. In: Vernberg F. J., Calabrese, A. E. P. Thurberg, (eds.) Physiological responses of marine biota of pollutants, Academic Press, New York pp.185 - 189.
- Tinsil, I., (1982): Environmental behaviour of chemical pollutants. Moscow, Mir.

- Tonegawa, Y., Hojiro, E., and Takahashi, K., (1990): Effect of pH on the participation of calcium ion in the cell aggregation of sea urchin embryos. Zool. Sci. 7:229 - 234.
- Topping, G., (1976): Sewage and the sea. In: Marine pollution, R. Johnston, ed. Academic Press, New York.
- Tort, L., Torres, P., (1988): The effects of sub lethal concentration of cadmium on hematological parameters in the dog fish, *Scyliorhinus Canicula*. J. Fish. Biol., 32 (2), 277 - 282.
- Tort, L., Torres, P., and Flos, R., (1987): Effects on dogfish haematology and liver composition after acute copper exposure. Comparative Biochemistry and Physiology, 87, 349 – 353.
- Trivedy, R. K., and Goal, P. K., (1986): Chemical and Biological methods for water pollution studies. Environmental Publ. Karad. 415110.
- Trivedy, R. K., Goel, P. K., and Trisal, C. L., (1987): Practical Methods in Ecology and Environmental Science Published by Enviromedia, Karad.
- Trivedy, R. K., Khatavkar, S. D., and Goal, P. K., (1986): Characterization, treatment and disposal of water in textile industry. J. Ind. Pol. Cont.2 (1):1 - 2.
- Umminger, B. L., (1970): Physiologica studies on super cooled hill fish *Fundulus heteroclitus* III carbohydrate metabolism and survival at sub zero temperature. J. Exp. Zool., 173:159 - 174.
- Unlu, E., and Gumgum, B., (1993): Concentrations of copper and zinc in fish and sediments from the Tigris River in Turkey. Chemosphere, 26, 2055 – 2061.
- USEPA (U.S. Environmental Protection Agency) (1993): Created and National wetlands for controlling Non point sources of pollution. CRI Press, Inc., Florida.
- USEPA (U.S. Environmental Protection Agency) (1986): Ambient water quality criteria for dissolved oxygen. EPA 440/5-86-003. USEPA, Criteria and Standards Division, Washington, DC.
- Van Vuren, J. H. J., Du Preez, H. H., Wepener, V., Adendoree, A., Barnhoorn, I. E. J., Coetzee, L., Kotze, P., and Nussey, G., (1999): Lethal and Sub lethal Effects of Metals on the Physiology of Fish: An Experimental Approach with Monitoring Support. WRC Report No. 608/1/99.

- Varadraj, G., and Subramanian, M. A., (1991): The impact of tannery effluents on feeding energetics and oxygen consumption in the fingerlings of *Oreochromis mossambicus*. J. Ecotoxicol. Environ. Monit., 1:270 - 276.
- Varshney, P. K., (1985): Meiobenthic study of Mahim (Bombay) in relation to prevailing organic pollution. Mahasagar- Bull Natn. Inst. Oceanogr. 18 (1):27 – 35.
- Venugopal, P. K., Sarala Devi, Ramani, K. N., and Unnithan, R. V., (1982): Trace metal levels in sediment of 'Cochin back waters'. Mahasagar 15, 205 – 214.
- Voyer, R. A., and McGovern, D. G., (1991): Influence of constant and fluctuating salinity on responses of *Mysidopsis bahia* exposed to cadmium in a life-cycle test. Aquat. Toxicol. 19:215 - 230.
- Voyer, R. A., and Modica, G., (1990): Influence of salinity and temperature on acute toxicity of cadmium to *Mysidopsis bahia* Molenock. Arch. Environ. Contam. Toxicol. 19:124 - 131.
- Voyer, R. A., Sinnett, J. C., and Modica, G., (1989): An apparatus for exposing estuarine aquatic organisms to toxicants in constant and fluctuating salinity regimes. In: American Society for Testing and Materials, Vol. 11, ASTM STP 1007, G.W. Suter and M.A. Lewis, eds. Philadelphia.
- Waqar, A., (2006): Levels of selected heavy metals in Tuna fish. Arab. J. Sci. Eng., 31 (1A), 89 – 92.
- Watanabe, N., Takatsuki, H., and Sakai, S., (1997): Desorption of tributyltin, dibutyltin and zinc from resuspended sediment. Appl. Organometal. Chem., 11: 273 - 279.
- Water facts, (1997): Water and river commission, Government of Western Australia.
- Welch, P. S., (1952): Limnology, second ed. MC Graw - Hill Book Co. New York. pp. 538.
- Wetzel, R. G., (1975): Limnology, W.B. Saunders Company, Toronto. Pp. 743.
- Whitehouse, B. G., (1984): The effect of temperature and salinity on the aqueous solubility of polynuclear aromatic hydrocarbons. Mar. Chem. 14: 319- 332.
- WHO (2002): Water pollutant: Biological agents, dissolved chemicals, non-dissolved chemicals, sediments, heat, WHOCEMA, Amman, Jordan.
- WHO / FAO (1983): Compilation of legal limits for hazardous substances in fish and fishery products, FAO fishery circular No. 464:5 - 100.

- Wickins, J. F., (1984): The effect of reduced pH on carapace calcium, strontium and magnesium levels in rapidly growing prawns (*Penaeus monodon Fabricius*). Aquaculture. 41:49 - 60.
- Williamson, M. (1981): Island population, Oxford University Press, London.
- Winemiller, K. O., and Winemiller, L .C. K., (1996): Comparative ecology of catfishes of the Upper Zambezi River floodplain. J. Fish Biol. 49: 1043 - 1061.
- Wittmann G. T. W., (1979): Toxic metals. In: Forstner U and Wittmann GTW (eds.) Metal Pollution in the Aquatic Environment. Springer- Verlag, Berlin, Germany. 3 - 68.
- Yimaz, A. B., (2003): Levels of heavy metals (Fe, Cu, Ni,Cr, PB and Zn) in tissues of *Mugil cephalus* and *Trachurus mediterraneus* from Iskenderun Bay, Turkey, Environ. Res. 92, 277 – 281.
- Yousef, Y. A., Lin, L. Y., Lindeman W., and Jacobsen T. H., (1994): Transport of heavy metal through accumulated sediment in wet ponds. The science of the Total Environment. 146/147:485 – 491.
- Yousuf, A. R., (2000): Impact of Man on Fish Diversity in Kashmir In: Environmental Biodiversity and conservation (ed) M .A. Khan, APH Publ. Corp., New Delhi, pp.439 - 449.
- Yousuf, M. H. A., and El-Shahawi., (1999): Trace metals in *Lethrinus lentjan* fish from Arabian Gulf: Metal accumulation in Kidney and Heart Tissues. Bull. Environ. Contam. Toxicol., 62 (3), 293 - 300.
- Zingade, M. D., Singhal, S. Y., Moraes, C. F., and Reddy, C. V., (1976): Arsenic, copper, zinc and manganese in the marine flora and fauna of coastal and estuarine water around Goa.
- Zingde, M. D., (1985): Waste water effluents and coastal marine environment of Bombay. Proceedings: Sea water quality demands, pp.20.1 - 20.23. Naval Chemical and Metallurgical Laboratory, Bombay.
- Zingde, M. D., (2007): Estuaries of India – their environmental status and management strategies. In: Workshop on Indian Estuaries, National Institute of Oceanography, Goa.