

LIST OF FIGURES

| Fig. No. | Contents |
|----------|--|
| 1 | Light microscopic structure of Hepatopancreas of the control bivalve, <i>Lamellidens marginalis</i> (X200) |
| 2 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb for 8 days(X600) |
| 3 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Ca ⁺⁺ for 8 days (X200) |
| 4 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 56 ppm of Ca ⁺⁺ for 8 days (X600) |
| 5 | Light microscopic structure of the hepatopancreas of bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm for 8 days (X200) |
| 6 | Light microscopic structure of gills of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 28 ppm Ca ⁺⁺ for 8 days (X600) |
| 7 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 56 ppm Ca ⁺⁺ for 8 days (X200) |
| 8 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 84 ppm Ca ⁺⁺ for 8 days (X600) |
| 9 | Light microscopic structure of hepatopancreas of control bivalve, <i>Lamellidens marginalis</i> (X200) |
| 10 | Light microscopic structure of hepatopancreas of bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb for 16 days (X600) |
| 11 | Light microscopic structure of hepatopancreas of bivalve, <i>Lamellidens marginalis</i> exposed to 28 Ca ⁺⁺ for 16 days (X200) |
| 12 | Light microscopic structure of hepatopancreas of bivalve, <i>Lamellidens marginalis</i> exposed to 56 Ca ⁺⁺ for 16 days (X600) |
| 13 | Light microscopic structure of hepatopancreas of bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm Ca ⁺⁺ for 16 days (X200) |
| 14 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm Ca ⁺⁺ for 16 days (X600) |

| | |
|----|---|
| 15 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 28 ppm Ca ⁺⁺ for 16 days (X200) |
| 16 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm + 56 ppm Ca ⁺⁺ for 16 days (X600) |
| 17 | Light microscopic structure of hepatopancreas of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 84 ppm Ca ⁺⁺ for 16 days (X200) |
| 18 | Light microscopic structure of gonads of control bivalve, <i>Lamellidens marginalis</i> (X600) |
| 19 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb for 8 days (X200) |
| 20 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Ca ⁺⁺ for 16 days (X600) |
| 21 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 56 ppm Ca ⁺⁺ for 8 days (X200) |
| 22 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm for 8 days (X600) |
| 23 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm Ca ⁺⁺ for 8 days (X200) |
| 24 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 28 ppm Ca ⁺⁺ for 8 days (X600) |
| 25 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to for 28 ppm Pb + 56 ppm Ca ⁺⁺ 8 days (X200) |
| 26 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 84 ppm Ca ⁺⁺ for 8 days (X600) |
| 27 | Light microscopic structure of gonads of control bivalve, <i>Lamellidens marginalis</i> (X200). |
| 28 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb for 16 days (X600) |

| | |
|----|--|
| 24 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Ca ⁺⁺ for 16 days (X600). |
| 25 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to for 56 ppm Ca ⁺⁺ for 16 days (X200). |
| 26 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 84 ppm Ca ⁺⁺ for 16 days (X600). |
| 27 | Light microscopic structure of gonads of control bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 28 ppm Ca ⁺⁺ for 16 days (X200). |
| 28 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 56 ppm Ca ⁺⁺ for 16 days for 16 days (X600). |
| 28 | Light microscopic structure of gonads of the bivalve, <i>Lamellidens marginalis</i> exposed to 28 ppm Pb + 84 ppm Ca ⁺⁺ for 16 days (X600). |