

## **CHAPTER-V**

## **BIBLIOGRAPHY**

### REF E R E N C E S

vanAchtererg, C. 1988. Parallelisms in the braconidae (Hymenoptera) with speial referene to the biology.

Advances in Hymenoptera Research, 85-115.

Ayyar, T.V.R., 1920. On the insects parasites of some Indian crop pests.

Proc. 3rd Ent.Mtg. Pusa, 3/ 931-936.

Ayyar, T.V.R., 1921. A list of parasitic Hymenoptera of economic importance from South India.

Proc.4th Ent. Mtgs. Pusa, 4/ 363-366.

Ayyar, T.V.R. 1924. A catalogue of the braonid wasps desribed from the Indian Region.

Proc. Ent. Mtgs. Pusa, 5, 352-362.

Ayyar, T.V.R. 1926. On the braconid genus Aphrasloracon (a parasite on Eublemma).

Bull. Ent. Res, 17/ 91-98.

Ayyar, T.V.R. 1927. The parasitic hymenoptera of economic importance noted from South India.

Bull. Ent. Res., 18/ 73-78.

Ayyar, T.V.R. 1928. A contribution to our knowledge of the South Indian Braconidae.

Mem. Dep. Agric. India, 10/ 29-60.

Ayyar, C.F.C. and Chatterjee, S.N. 1935. On the biology of Braconidae (Hymenoptera).

Indian Forest Rec.(N.S.), 1/ 105-138.

- Bhat Shama and Gupta V.K. 1977. Ichneumonologia orientalis  
 Part VI. The subfamily Agathidinae (Hymenoptera :  
Braconidae). Oriental ins. (monograph), 6, 1-345.
- Bhatnagar, S.P., 1948. Studies on Apanteles Foerster (Vipionidae  
 : Parasitic hymenoptera) from India.  
Indian J. Ent., 10, 133-203.
- Bingham, C.T. 1901. Description of two new species of Bracon  
 from Bengal.  
Ann. Mag. Nat. Hist., 7, 555-557.
- Brulle, A. 1846. In Lepeletier : Histoire Naturelle des Insectes  
Hymenoptera, 4, 689.
- Cameron, P., 1891. Hymenopterological notices.  
Mem. Proc. Manchester Lit. Phil. Soc., 4, 185-194.
- Cameron, P., 1900. Hymenoptera orientalia, or contributions to  
 the knowledge of the Hymenoptera of the oriental  
 zoological region. Part 9. The Hymenoptera of the  
 Khasia Hills. Part II. Section 1. Mem. Proc.,  
Manchester Lit. Phil. Soc., 44, 1-14 pp.
- Cameron, P. 1905. A third contribution to the knowledge of the  
 Hymenoptera of Sarawak.  
J. Straits. Branch. Royal Asiatic Soc., 44, 93-168.
- Cameron, P. 1906. On the Hymenopterous parasites of the mealie  
 stalk borer (Sesamia fusca Hamps.).  
Trans S. Afr. Phil. Soc., 17, 334-336.
- Cameron, P. 1907. On the Parasitic Hymenoptera collected by  
 Major C.G. Nurse in the Bombay Presidency.  
J. Bombay Nat. Hist. Soc., 17, 578-597.

- Cameron P. 1910a. On some Asiatic species of the subfamilies  
 Braconidae and Exothecinae in the Royal Berlin Museum  
Societas Entomologia, 25, 19-20.
- Cameron, P. 1910 b. On some Asiatic species of the subfamilies  
 Braconinae and Exothecinae in the Royal Berlin Museum.  
Societas Entomologia, 25, 22-23.
- Cameron, P. 1910 c. On some Asiatic species of the subfamilies  
 Exothecinae, Spathinae, Hormioinae, Cheloninae and  
 Macrocentrinae in the Royal Berlin Zoological Museum.  
Tidschrift voor Entomologie, 53, 41-55.
- Cameron, P. 1911. On a collection of parasitic Hymenoptera  
 (Chiefly bred) made by Mr. W.W. Froggatt in New  
 South Wales, with descriptions of new genera and  
 species.  
Proc. Linn. Soc. N.S.W., 36, 342.
- Cameron, P. 1912. On a collection of parasitic Hymenoptera  
 (Chiefly bred), made by Mr. W. W. Froggatt,  
 in New South Wales, with description of new  
 genera and species part 3.  
Proc. Linn. Soc. N.S.W., 37, 172-216.
- Cameron, P. 1913. On the parasitic Hymenoptera reared at Dehra  
 Dun, Northern India, from the lac (Tachardia) and  
 Sal Insects.  
Indian Forest Rec., 4, 91-100.
- Chalikwar, M.R. 1974. Studies on parasitic hymenoptera of  
 Marathwada with special reference to family Braconidae  
 Ph.D. thesis, pp., 1-260.

Chalikwar, M.R., Rao S.N. and Nikam P.K. 1984. Two new species of Cotesia Cameron (Hymenoptera:Braconidae). Oriental Ins., 18, 17-23.

Chatterjee, P.N., 1941. Notes on some parasites on Shisham defoliators at Allahabad and Dehra Dun, India. Indian J. Ent., 3, 157-172.

Coppel, H.C. and Mertiins, J.W. 1977. Biological Insect pest suppression. Agri. Series Agri. Sci., 4, 1-301.

Cossentine, J.E. and Lewis, L.C. 1986. Studies on Bonnetia comta (Diptera : Tachinidae) Parasitizing Agrotis ypsilon (Lepidoptera : Noctuidae) larvae. Entomophaga, 31, 323-330.

Dawale, R.K. 1991. Studies on the natural enemies of some economic important crop pests with special reference to Hymenoptera. Ph.D. thesis, Shivaji University, Kolhapur. pp.1-213.

Dawale, R.K., Bhosale, Y.A. and T.V.Sathe, 1993. A new species of the genus Cotesia Cameron (Hymenoptera : Braconidae) from India. Bioved, 4, 263-266.

DeBach, Paul, 1964. Biological control of insect pests and weeds Chapman and Hall Ltd., New Petter Lane, Lond. pp : 1-843.

DeSaeger, H., 1944. Le genre Apanteles au Congo Belge (Hymenoptera : Braconidae)

Rev. Zool. Bol. Afr., 34, 322-347.

Greathead, D.T. 1971. A review of biological control in the Ethiopian region.

Commonw. Inst. Biol. Cont. Tech. Common., pp-5.

Gupta, V.K. 1957. Some species of Apanteles Foerster and their hyperparasites from India with descriptions of new species (Parasitic Hymenoptera).

Indian J. Ent., 19, 101-106.

Gupta V.K. 1988. Advances in parasitic Hymenoptera research. Proceedings of the II conference on the Taxonomy and Biology of Parasitic Hymenoptera held at the University of Florida, Gainesville, Florida Nov. / 19-21, 1987.

Hagen, K.S., Franz J.M. : A history of biological control. In : History of Entomology. Smith R.F.; Mittler, T.E., Smith, C.N. (eds.) Palo Alto. Calif : Annual Reviews, 1973 pp. 433-476.

Huffaker, C.B. and Stinner, R.E. 1971. The role of natural enemies in pest control programmes. Entomological essays to commemorate the Retirement of Professor K. Yasumatsu pp : 333-350.

Inamdar, S.A. 1990. Biosystematic studies of braconid parasitoids of some economic important crop pests in Western Maharashtra.

Ph.D. thesis, Shivaji University, Kolhapur pp. 1-216.

Ingawale, D.M. 1991. Biosystematic studies on Microgastrinae of some important economic crop pests.

Ph.D. thesis, Shivaji University, Kolhapur pp.1-200.

Ingawale, D.M. and Sathe, T.V. 1993. On a new species of the genus Rhygoplitis Gahan (Hymenoptera : Braconidae) from India.

Oikoassay, 10/ 39-40.

Ingawale, D.M. and T.V. Sathe, 1994. Biology and Biometry of Apanteles jayanagarensis Bhatnagar (Hymenoptera : Braconidae), a larval parasitoid of Spilosoma obliqua (Wlk.).

J. Anim. Morphol. Physiol; 41/ 13-17.

Johnson, C.A. 1957. History of biological control of Insects in Washington.

Northwest Sci., 33/ 57-59.

Kerrich, G.J. 1960. The state of our knowledge of the systematics of the Hymenoptera Parasitica.

Trans. Soc. Brit. Entomol., 14/ 1-18.

King, E.C. 1948a. Management of Heliothis spp. in cotton by augmentative releases of Trichogramma, 1Ind Symposium on Trichogramma and other egg parasitoids", Hamburg, Germany, August 20-24.

King, E.C. 1984b. Inundative and augmentative releases of parasites and predators. Biological control in Agri. Imp. systems conference, Wintler Havan E.L.; June 3-6.

Kurian C. 1955. A note on Apanteles flavipes Cam., a braconid parasite of the Cholan stem borer, Chilo zonellus (Swin).

J. Bombay Nat. Hist. Soc., 53/ 6-9.

Lal, K.B. 1939. Some new species of Hymenoptera from India.

Indian J. Ent., 1/ 49-58.

Lal, K.B. 1942. Description of two new and redescription of  
a third species of Apanteles (Braconidae) from India.  
Indian J. Ent., 4, 163-166.

Lingren, P.D., Warne, W.B., Raulston, J.R., Kehal, M.,  
Henneberry, T.J., Pair, S.D., Zvirgzdins, A. and  
Gillespie, J.M. 1988. Observation of the emergence  
of adults from natural populations of corn earworm,  
Heliothis zea (Boddie) (Lepidoptera : Noctuidae).  
Environ. Ent., 17, 254 : 258.

Lutterrell, R.G., Phillips, J.R. and Pfrimmer, T.R. 1985.  
Cropping system in the mid-south. In theory and  
tactics of Heliothis population management I.  
Cultural and Biological control (In press).

Manjunath, T.M. (1992). Biological control from lab to land :  
Role of commercial insectaries.

Nat. workshop Biotech Approach Biological Control of  
Phytophagus Insects; Madras, pp. 32-33.

Mason, W.R.M. 1981. The polyphyletic nature of Apanteles  
Foerster (Hymenoptera : Braconidae) a phylogeny and  
reclassification of microgastrinae.

Mem. Ent. Soc. Canada, 115, 1-147.

Mathur, R.N. 1942. On the biology of the shisham defoliators  
in the Punjab Plantations.

Indian Forest Rec., (N.S.) Ent., 7, 9-65.

Nagarkatti, S. 1981. The utilization of Biological control in  
Heliothis management in India. proceeding of the  
International workshop of Heliothis management, pp.156-167.

Narasimham, A.U. and Chacko, M.J. 1988. Restrococcus Spp. (Hemiptera - Pseudoocidae) and their natural enemies in India as potential biological control agents for R.invadeus Williams.

Bull. Ent. Res., 78, 703-708.

Narayanan, E.S. 1936. Importance of the study of hymenopterous parasites in India with notes of the bionomics of some of the important parasites found in pusa.

Proc. 23rd Ind. Scu. Congr., Indore pp.453.

Narayanan, E.S. and Subbarao, B.R. 1960. New species of Encyrtid and Braonid parasites.

Indian J. Ent., 22, 75-79.

Nikam P.K. and Sathe, T.V. 1983. Life tables and intrinsic rates of natural increase of Cotesia flavipes (Cameron) (Hymenoptera : Braonidae) population on Chilo partellus (Swin.) (Lepidotpera : Pyralidae).

Z. ang. Ent., 95, 171-175.

Nixon, G.E.J. 1965. A reclassification of the tribe Microgasterini (Hymenoptera : Braconidae).

Bull. Br. Mus. Nat. Hist., (ent), 2, E Suppl., 1-284.

Nixon, G.E.J. 1967. The Indo-Australian species of the Ultor group of Apanteles Foerster (Hymenoptera : Braonidae).

Bull. Br. Mus. Nat. Hist. (ent), 21, 1-34.

Papp. J. (1986). A Survey of the European species of Apanteles Forst. (Hymenoptera, Braconidae : Microgastrinae) IX. The glomeratus group, 1.

Annls. hist. nat. Mus. natn. hung., 78, 225-247.

- Papp, J.(1987). A survey of the European species of Apanteles Forst. (Hymenoptera, Braconidae : Microgastrinae), X. The glomeratus-group 2 and the cultellatus-group Annls.hist.nat.Mus.natn.hung., 79, 207-258.
- Paroda, R.S. 1993. Crop science research for sustainable agriculture in India. Pro.Nat.Acad.Sci.India, 63, 97-114.
- ck Ramandran, S. 1993. Biotechnological tools for environmentally sound development. Proc. Nat. Acad. Sci., India, 63, 85-96.
- Rao, S.N. 1953. Notes on some parasitic hymenoptera from India with the description of a new speies, Apanteles epijarbi. Indian. J. Ent., 15, 23-28.
- Rao, S.N. 1961. Key to the Oriental species of Apanteles Foerster (Hymenoptera). Proc. Nat. Acad. India. B, 31, 32-46.
- Rao, S.N. and Chalikwar, M.R. 1970a. A new speies of the genus Apanteles Foerster (Hymenoptera : Braonidae) from Marathwada. Bull. Ent., 11, 11-14.
- Rao, S.N. and Chalikwar, M.R. 1970b. Studies on Indian parasitic Hymenoptera (Braonidae) from Marathwada-I. Marathwada Uni. J. Sci., 9, 107-112.

Rao, S.N. and Chalikwar M.R. 1970c. Four new species of the Braconid genus Protomicroptitis Ashmead from India and a key to the oriental species.

Bull. Entomol., 11, 102-115.

Rao, S.N. and Chalikawar, M.R. 1971. Studies on parasitic hymenoptera (Braconidae) from Marathwada III. Three new species of Chelonus Panzer.

Oriental. Ins., 5, 469-476.

Rao, S.N. and Kurian, C. 1950. Description of eleven new and records of fifteen known species of Ichneumonidae (Hymenoptera parasitica from India Part I).

Indian. J. Ent., 12, 167-190.

Rao, V.P., Ghani, M.A., Sankaran, J. and Mathur, K.C. 1971. A review of biological control of insects and other pests in South-East Asia and the pacific region.

Commonw. Inst. Biol. Control Tech. Commn., 6, 1-149.

Reuter, O.M. (1913). "Lebensgewohnheiten und Instinkte der Insekten". Friedlander, Berlin.

Sailer, R.L. 1972. A look at USDA's biological control of insect pests: 1888 to present.

Agril. Sci. Rev., 10, 15-27.

Sathe, T.V. 1984. Seasonal mortality of Cotesia orientalis Chalikwar and Nikam (Hym; Braconidae), a larval parasitoid of Exelastis atomosa Wals. due to hyperparasitoids.

Oikoassay, 1, 28.

- Sathe T.V. 1985. Development and survival of Cotesia diurnii N. & R. a larval parasitoid of Exelastis atomosa Wals. in relation to different constant temperatures, Geobios, 12, 46-47.
- Sathe, T.V. 1986a. New Records of natural enemies of Exelastis atomosa Walsingham, a pigeon pea pest in Kolhapur, India. Oikoassy, 3, 17.
- Sathe, T.V. 1986b. Biology of Cotesia diurnii R. and N. (Hym.: Braconidae), a larval parasitoid of Exelastis atomosa Walsingham. Oikoassy, 3, 31-33.
- Sathe, T.V. 1986c. Life tables and intrinsic rate of increase of Cotesia diurnii Rao and Nikam (Hym.:Braconidae), a larval parasitoid of Exelastis atomosa Wals. Entomon, 11, 281-283.
- Sathe, T.V. 1987. New records of parasitoids of Ber hairy caterpillar, Thiocidas postica Wilk. in Kolhapur, India. Sci. and Cult., 13, 185.
- Sathe, T.V. 1988. Intrinsic rates of increase and interspecific relationship between C.orientalis, C.diurnii and D. tricopilus, the larval parasitoids of E. atomosa Wals. Advances in Parasitic Hymenoptera Research, USA, PP 383-387.

- Sathe, T.V. 1990. The biology of Diadegma argenteopilosa (Cameron) (Hymenoptera : Ichneumonidae), an internal larval parasitoid of Spodoptera litura(Fab.).  
The Entomologist, 109, 2-7.
- Sathe, T.V. 1991a. Developmental interactions between the sorghum stem borer, Chilo partellus and its Braconid parasitoid, Cotesia flavipes.  
Riv. di.Parassitologia (LII) 3, 289-296.
- Sathe, T.V. 1991b. Fecundity and life table studies in Glyptapantles malshri S. and I. (Braconidae) a larval parasitoid of Plutella xylostella (Plutellidae).  
Riv. di.parassitologia (LII) 3, 297-304.
- Sathe, T.V. 1992a. Natural enemies of some insect pests of economic importance.  
Oikoassay, 9, 15-17.
- Sathe, T.V. 1992b. A new species of the genus Rhygoplitis Gahan (Hymenoptera : Braconidae) in India.  
J. Zool. Res., 5, 13-16.
- Sathe, T.V. and S.A. Inamdar 1988. A new species of the genus Nyereria Wilkinson (Hymenoptera : Braconidae) from India.  
J. Adv. Zool., 9, 128-131.
- Sathe, T.V. and S.A. Inamdar, 1989a. A new species of the genus Apanteles Foerster (Hymenoptera : Braconidae) from Western Maharashtra.  
Oikoassay, 6, 5-7.

Sathe, T.V. and S.A. Inamdar 1989b. A new species of the genus  
Hypomicrogaster Ashmead (Hymenoptera : Braconidae)  
from India.

I.J. Inv. Zool. & Aqua. Biol., 1, 21-23.

Sathe, T.V. and S.A. Inamdar 1991. Two new species of the  
genus Glyptapanteles Ashmead and Parenion Nixon  
(Hymenoptera : Braconidae) from India.

Hexapoda, 3 (1 & 2), 89-93.

Sathe T.V. and D.M. Ingawale 1993. Feundity, life tables and  
intrinsic rate of increase in Apanteles jayanagarensis  
Bhatnagar, a larval parasitoid of Spilosoma  
obliqua (Wlk).

J. Biol. control, 7, 69-71.

Sathe, T.V. and D.M. Ingawale 1995. Two new species of the  
genus Apanteles Foerster (Hymenoptera : Braconidae)  
from India.

J. Bombay Nat. Hist. Soc., 92, 81-84.

Sathe, T.V. and Nikam, P.K. 1983. Adult longevity of Cotesia  
flavipes (Cameron) (Hymenoptera : Braconidae) with  
different food.

Sci. and Cult., 49, 405-406.

Sathe, T.V., Ranjana K. Dawale and D.M. Ingawale 1989. A new  
species of the genus Parapanteles Ashmead  
(Hymenoptera : Braconidae) from India.

Indian J. Parasitol.; 13, 211-213.

- Sathe T.V., D.M. Ingawale and Y.A. Bhosale 1994. Two new species of the genus Cotesia Cameron (Hymenoptera: Braconidae) from India.  
Hexapoda, 6, 79-85. (In press).
- Simmonds, F.J. 1970. Biological control sampong chainchoren at Sampond Press Ltd., Part 4/8 Bangkok Nadhaburi Road, Bangkok pp : 12.
- Sing, A. and Sadhu A.N. 1986. Agricultural problems in India. P.G. Department of Economics, Jamnu University, Jammu pp. 1 to 386.
- Smith, F. (1860). Catalogue of hymenopterous insects collected by Mr. A.R. Wallace in the Islands of Bachian, Kaisaa, Amboyna, Gilolo and at Dory in New Ginea.  
Proc. Linnean Soc. (Zool); 5, 93-143.
- Tobias, V.I. 1976. Novye vidy Naexdnikav-Braconid iz Roda Apanteles forst. (Hymenoptera : Braconidae).  
S. Dalnego Votoka Trudy Zool. Inst., 67 : 90-96.
- Viereck, H.L. 1009, Hymenoptera for the New Jersey list of insects and other Hymenoptera.  
Proc. ent. Soc. Washington, 11 : 208-211.
- Viereck, H.L. 1911. Description of six new genera and thirty one new species of Ichneumon flies.  
Proc. U.S. nat. Mus. Washington 40 : 170-196.
- Watanabe, C. 1934a. On some species of Braconidae from Formosa and Phillipines in the Deutsches Entomologisehes Museum.  
Ins. Matsumurana, 8, 119-123.

- Watanabe, C. 1934b. H.Sauter's Formosa Collection, Braconidae  
Ins. Matsumurana, 8, 182-205.
- Watanabe, C. 1935. On two hymenopterous guests of ants in Japan.  
Ins. Matsumurana 9(3), 90-94.
- Watanabe, C. 1937. A contribution to the braconid fauna of the Empire of Japan.  
J. Fac. Agri. Hokkaido Univ., 42; 1-188.
- Wilkinson, D.S. 1927. On the Indo-Malayan species of the genus Microgaster (Hymenoptera:Braconidae).  
Bull. Ent. Res., 18; 171-178.
- Wilkinson, D.S. 1928a. A revision of the Indo-Australian species of the genus Apanteles (Hymenoptera:Braconidae) Part I  
Bull. Ent. Res., 19, 79-105.
- Wilkinson, D.S. 1928b. A revision of the Indo-Australian species of the genus Apanteles (Hymenoptera:Braconidae) Part II.  
Bull. Ent. Res., 19, 109-146.
- Wilkinson, D.S. 1929. New parasitic Hymenoptera and notes on other species.  
Bull. Ent. Res., 20, 103-144.
- Wilkinson, D.S. 1930. New Braconidae and other notes.  
Bull. Ent. Res., 21, 274-285.
- Wilkinson, D.S. 1932a. Four new Apanteles "Stylops", 1, 139-149.
- Wilkinson D.S. 1932b. A revision of the Ethiopian species of the genus Apanteles (Hymenoptera:Braconidae).  
Trans. R. Ent. Soc. Lond., 80 301-344.

Wilkinson, D.S. 1935. On some Braconids (Hymenoptera).

Stylops, 4, 71-72.

Yeargan, K.V. 1985. Alfalfa. Status and current limits to biological control in the eastern U.S., Biological control in Agricultural IPM System pp. 521-531.