

# REFERENCES

- Aceana, S.P. (1941). Fish parasites and human disease :  
*Riva. Filipina. Med. V. Farm* **32**(8) : 235-239.
- Agrawal, S. C. and S. K. Sharma (1989). *Dactylostomum satpali* sp. nov. from the intestine of a freshwater Eel, *Mastacembalus armatus* (Lac) Fotedar Vommemoration Volume, 108-122.
- Agrawal, S.C. and Sharma S.K. (1989) *Dactylostomum satpali* sp.nov. from the intestine of a freshwater eel *Mastacembalus armatus* (Lac) Fotedar Commemoration Vol. 108-123.
- Amin, O.M. (1978) Intestinal helminth of some Nile fishes near Cairo, Egypt with redescription of *Camallanus kirandensis* Baylis, 1928 (nematodae) and *Bothriocephalus aegypticus* Rysavy and Moravec, 1975 (cestoda) : *J. parasitol.* **64** : 93-101.
- Anderson, R.M. and May R.M. (1978). Regulation and stability of the host parasite population interaction, regulation process : *J. Anim, Ecol.* **47**(1) : 219-247.
- Anderson, R.M. and May R.M. (1978). The regulation of the host population growth by parasite species : *Parasitology* **76** : 199-157.
- Anderson, R.M. Gordon D.M. (1982). Processes influencing the distribution of parasite numbers within host population with special emphasis on parasite - induced host mortalities : *Parasitology* **85** : 373-398.
- Arme, C. (1983). Aspects of tapeworm physiology : *Jav. Biol. Ed.* **17** (40 : 352-357).
- Arnold, J.G.; Schafer, H.E. and Vulliet R.L. (1968). The parasites of the freshwater fishes of Louisiana II

- Check-list of parasites : *Proc. SE Assoc. game fish comm... Ann. Conf.* (New Orleans) **21** : 531-543.
- Awakura, T. (1994). Cestodes of freshwater fishes of Hokkaido : *Sci. Rep. Hokkaido Fish Hatchery* **48** : 79-82.
- Baer, J.G. (1952). Ecology of Animal parasites : *University of Illinois Press Urbana* 224 pp.
- Bangham, R.V. (1925 - 1941). Series of articles of the tapeworms of North American freshwater fishes in Ohio : *Ohio. J. Sci.* 25, 41 *Trans Amr. Fish Soc.* 63, 68, 70.
- Bangham, R.V. (1927). Life history of bass cestode *Procephalus ambloplitis* : *Tr. Am. Fish Soc.* 57 *Ann. Meet Hartford Conn.* 206-209.
- Bashirullah, A.K.M. (Inst. Ocean Org. APDO. 94 Cumana Venz (1974). A brief survey of the helminth fauna of certain margin a fresh water fishes of Bangladesh : *J. Zool.* **1** : 63-81
- Baver, O.N. (1959). The ecology of parasites of freshwater fishes and the biological basis of their control : *Bulletin of the State Scientific Research Institute of lake and river fisheries*, **45** : 3-215.
- Baylis H.A. (1928). Some parasitic worms, mainly from fishes, from lake Tanganyika : *Ann. Mag. Nat. Hist.* **10** : 1, 280=283.
- Baylis, H.A. (1996). A manual of Helminthology Medical and Veterinary 1-303 London.
- Bell, G. and Burt A. (1991). The comparative biology of parasite species diversity; internal helminthes of freshwater fishes : *J. Anim. Ecol.* **60** : 1047-1063.

- Bengham, R.V. (1925). Series of articles on the tapeworms of North American water fishes in Ohio : *Ohio. J. Sci.* **25**, 41. *Trans. Amr. Fish Soc.* **63** : 68, 70.
- Bhalerao, G.D. (1932). A general account of Helminth parasites affecting domestic animals in India with methods of collection, preservation, staining etc. *Indian J. Vet. Sci. and Ani. Husb.* **2** : 1-28.
- Bhure, D. B.; B. V. Jadhav; Nanware, S. S. and Gaikwad Vinod (2007). Cestode parasites of freshwater fishes from Western Maharashtra, India : *Proc. 16<sup>th</sup> All Indian ZSI Congress at Aurangabad. Environment and Development Chap.* **15**, 153-165.
- Brown, M.N. (1996). Fish parasitology : *Bull. Eur. Fish Pathol.* 122-130.
- Bush, A.O., Aho, J.M. and Kennedy C.R. (1990). Ecological versus phylogenetic determinants of helminth parasite community richness : *Evolutionary Ecology*, **4** : 1-20.
- C. Vijayalaxshmi, (2007). Processing and identification of cestode parasites of fishes. Manual of workshop on Parasites Taxonomy Capacity Building, Dept. of Zool. *Andhra uni., Visakhapatnam during 23-24, Feb., 07 pp.* 93-100.
- Chandler, A.C. and Read C.P. (1961). Introduction to parasitology. *10<sup>th</sup> edi. John Wiley and Sons. Inc.* New York, 822 pp.
- Chappell, L.H.; Wynne, and Owen R. (1969). A reference list of parasite species recorded in freshwater fish from Great Britain and Ireland. *J. of Natural History* **3** : 197-216.

- Chauhan, R.S.; Malhotra, S.K. and Capoor, V.N. (1981). An analysis of parasitization index and certain ecological parameters of cestode parasites infecting in hill stream fishes of district Pauri - Garahwal, U.P. India : *Sci. and Environ.* **3** (1) : 47-56.
- Cheng T. C. (1973). General parasitology. Academic press, New York, pp. 965.
- Chincholikar, L. N. And Shinde G. B. (1976). On a new species of *Circumoncobothirum* Shinde, 1968 (Cestoda Psedophyllidae) Carus, 1863, from a fresh water fish in India : *Marathwada Univ. J. of Sci. Nat. Sci.* **16** (Sci.) : No. (9) 183:185.
- Clark, E. A. (1963). The economic importance of intestines parasites, New Zealand : *Vet. Jour.* **11** : 77-81.
- Clegg, J. A. And Smyth, J. D. (1968). Growth, development and culture methods : Parasitic Platyhelminths pp. 395-466 (M. Florkin and B. T. Scheer, eds.). In "Chemical Zoology" Vol. II. Academic Press, New York, 639.
- Day, F. (1873). Report on the freshwater fish and fisheries of India and Burma. Calcutta : Supdt. Govt. Printing. Press, 118 pp.
- Day, F. (1928). The fishes of India of Vol. I and II : William Dawson and sons Ltd., India.
- Deshmukh, R. A. (1977). Studies on cestode parasites of fishes. Ph. D. thesis, Marathwada University, Aurangabad. M. S. India.
- Deshmukh, S. B. and G. B. Shinde (1989). On a new species *Silurotaenia behairvnathi* sp. nov. (Cestoda-Proteocephlidae) from a freshwater fish

- Mastacembelus armatus* from Aurangabad. M. S. Fotedar Commemoration. Vol. **1989**, 75-77.
- Dhar, R. L. and Majdah, M. (1984). *Gangesia* (*Gangesia fotedari* sp. nov., *Proteocephallidae-Cestoda*) from Freshwater fish of Wular lake of Kashmir : *Indian J. of Helminth.* **35** (1), 73-77.
- Dixit, S. and Capoor, V. N. (1981). On a new species of genus *Gangesia* Woodland, 1924 from *Labeo rohita* (Abst. 1-32 in II National Congress of Parasit) 5-7 May, 1979 Varanashi, India (1979): 17 (EN) Zool. Dept. of Allahabad, U. P., India.
- Dobson, A. P. and Roberts, M. G., (1994). The population dynamics of parasite helminth communities, *Parasitology* 102 (suppl.) 507-510.
- Dogiel, V. A. 1935. The present tasks of ecological parasitology : *Tud. Patergof. Biol. Inst.*, **15** : 2.
- Dogiel, V. A. *et al.*, 1958. Parasitology of Fishes. *Leningrad University Press, Oliver and Boyd. Edinburgh and London.*
- Dogiel, V. A. *et al.*, 1961. Ecology of parasites of fresh water fish. In parasitology of fishes. (Ed. Dogiel. V. A. Petrushevsk, G. K. and Plyanski, Y. I.) pp. 1-47. Oliver and Boyd. Edinburgh.
- Dollfus, R. P. (1934). Sur un cestode Pseudophyllidae parasite de poisson ornement : *Bull. Sac. Zool. France* **69** : 479-490.
- Dubinina, M. N. (1971). Fish tapeworms from the Amur basin. *Parazitol Sb.* (**25**) 77-119. (In Russian).
- Dubinina, M. N. (1987). [Class tapeworms - Cestoda Rudolphi, 1808]. In O.N. Bauer (Ed.), Key to the

- parasites of freshwater fishes of the USSR. Vol. 03. *Nauka, Leningrad* pp. 5-76.
- Duijn, C. Van, Jnr, (1967). Diseases of fishes Second edition, Iliffe Books Ltd., London, 309. pp.
- Euzeby, J. (1972). Climate and development of helminthes : Climatology and helminth dev. *J. Rev., med vet (Toulouse)* **123 (5)** : 637-655.
- Fernando, C. H. and Furtado, J. I. (1964). Helminth parasites of Some Malayan freshwater fishes : *Bulletin of the National Museum of States of Singapore*, **32** : 45-71.
- Fernando, C. H. and Furtado, J. I. 1963. A study of Some helminth parasites of freshwater fishes of Ceylon *Zeit. Parasitenkunde* (**23**) 141-163.
- Fischthal, J. H. (1950). A new genus and species of Caryophyllaeidae (Cestoda) from fishes : *J. Par.* **36 (6)** Sect. (2) p.28.
- Freze, V. I. (1965). Essentials of Cestology, Vol-5, *Proteocephlus* in fish, amphibians and reptiles. English translation, 1969.
- Furtado, J. J. (1961). A new Caryophyllid (Cestode : *Lytocestus puryulus*) sp. nov. from Malaya catfish : *Ann. and Mega of Natural History Services XIII (6)* 97-106.
- Gairola, D. and Malhotra S. K. (1987). Cestode fauna of food fishes in river Gangas around in India sub-humid region IV. *Polyonchobothirum allhabadensis* n. sp. from *Mystus vittatus* at Allahabad. *Jap. J. Parasitol*, **36** : 49-52.

- Gairola, D. and Malhotra, S. K. (1986). Cestode fauna of fishes in river Gangas around an Indian subhumid region I *Japanese J. of Para* **35 (6)** 471-474.
- Gresson, R. A. R. (1954). A morphological study of a fish tapeworms, *Proteocephalus pollanicola* para. **44 (1-2)**; PP.34-49.
- Guillermo Salgado-Maldonado *et al.* (2004). Helminth parasites of freshwater of the Panuco River Basin, East Central Mexico : *Comp; Parasitol.* **71(2)**, pp.190-2002.
- Gupta S.P. and Sinha A. (1984). On three new species of Caryophyllaeids from freshwater fishes of Lucknow. *Indian J. Helminth*, **36** (1) : 73-80.
- Gupta V. and Parmar, S. (1982). On a new cestode *Gangesia (Gangesia indica)* sp.nov. from a fresh water fish *Wallago attu* (Bloch) from Lucknow, Uttar Pradesh. *Indian Journal of Helminthology*, 1984 **34** (1) : 44-49.
- Gupta, N. K. And Arora, S. (1982). On a new species of the genus *Gangesia* Woodland 1924. (Cestoda : *Proteocephalidea*) from a freshwater fish, *Wallago attu* with a survey of its related forms : *Research Bulletin of the Punjab Univ.* 1979. Publ. 1981 **30(1-4)**; 27-30.
- Gupta, S. P. (1961). Caryophyllides (Cestoda) from fresh water fishes of India : *Proc. Helm. Soc. Wash.* **28** : 38-50.
- Gupta, V. and Parmar S. (1988). On a new sp. *Silurotaenia vachai* (Family - *Proteocephalidae* La Rue, 1911) from the freshwater fish, *Enteropichthys vacha* from Lucknow. *Indian J. Helminthl.* **40**(1) : 27-31.
- Gupta, V. and Parmar, S. (1985). On a new cestode *Senga indica* sp.nov. from the intestine of a freshwater fish,

- Mastacembelus armatus* (Lacep) from Lucknow. *Indian J. helminthol.* **37**(2) : 96-99.
- Hasnain, M. and Sahay, U. (1989). Duplication of somatic region in a *Lytocestus* species : Fotedor Commemoration Vol. 120-124.
- Hilliard, D.K. (1959). The effect of low temperature on larval cestodes and other helminthes in fish : *J. Parasit.* **45** (3) : pp. 291.
- Hiware C.J. (1999). A new species of *Lytocestoides* Baylis, 1928 from a freshwater fish, *Clarias batrachus*. *Riv. Di Para* Vol. XVI (LX) 283-287.
- Hiware, C.J. (1999). On a new cestode of genus *Gangesia* Woodland, 1924 from freshwater fish, *Mystus seenghala* at Satara (M.S.), India. *Rivista, Di Parasitologia* XVI (IX) N-2, 111-114.
- Hiware, C.J. (1999). On a new tapeworm *Senga armatausae* n. sp. from fresh water fish : *Rivista. Di Para* XVI (LX) N-1 9-12.
- Hiware, C.J. (2000). A new species of genus *Lytocestoides* Baylis, 1928 from a fresh water fish, *Clarias batrachus* (Linnaeus) : *J. Para. Dis.* **24**(2) 183-184.
- Hiware C. J. (2002). The population dynamics of the caryophyllaeid cestode parasitizing freshwater air breathing predatory fish *Clarias batrachus* (Linn) : *Riv. Di. Para. Vol. XIX*
- Hiware, C.J. (2003). On a new species of a genus *Lytocestoides*, Baylis, 1928 (Cestoda : Caryophyllidae) from a fresh water fish, *Cirrhana mrigala* (Hamilton) : *Proc. of XVI th Nat. Conf. of Para Rohilkhand Uni. Bareilly*, 124-131.

- Hiware C.J. and Jadhav B.V. (1995). A new *Proteocephalia* cestode from freshwater fish *Wallago attu*. : *Riv. Di Para* Vol. XII (VI) N-2 171-174.
- Hiware, C.J. Jadhav B.V. and Mohekar, A.D. (2003). *Applied Parasitology. A practical manual* 243 pp.
- Hopkins, C.A. (1959). Seasonal variations in the incidence and development of the cestode *Proteocephalus filicolis* (Rud 1810) in *Gastrosteus aculeatus* L. 1766. *Parasitology* **49** : 529-542.
- Hornell, J. (1912). New cestodes from Indian fishes. *Rec. India Mus.* **7**, 197-204.
- Jadhav, B.V. and Bhure, D.B. (2006). A revision of the genus *Lytocestoides* Baylis, 1928 (Cestoda-Pseudophyllidae) : *Flora and Fauna* vol. 12, N-1 pp. 9-16.
- Jadhav *et al.* (1983). One new species of Protocephalid cestode from *Barbus ticto*. *Riv. Di. Para* **44** (2) : 171-173.
- Jadhav, B.V. (1976). New species of the genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea) from a freshwater fish Maharashtra, India : *Marathwada Univ. J. Sci.* XV (8) : 269-272.
- Jadhav, B.V. (2001). *Gangesia clariasae* (Cestoda) n. sp. from *Clarias batrachus*. *Proc. V.N. Capoor* Vol. 2001, 60-61.
- Jadhav, B.V. (2005). Cestode of the genus *Senga* (Cestoda-Pseudophyllidae) from freshwater fishes in Maharashtra India - A survey of species : *Riv. Di. Para. Vol. xxii* (ixvi) N-293-101.

- Jadhav, B.V. and Bhure, D.B. (2006). Population dynamics of helminth parasites in freshwater fishes from Marathwada region (M.S.), India : *Flora and Fauna* vol. 12, N-2 pp. 143-148.
- Jadhav, B.V. and Ghavane, A.V. (1991). Two new cestode from Caryophylleidae at Aurangabad : *Ind. J. Inv. Zool. And Aqu. Biol.* **3**(1) : 28-31.
- Jadhav, B.V. and Hiware, C.J. (1995). A new proteocephalid cestode from freshwater fish *Wallago attu* : *Ibid.* XII (LVI) No. 2 : August 95, 171-174.
- Jadhav, B.V. and Shinde, G.B. (1976). New species of genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea Carus, 1863) from a freshwater fish at Aurangabad, India : *Indian J. Biol. Soc. Asso.* **112** : 163-164.
- Jadhav, B.V. and Shinde, G.B. (1980). On a new cestode *Senga aurangabadensis* n. sp. from the fish *Mastacembelus armatus* : *Bioresearch* **1980** (4) : 25-27.
- Jadhav, B.V. and Tat M.B. (1997). A new tapeworm from *Wallago attu* from a river. *Ganesia dharurensis* n. sp. : *Riv. Di. Para. Vol.* XIV (LVII) N-2 289-292.
- Jadhav, B.V.; Deshmukh S.B. and Gavhane, A.B. (1991). A new tapeworm *Senga gachuae* n.sp. from the fish *Channa gachua* at Aurangabad : *Indian J. Inv. Zool. and Aqu. Biol.* **3**(1) : 39-41.
- Jadhav, B.V., Bhure, D.B. and Padwal Nitin (2005). A survey of cestode parasite of freshwater fishes from Pune and Ahmadnagar district (M.S.) India : *Proc. Recent Trends*

in *parasitology* 30<sup>th</sup> Sept., 2004, 48-51 at Secundrabad..

- Jadhav, B.V., Budrukhar, A.M. and Babare, M.G. (2001). *Gangesia clariusae* (Cestoda) n. sp. from *Clarias batrachus*. *Prof. V.N. Capoor Comm. Vol.* 60-61.
- Jadhav, B.V., Deshmukh, S.B. and Gavhane A. B. (1991). A new tapeworm *Senga gachuae* n. sp. from the fish *Channa gachua* at Aurangabad : *India J. Inv. Zool. and Aqu. Biol.* **3**(1) : 39-41.
- Jadhav, B.V., Ghavane, A.B. and Jadhav A.P. (1991). One new *Pseudophylidean* cestode from *Mastacembelus armatus* at Daryapur (M.S.), India. : *Rivista Di Parasit* Vol. VIII : **1** : 19-22.
- Jadhav, B.V., Shinde G.V. and Kadam S.S. (1980). One new species of Proteocephalid cestode from *Barbus ticto*. *Rivista Di Parasit* Vol. No. XI. IV-N- Z: 171-173.
- Jha, A. N., Sinha, P. and Mishra, T. N., (1992). Seasonal occurrence of helminth parasites in fishes of Sikandarpur reservoir, Muzaffarpur, Bihar : *Indian J. Helminth*, **44**(1) : 1-8.
- Jhingran, V. G. (1983). Fish and fisheries of India. *Hindustan Publishing Corporation Ltd., New Delhi.* pp.666.
- Jhon, S. Mckiewicz, (1972). Parasitological review Caryophyllidae (Cestoidea) : A Review Experimental Parasitology **(31)** 417-512.
- Johri, G. N., (1956). A new cestode *Senga lucknowensis* from *M. armatus* (Lep.) *Current Science* **25**(6) : 193-195.

- Johri, L. N., 1950. Report on cestodes collected in India and Burma. *Indian J. Helminth*, **2(1)**: 23-24.
- Kadam, M. N., Hiware, C. J. and Jadhav, B. V., (1998). On a new Caryophyllid cestode of genus *Lytocestus* Cohn, 1908 from *Clarias batrachus* : Dr. Babasaheb Ambedkar Marathawada University, Aurangabad *J. of Sci. Vol. No.29. N-6*. pp. 143-148.
- Kadam, S. S.; Jadhav B. V. and Shinde G. B. (1981). On a new cestode *Senga paithanensis* n. sp. (Cestoda; Ptychobothriidae) from *Mastacembellus armatus*. *Bioresearch*, 1981 **5(1)**; 95-96.
- Kakaji, V. L. (1969). Studies on helminth parasites of Indian fishes part - III some trematode parasites of freshwater fishes of U. P. *Indian J. Helminth*. **6(2)** 27-133.
- Kalase, A. T. and Shinde, G. B. (1999). *Lytocestus chalisgaonensis* n. sp. (Cestoda-Caryophyllidea) from the catfish *clarias batrachus* at Chalisgoan, M. S., India : *Riv. Di. Parasit*, Vol. XVI [IX] N-1, 39-42.
- Kanth, L. K., Sinha, K. P. and Srivastava, L. P., (1984). The morphology of *Lytocestoides fossilis* n.sp. (Cestoda-Caryophyllidea) from the intestine of *Heteropneustes fossilis* (Bloch) : *Indian J. Helminth. (N.S.)*, **1 (1&2)** 26-29.
- Kennedy, C. R. (1968). Population biology of the Cestode *caryophyllaeus* (Pallas, 1781) in dace, *Leuciscus leuciscus* L. of the river Avon : *J. Parasitol.* **54**, 538-543.

- Kennedy, C. R. (1974). A checklist of British and Irish freshwater fish parasites with notes on their distribution : *J. fish Biol.* **6(5)**, 613-644.
- Kennedy, C. R. (1977) (A). The regulation of fish parasite populations. In regulation of parasite population 61-109.
- Kennedy, C. R. and Hine D. M., (1970). Population biology of the cestode *Proteocephalus torulus* (Bat Sch) in dace *Leuciscus leuciscus* (L) of the river Avon : *J. Fish Biol.* **1(3)**, 209-219.
- Khadap, R. M., Jadhav B. V. and Suryavanshi N. V. (2004). A new species of the Genus *Lytocestus* (Cohn, 1908), form *Clarias batrachus* at Aurangabad : *Nat. J. of Life Sciences*, **1(2)**, 2004 pp. 413-416.
- Khalifa, F. A. (1986). Cestoda of freshwater farmed fishes in Ivaq. *J. Wildl, Dis.* **(22)**, 278.
- Khalil L. F. (1969). Studies on the helminth parasites of freshwater fishes of the Sudan : *J. Zool. London.* (158). 143-170.
- Kolpuke, *et al.*, (1999). On a new species of the genus *Lytocestus* Cohn, 1908 (Cestoda : Caryophylliidea) from *Wallago attu* from Terna river at Aurad, India. *Uttar Pradesh J. Zool.* **19(1)**, 93-95.
- Kozicka, J. (1959). Parasites of fishes of Druzno Lake : *Acta Parasitologica Polonica* **(7)**, 1-72.
- Kulakovskaya, O. P. (1962). The seasonal changes in representatives of the family Caryophyllaeidae (Cestoda) under condition existing in Western Ukrainian region, URSR. *Scientific Memories of Science*

*Biological Museum of the Utranisn Academy of Science*  
**(10)**, 88-93.

- Kulakovskaya, O. P. (1964) b. Effect of environmental conditions on relationship between some intestinal parasites of fish. *Paroblemy Parazitologii No. (3)*, 9-15.
- Kundu, D. K. (1985). On a new species of genus *Lytocestoides* Baylis, 1928 (Cestoda : Caryophyllidea : Lytocestidae) from a *Lepidocephalus guntea* (Ham.) from West Bengal : *Bull. Zool. Sury. India. 7* : 285-290.
- La Rue, G. R. (1911). A revision of the cestode family *Proteocephalidae* : *Zool. Anz. 38*, 473-482.
- La Rue, G. R. (1919). A new species of tapeworm of the genus *Proteocephalus* from the perch and rock bass. *Mus. Zool. Univ. Mich. Occ. Papers. No.67*, 10 pp.
- Lakhe, Et. Al. (2004). A new cestode *Lytocestus nagapurensis* n. sp. (Cotyloida - Lytocestidae) : *Riv. Di. Para XXI (LXV-N-2)*, 95-98.
- Leater, RJG (1990). Reappraisal of the use of parasites for fish stock identification : *Aus. J. Mar. Fresh Res. (41)*, 855-864.
- Leidy, J. (1851). Contributions to helminthology : *Proc. Acad. Nat. Sci. Philad. (05)* 205-210.
- Linton, E. (1900). Parasites of fishes in the Woods Hole region : *U. S. Fisheriee Commission Bull. (19)*, 405.
- Linton, E. (1934). A Pseudophyllidean cestode from Flying fish : *Trans. Amer. Micro. Soc. (53)*, 66.
- Linton, E. (1941). Cestode parasites of teleost fishes of the Woods Hole region Massachusetts : *Proc. U. S. Nat. Mus. (90)*, 417-442.

- Lohia, S. (2000). Studies on the piscian tapeworms with special reference to certain parameters of ecohaematology of *Channa punctatus* (Bloch). Ph. D. Thesis Bundelkhand University, Jhansi (U. P.), India 1-129.
- Lynsdale, J. A. (1956). On two new species of *Lytocestus* from Burma and Sudan respectively : *J. Helm.* **30 (2-3)**, 87-96.
- Lyster, L. L. (1940). Parasites of freshwater fishes II-Parasitism of speckled and lake Trout and the fishes found associated with them in Lake commandant Que. *Canad. Jour. Res.* **18(2)**, 66-77.
- Mackenzie, K. (1987). Parasites as indicators of host population. *Int. J. Parasitol.* **(17)**, 345-352.
- Mackiewicz, S. (1981) a. Caryophyllidea (cestoidea) : Evolution and classification : *Adv. Parasitol* **(91)**, 139-206.
- Mackiewicz, S. (1981) b. Synoptic review of the caryophyllidea (cestoidean) of India, Pakistan and Nepal. *Himalayan J. Sci.* **1(1)**, 1-14.
- Maclulich, D. A. (1943). *Proteocephalus parallaeticus* a new species of tapeworm from Lake Trout, *Cristivomer namaycush*, Canada : *J. Res. Sect. D. Zool. Sc.* **(21)** : 145-149.
- Majid, M. A. and Shinde, G. B. (1984). Two new species of the genus *Senga* Dollfus, 1934 (Cestoda - Pseudophyllidea) from fresh water fishes at Jagannathpuri, Orisa : *India. J. of Para* **(1)**, 169-172.
- Malhotra, et. al., (1982). Introduction of a taxonomic device to evaluate. A new Proteocephalid cestode

- Gangesia sanehensis* n. sp. from fresh water fishes of Garhwal Himalayas with a revised key to species of genus *Gangesia*. *Marathawada University Journal (Natural Sciences) Volume No.XIX Sci.* **12**.
- Malhotra, S. K., Dixit, S. and Capoor, V. N., (1982). Taxometric evaluation of a new fish cestode *Gangesia mahamedabadensis* n. sp. from *Mystus tengua* from Mehmdabad Gujrat : *Science and Environment (1981)*, **(1)**, 7-20.
- Margolis, L.; Esch, G.W.; Holmes, J.C.; Kuris, A.M.; Schad, G.A. (1982). The use of ecological terms in Parasitology (Report of an ad-hoc Committee of the American Society of Parasitologists) *J. of Parasitol.* **68** : 131-133.
- Mashego, S.N. (1982). A seasonal investigation of the helminth parasites of *Barbus* species in water bodies in Lebowa and Yenda, South Africa. *Ph.D. Thesis, University of the North Savenga, South Africa* 191 pp.
- Mathur, N. (1992). Morphotaxonomy of piscian cestodes and their ecological study in *Heteropneustes fossilis* (Bloch). *Ph.D. Thesis Bundlkhand University, Jhansi (U.P.) India* pp. 1-166.
- Mathur, N. and Srivastav, A.K. (1999). Influence of temperature in freshwater fish, *Heteropneustes fossilis* (Bloch) in relation to tapeworm infestation, *Flora and Fauna*, **5(1)** : 23-24.
- Mathur, N. Srivastav, A.K. and Daisy Rani (1994). Piscian cestodes of Bundelkhand region of U.P. *Senga jhansiensis* n. sp. (Cestoda-Ptycholothridea) from *Mastacembalus armatus* (Lecepede) : *U.P. J. Zool.* **14** (1) : 94-96.

- Meggit F.J. (1927). A list of cestodes collected in Rangoon during the year 1923-26. *J. Burma Res. Soc. Rangoon* **16** 200-201.
- Meggit, F.J. (1926). On a collection of Burmese cestodes. *Parasitology*, **18** : 230-236.
- Menon, A.G.K. (1999). Check-list freshwater fishes of India. *Rec. Zool. Surv. India Misc. publ. occas papno* 175 pp 366.
- Moghe, M.A. (1925). A supplementary description of *Lytocestus indicus* (syn. *Caryophyllaeus*) from India. *Parasitology* **23** : 84-87.
- Moller, H. (1978). The effect of salinity and temperature in the development and survival of fish parasites. *J. of fish Bio.* **12** : 311-324.
- Murlidhar A. (1989). Seasonal variation of helminth parasites in marine fishes at East Coast of India. *Indian J. Helminthology*, **41** (1) : 1-4.
- Nagasawa, K., Awakurat, Urawa, S. (1989). A checklist and bibliography of fishes of Hokkaido. *Sci. Rep. Hokkaido Fish Hatchary* **44** : 1-49.
- Nama, H.S. (1974). On certain cestodes of Rajasthan. *Indian J. Zool.* **2**(1) : 33-36.
- Nama, H.S. (1979). On a new cestode *Polyoncobothrium indicum* n.sp. from the fish *Channa (Ophiocephalus) punctatus* in Rajasthan. *Rajasthan Bioresearch* **3** :5-6.
- Natrajan P. (2007). Taxonomy of fish parasites and host parasites relationship, *Manual of workshop on parasites Taxonomy, Capacity, Building, Dept. of Zool. Andhra University, Visakapatnam during 23-24 Feb. 2007* pp. 115-116.

- Noble, E.R. and Noble G.A. (1971). "Parasitology" the biology of animal parasites IIIrd Edn. Published in Great Britain by Henry Kimpton London, ISBN 0 - 8121-0329-7.
- Nybein O. (1942). Zuer Helminth Fauna der Sussawasser Fische Schwedens II. Die cestode, des welses. *Goteboogs Kgl. Vetenskaps - Akad Handl. Sect. B.L.* 1-24.
- Oniye S.J., Adebote, D.A. and Ayanda, O.I. (2004) Helminth parasites of *Clarias garipinus* (Teugels) in Zaria, Nigeria. *J. Aquatic Sci.* **19** (2) : 1-4.
- Pande P.N., Mamta Tripathi and Neetu Mittal (2006). On two new species of genus *Senga* Dollfus, 1934 (Family - Ptychobothriidae Luhe, 1902) from the intestine of freshwater fishes. *Indian J. Hel* (N.S.), Vol. 24 pp. 6-10.
- Pande P.N., Swapnil Raj Dubey and Neetu Mittal (2006). On two new species of the genus *Polygonchobothrium* Diesing, 1854 from freshwater fishes. *Indian J. Hel.* (N.S.) Vol. 24 pp. 1-5.
- Pande, P.N. Mittal Neetu and Singh S.R. (2000). On a new cestode of the genus *Senga* Dollfus, 1934 from the intestine of freshwater fish *Mastacembalus armatus* (Lacep) from Kanpur, U.P. *India J. Hel. (N.S.)* **17** : 5-8.
- Pandey, K. C., (2007). Fish parasites : Taxonomy capacity building *Manual of workshop. On parasites : Taxonomy Capacity building Dept. of Zoology Andhra University, Visakhapatnam during 23-24 Feb., 2007,* pp.5-7.
- Pandey, K.C. (1973). Studies on some cestodes from fishes, birds, and mammals. *India J. of Zool.* **15** : 221-226.

- Paperna, I. (1964). The metazoan parasite fauna of Israel inland water fishes. *Bamidgeh (Bull.) Fish Cult. Israel*, **16** : 3-66.
- Patil, D.N. and Jadhav B.V. (2002). On a new caryophyllid cestode of the genus *Lytocestus* Cohn, 1908, from *Clarias batrachus*. *Ind. J. Hel. (N.S.)* Vol. 20 pp 45-48.
- Patil, D.N. and Jadhav B.V. (2003). On a new species the *Senga* Dollfus, 1934 (Cestoda - ptychobothridae) Lune, 1902) as *S. tappi* n. sp. : *Jour. Comp. Tox. Physiol.* Vol.-1, 68-72.
- Patil, S.R.; Shinde G.B. and Jadhav B.V. (1998). A new species of the genus *Circumoncobothium* Shinde, 1968 (Cestoda - Pseudohyllidae) Carus, 1963 from *Mastacembalus armatus* at Vadgaon, Maharashtra, India : *J. of Para. Diseases* **22** (2) : 148-151.
- Pavanelli, G.C. and Takemota, R.M. (2000). Aspects of the ecology of Proteocephalid cestodes parasite of *Sorubim Lima* (Pimelododae) of the Upper parana river, Brazil : II Interspecific Association and Distribution of Gastrointestinal Parasites *Rev. Brasil. Boil* **60**(4) : 585-590.
- Pawar *et al.* (2004). A new species of *Gangesia rohita* n. sp. (Eucesoda - Proteocephalidae) from *Labeo rohita*. *Uttar Pradesh J. Zool.* **24** (2) 201-203.
- Pawar *et al.*, (2002). A new species *Circumoncobothrium armatusae* n. sp. (Cestoda - Pseudophyllidae) from *Mastacembalus armatus* at Paithan, India : *Riv. Di. Para Vol. XXXLXIII*) N-3 219-222.
- Pawar, S. B. and Shinde, G. B. (2002). A new species *Lytocestus clariasae* n. sp. (Cotyloda : Lytocestidae)

- from *Clarias batrachus* at Kallam, India : *Riv. Parasit.*, Vol. XIX (LXIII), N2, 157-160.
- Pawar, S.B. and Shinde G.B. (2002). A new species *Lytocestus clariasae* n. sp. (Cotyloda : Lytocestidae) from *Clarias batrachus* at Kallam : *Indian Riv. Parasit.* Vol. XIX (XII), N-2. 157-160.
- Pearse (1934). Parasites of siamese fishes and crustaceans. *J. Siam. Soc. Nat. Hist. Suppl.* **9**(2) : 179-191.
- Pennyuick K.L. (1973). "Seasonal variation in the parasite population of three spined Stickle backs, *Gasterosteus aculeatus* L." *Parasitology*, **63**, 373-388.
- Poonam (2007). On a new species of the genus *Lytocestus* (Caryophyllidea - Lycestidae) from *Clarius batrachus*. *Proc. Zool. Soc. of India* Vol. 6 (1) 77-81.
- Poulin, R. (1992). Determinants of host specificity in parasites of freshwater fishes : *Int. J. Parasitol.* **22** : 753-758.
- Price C.E. (1967). The phylum Platyhelminthes a revised classification. *Riv. Di. Parasitol.* **28** : 249-260.
- Ramadevi P. (1973). *Lytocestus longicollis* sp.nov. (Cestoda - Caryophylliaeda) from cat fish *Clarias batrachus* in India : *J. Hel.* **47** : 415-420.
- Ramadevi P. (1973). On *Senga visakhapatnamensis* n. sp. (Cestoda - Pseudophyllidae) from the intestine of the freshwater fish *Ophiocephalus punctatus* Bloch : *Rivista Di. Para* Vol. **34** N-4, 281-286.
- Ramadevi, P. and Rao K.H. 1966. Pleurocercoid of *Senga* (Pseudophyllidea : Ptychobothriidae) from the freshwater fish, *Panchax panchax* (Hanl and Buch). *Current Sci.* **35**(24) : 626-627.

- Rao, K.H. (1959). On *Ptychobothrium cypseluri* n. sp. (Cestoda - Pseudophyllidae) from flying fish *Cypselurus poeclopterus* caught of Waltair : *J. Hel.* **33** : 267-272.
- Read, C. P. and Simmons, J. F. JR. (1963). Biochemistry and physiology of tapeworms : *Physiol Riv.* (**43**), 263-305.
- Rehana, R. and Bilqees F. M. (1972). *Neocamallus ophicocephli* n. sp. (Nematoda Camallanidae) from the fishes *Ophiocephalus striatus* (bl) and *Wallago attu* (Bl and Schn) of Kalri lake, Sind area, West Pakistan. In helminth parasites of some vertebrates chiefly from fishes of west Pakistan *Agricultural Research Council, Karachi, Pakistan pp.* 92-96.
- Roitmann *et al.* (1964). New species of *Gangesia* (Cestoda-Protecephalidea) from fish from Amur bisin Turdy (Gelmint) Lab (**14**) 170-181.
- Ruzhicko, K. M. (1976) : Host specificity of Helminth : Some general aspect of this questions : *Acta. Parasitologia, Lituanaica*, **14** : 3-8.
- Salgado-Maldonado, G. *et al.* (2001). Helminth parasites of freshwater fishes of the Balasas River drainage basin of Southwestern Mexico : *Comparative Parasitology* (**68**), 196-203.
- Salgado-Maldonado, G. *et al.* (2004). Helminth parasites of freshwater fishes of the Ayuquila River, Sierra de Manantlan Biosphere Reserve, West Central Mexico, *Comparative Parasitology* (**71**), 67-72.
- Salgado-Maldonado, G., (2001). A checklist of helminth from parasites of freshwater fishes from the lerma-

- santiago river basin, Mexico. : *Comparative parasitology* **(68)** 204-218.
- Santhyna-Rayana, M. C., Venkatachalam, S. (1993). Survey of helminth parasites of important freshwater food fishes of Mannam Pandal Area, Mayilsdutural, Tanjore district, Tamil Nadu : *India. J. Parasitol* **11(2)**, 169-171.
- Sasal, P.; Desdevises, Y. and Morand, S. (1998). Host specialization and species diversity in fish parasites : Phylogenetic conservatism : *Ecography* **(21)**, 639-643.
- Satpute, L. R. and Agarwal, S. M. (1980). Studies on seasonal infection of *Clarius batrachus* (Linn) by *Lytocestus indicus* Moghe, 1925 : *Indian J. of Hel.* Vol. XXXII 9-17.
- Schmidt, G. D. (1986). CRC Hand book of tapeworm identification. *CRC Press Inc. Boca. Raton, Florida.*
- Scholz, T. (1989). On the ecology of the tapeworm *Proteocephalus torulosus* (Cestoda : Protecephalidae) in Chub *Leuciscus cephalus* L. from the river Rokytna, (Zechoslovakia) : *Helminthology* **26** : 257-287.
- Shinde *et al.* (1984). A revision of the genus *Silurotaenia* Nybelin, 1942, with four new species, *Riv. Di Para* Vol. I (XLV) 83-91.
- Shinde *et al.* (1987). Two new species of the genus *Lytocestoides* Baylis, 1928 (Cestoda - Caryophyllidea - Lytocestidae) from a freshwater fish Maharashtra, India. *Bull. Zool. Surv. Ind.* **8** (1-3) : 197-201.
- Shinde *et al.* (2002). A new species *Circumoncobothrium mastacembellusae* n. sp. (Cestoda : Pseudophyllidae)

- from *Mastacembalus armatus* at Paithan, India. *Riv. Di. Parasit. Vol. XX (LXIII) N-3*, 195-198.
- Shinde G.B. (1968). On *Circumoncobothrium ophiocephali* n. sp. from a freshwater fish *Ophalocephalus lecopunctatus* in India. *Riv. Di. Para* **19**(2) : 111-114.
- Shinde, G.B. (1970). A new species and two new varieties of the genus *Lytocestoides* Baylis, 1928 *Marath. Uni. J. Sci.* **9** : 173-178.
- Shinde G. B. (1972). Studies on Indian cestodes redescription of *Senga bensardi* Dollus, 1934. *Marath. Uni. J. Sci.* (**11**); 39-40.
- Shinde G.B. (1977). On a new species of genus *Circumoncobothrium* Shinde 1968 (Cestoda : Pseudophyllidea, Carus, 1863) from a freshwater fish in India. *Ibid.* **16**(89) : 129-132.
- Shinde G. B. And Kalse, A. T. (1999). Two new species of the genus *Cirumoncobothrium* Shinde, 1968. *Cestoda-Pseudophyllidea*, Carus, 1863 from a freshwater fish at Khandesh (M.S.), India : *Riv. Di. Parasit. Vol. XVI (LX) N-3* 209-215.
- Shinde G. B. and Chincholikar L. N. (1977). Redescription of *Proteocephalus vitellaris* Verma, 1958 in fresh water fish at Nanded, M. S. India. *Marathwada Univ. J. Sci.* Vol. XVI 175-176.
- Shinde G. B. and Pawar, S. B. (2002). A new species *Lytocestus batrachusae* n. sp. (Cotyloda : Lytocestidae) from *Clarias batrachus* at Aurangabad, India.
- Shinde G. B., Pawar S. B. and Chavan S. P. (2003). A new species *Circumonchobothrium mastacemblasae* n.sp. (Cestoda-psudophyllidae) from *Mastacembaus armatus*

at Paithan, India : *Riv. Di. Para.* Vol. XX (LXII) N-3195-198.

Shinde, *et al.* (2002). A new species *Lytocestus clariasae* n.sp. from (Cotyloda : Lytocestidae) *Clarias batrachus* at Kallam, India : *Riv.Di. Parasit*, Vol. XIX (LXIII), N.2, 153-156.

Shinde, G.B. (1988). On a new cestode *Lytocestus marathwadensis* from fresh water fish : *Riv. Di Para* **47**(2) : 295-298.

Shinde, G.B. and Chincholikar L.N. (1977). On a new species of genus *Circumoncobothrium* Shinde 1968 (Cestoda : Pseudophyllidea) Carus, 1863 from freshwater fish in India : *Marh. Uni. Jour.* **9** : 177-179.

Shinde, G.B. and Deshmukh R.A. (1975). On a new species of *Lytocestoides*, Baylis (1928) from freshwater fish in Marathwada India : *Nat. Sci. J. Marath. Univ. Aurangabad* **14** : 233-234.

Shinde, G.B. and Deshmukh R.A. (1980). On *Senga khami* (Cestoda : Ptychobothridae) from the fresh water fish. *Indian Jour. Zoology* **8**, 1-2.

Shinde, G.B. and Jadhav B.V. (1976). On a new species of genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea) from a freshwater fish from Maharashtra, India : *Marath. Univ. J. Sci. (Nat. Sci.)* Vol. XV Sci. 8.

Shinde, G.B. and Jadhav B.V. (1980). New tapeworm *Senga godavari* from *Mastacembelus armatus*, Aurangabad, (M.S.), India. *Biology* Vol. II **40** : 46-48.

Shinde, G.B., Majid M.A. and Salunkhe D.G. (1983). On a new species of *Silurotaenia* Nybelin, 1942 (Cestoda :

- Proteocephalidae) from a freshwater fish at Paithan, M.S. India. *Riv. Di Parasitol.* **44** : 309-312.
- Shinde, G.B.; Deshmukh R.A. and Chincholikar L.N. (1975). On a new cestode *Silurotaenia nybelini* n. sp. (Proteocephalidae) from a freshwater fish from Marathwada, India. *Marath. Univ. J. Sci XIV Sci.* **7** : 355-359.
- Shinde, G.B.; Sarwade D.V.; Jadhav B.V. and Mahajan M.A. (1994). On a new species of the genus *Circumoncobothrium* Shinde 1986 (Cestoda : Pseudophyllidea, Carus, 1863) from *Mastacembalus armatus* (Cuv. and Val.) from fresh water fish at Aurangabad, M.S., India : *Riv. Di. Para* **11**(55) : 167-169.
- Shingh, K.S, (1975). On *Lytocestus fossilis* n.sp (Cesotoda-Lytocestidae) from *Heteropneustus fossilis* from Nepal : Dr. B.S, Chauhan Commn. Vol 79-82.
- Singh Rajendra Prasad and Umapati Sahay (2007). On the population dynamics of *Procamallanus clarius* Ali, 1956 in *Clarius batrachus* (Linn.). *Proc. of Zoology Soc. of India* Vol. **6**(1) pp. 65-72.
- Singh, K.S. (1948). On a new cestode *Gangesia lucknowia* (Proteocephallidae) from fresh water fish] *Eythropicthys vulha* with reviewed key to the species of the genus. *Indian J. Helmin.* 1-45-46.
- Sinha, S.S. and Rashid-un-nisa (1981). An anomaly in Caryophyllid Cestode, *Lytocestus indicus* Moghe, (1931) : *Ind.J.Parasit.* 5 (2) : 197-198.

- Sircar, M. and Sinha, D.P. (1970). On *Masenia ritai* n.sp (Maseniidae Trematoda) from the intestine of *Rita rita* *Ind.J.Helm.* (22) 23-28.
- Sirear, M. and Sinha, D.P. (1980). Histopathology of *Lytocestus indicus* infection in the fish *Clarias batrachus*. *India J. Anim. Res.* **14** (153-56).
- Subberwal, A. Malhotra, S.K, and Capoor, V.N. (1992). Ecological dynamics of Proteoccephalid infection in *Wallago attu* of Allahabad : *J.Parasitol. Appl. Biol*, 1 (1) 63-70.
- Takemota, R.M. And Pavanelli, G.C. (1994). Ecological aspects of Protecephalidean cestodes parasites of *Paulicea luetkeni* (Steindacher) Ostcichtyes : Pimelodidae) from the Parana river, Parana. Brazil. : *Rev.UNIMAR*, 16 (supl. 3) 17-26
- Tandon V.; Chakravarty R. and Das B. (2005). Four new species of the genus *Lytocestus* (Caryophyllidea : Lytocestidae) from Edible Cat Fishes in Assam and Meghalaya, India : *Jour. of Parasitic Diseases Vol.* **29(2)** 2005. 131-142.
- Tat, M.B. and Jadhav B.V. (1997). *Senga mohekarae* n.sp (Cestoda-Ptychobothridae) from *Mastacembalus arnatys* : *Riv. Di. Para. Vol. XVII (LVIII) N-2*, 203-296.
- Tat,M.B. and Jadhav, B.V. (2004) A new species of the genus *Circumonchobothrium*, shinde (1968) (Cestoda : *Psedophyllidea* Carus, 1863) from *Ophiocephalus gachua* at Dhanegaon Dist. Beed : *N.J. Life Sciences* pp. 129-132.

- Tsengls (1933). Study on some cestode from fishes : *Jour. of Science National Univ. Shantuma, Tsenglo, China* **2** : 1-21.
- Verma S.L. (1971). Helminth parasite of freshwater fishes Part-I. On two caryophyllaeids from fresh water fishes of Lucknow. *Indian J. Helminth.* **32** : 71-80.
- Vigueras, I.P. (1936). *Proteocephalus manjuariphilus* n. sp. (cestode) parasitol de *Atractosteus tristoechus* (Bioch et Schn) (Pisces) *Rev. Par. Cliny Lab.* **2**(1) : 17-18.
- Wang, P. Q. (1984). Notes on some cestodes of fishes in Fujim provience with list of fish cestodes, recorded from China. *Wuyi. Sci. J.* (**4**), 71-83.
- Wardle, R. A., Mcleod, J. A. and Radinovsky, A. (1974). Advances in the Zoology of tapeworm 1950-1970. *Univ. of Minnesota press Minnepolis.*
- Wongsawad, C.; Tanu Marayong and Jadhav B.V. (1998). A new *Ptychobothridae* Tapeworm from Maesa stream, Chiang Mai, Thailand. *Rivista Di. Parasitologia Vol. XV (LIX) N-3.*
- Woodland, W. N. F. (1924). On a new genus of Proeocephalidae from Indian freshwater fishes. *Parasit.* **16**: 441-451.
- Yamaguti, S. (1934). Studies on the helminth fauna of Japan. Part. IV. Cestodes of Fishes : *Jap. J. Zool.* **6** : 1-112.
- Yamaguti, S. (1959). Systema Helminthum Vol. II. The Cestode of vertebrates : *Inter Science Publ. New York and London*, 1-860.
- Yamaguti, S. (1968). Cestode parasites of Hawaiian fishes. *Pac. Sci.* (**22**), 21-36.

Zaman, Z. and Seng, L. T. (1986). Histopathology of intestine caused by caryophylliaeid cestode *Djombangia penetrans* Bovien. 1926 in catfish *Clarias barachus* and *Clarias macrocephalus* Trop. Biomed (3) 157-160.

590

MUL



T15315