

CHAPTER -VI
BIBLIOGRAPHY

BIBLIOGRAPHY

- * W.L. is the World list number of the registered journal which is mentioned only for the first citation of the journal in the bibliography.

Allard, H. A. (1910). Some New England Orthoptera observed in late October. *Ent. News*, **21**(8), 352-7.

Allard, H. A. (1929). Physiological differentiation in overwintering individual of certain musical Orthoptera. *Can. Ent.*; **61**(9), 195-8, (W.L.13141).

Alexander, R. D. (1957). The taxonomy of the field crickets of the Eastern United States (Orthoptera: Gryllidae: *Acheta*). *Ann. ent. Soc. Am.*; **50**, 584-602.

Alexander, R. D. and Otte, D. (1967). The evolution genitalia and mating behaviour in crickets (Gryllidae) and other Orthoptera. *Misc. Publ. Mus. Zool. Univ. Mich.*, **133**, 1-62.

Annandale, N. (1906). Notes on the fauna of a desert tract in southern India, Part II. Insects and Arachnida. *Mem. As. Soc. Bengal*, **1**, 203-219.

- Awate, M. R. and Sathe, T. V. (2007). On a new species of the genus *Gryllotalpa* Latreille (Orthoptera: Gryllotalpidae) from India. *Indian J. Environ. & Ecoplan*; **14** (3), 625-628.
- Awate, M. R. and Sathe, T.V. (2008). On a new species of the genus *Gryllotalpa* Latreille (Orthoptera: Gryllotalpidae) from India. *J. Curr. Sci*; **12** (1), (In Press).
- Banerjee, S. N. and Chatterjee, B. K. (1955). Studies on *Gryllotalpa africana* Palisot de Beauvis, a new major pest of the potato crop *Solanum tuberosum* Linn. and its control. *Indian. J. Ent.*, **17**, 219-229, (W.L.22997).
- Berthold, A. A. (1827). Latreille's naturliche Familieon des Tharreichs. Wiemar, Industr. Compt; 602.
- Bey-Bienko, G. Y. (1966). The Orthopteran insects from Komodo and adjacent islands in Indonesia. *Zool. Zh*; **45**, 1779-1796.
- Bey-Bienko, G. Y. (1968). Orthopteroid insects of East Nepal. *Ent.Obozr*; **47**, 106-130.
- Bhargava, R. N. (1976). New record of *Loxoblemmus macrocephalus* Chopard (Orthoptera: Gryllidae) from Uttar Pradesh, N.W. India. *Newsl. Zool. Surv. India*, **2** (4), 141.

- Bhargava, R. N. (1981). A new species of *Scleropterus* (Hann) (Insecta: Grylloidea) from N.W. India. *Geobios*, **8**, 57-59.
- Bhowmik, H. K. (1967a). Six new species of Gryllidae from India. *Proc. 55th Ind. Sc. Cong;* Part **3**, 491-492.
- Bhowmik, H. K. (1967b). Description of two new species of Gryllidae (Orthoptera: Insecta) from India. *Sci. & Cult*; **33**, 244-246.
- Bhowmik, H. K. (1967c). Five new species of crickets of the genus *Scapsipedus* Saussure (Insecta: Orthoptera) from India. *Proc. Zool. Soc., Calcutta*, **20**, 123-127.
- Bhowmik, H. K. (1968). Two new species of Grylloidea (Insecta: Orthoptera) from India. *Proc. Zool. Soc., Calcutta*, **21**, 149-152.
- Bhowmik, H. K. (1969). Studies on Indian Crickets (Orthoptera: Insecta), Part 1. *Zool. Anz., Bd;* **2**, 143-152.
- Bhowmik, H. K. (1970). The Gryllid fauna (Orthoptera: Insecta) of the Great Nicobar Island, India. *J. Zool. Soc. India*, **22** (1 & 2), 69-86.
- Bhowmik, H. K. (1971). Two new species of Grylloidea (Orthoptera) from India. *Oriental Ins;* **5** (4), 503-506.

- Bhowmik, H. K. (1975). Studies on Indian Crickets (Orthoptera: Insecta), Part III, *J. Bombay nat. Hist. Soc*; **72** (2), 368-382.
- Bhowmik, H. K. (1976). On the Gryllid Fauna (Gryllidae: Orthoptera) of the Districts of the North Bengal with description of three new species. *Ind. Mus. Bull*; **11**(1), 42-48.
- Bhowmik, H. K. (1977a). On the new record of the Genus *Tartarogryllus* Tarbinskii and the description of *Velarifictorus andamanensis* (B.H.) from India. *Rec. Zool. Surv. India*, **72**, 363-366.
- Bhowmik, H. K. (1977b). Studies on Indian Crickets (Orthoptera: Insecta) with description of two species. *Rec. Zool. Surv. India*, **73**, 23-39.
- Bhowmik, H. K. (1977c). Studies on some Indian Crickets with new distributional records of the subfamily Gryllinae (Gryllidae: Orthoptera). *Rec. Zool. Surv. India*, **73**, 229-238.
- Bhowmik, H. K. (1985). A checklist of the Gryllidae (Orthoptera) with Inter-territorial distribution from the Eastern Himalayas. *Bull. Zool. Surv. India*, **7**, (2-3), 185-193.
- Bhowmik, H. K. and Halder, P. (1976). Some new records of Orthopteran Fauna from Parganas,

- West Bengal (India). *Newsl. Zool. Surv. India*, **2** (4), 143-144.
- Biswas, S., Lahiri, A. R., Vasanth, M. and Ghosh, A. K. (1975). A preliminary study on the Insect fauna of Meghalaya. (Orthoptera: Gryllidae) Fifteen new records and other species. *Proc. Zool. Soc. Calcutta*, **28** (1), 23-26.
- Blatchley, W. S. (1903). The Orthoptera of Indiana. 27th Ann. Rept. Ind. Dept. Geol. And Nat. Resources: 123-471.
- Boake, C. R. (1983). Mating systems and signals in crickets. In: Orthopteran mating systems sexual compition in a diverse group of Insects (Ed. By D.T. Gwynne & G. K. Morris), 28-44. Boulder, Colorado, Westview Press.
- Bolivar, I. (1890). Orthopteres de Africa de Museo de Lisboa. *Jorn. Sci. Lisboa*, **2** (1), 150-232.
- Bolivar, I. (1900). Les Orthopteres de St. Joseph's College a Trichinopoly, 2e Partie. *Ann. Soc. Ent. Fr*; **68**, 761-810.
- Bolivar, I. (1901). Zoologische Ergebniss de dritten Asiatischen Forschungsreise des Grafen Eugen Zichy. Orthoptera, 223-243.

- Bolivar, I. (1912). Orthoptera Acridiidae, Phasgonuridae, Gryllidae of the Seychelles. *Trans. Linn. Soc. London*, **15**, 263-292.
- Bolivar, I. (1922). Voyage de M. le baron Maurice Rothschild en Ethiopie et en Afrique Orientale anglaise (1904-1905). Resultants Scientifique, Animaux articles. Orthopteres, Paris, Imprimere Nationale, 169-219.
- Boucias, D. G., Maruniak, T. E. and Pendland, J. C. (1987). Characterization of aniridovirus isolated from the Southern mole cricket, *Scapteriscus vicinus*. *J. Invert. Pathol*; **50**, 238-245.
- Borror, D. J., Triplehorn, C. A. and Johnson, N. F. (1982). An introduction to the study of insect (sixth ed.). Published by Saunders College Publishing, Harcourt Brace College Publishers, Fort Wort Philadelphia San Diego New York. Printed in the United States of America, 190.
- Brunner, V. and Wattenwyl, C. (1873). Disposition Gryllodeorum. *Mitth. Sch. Weiz. Ent. Ges*; **4**,164-170.

- Brunner, V. and Wattenwyl, C. (1893). Revision du systeme des Orthopteres et description des especes rapportees par M. Leonardo fea de Birmanie *Ann. Mus. Civ. St. nat. Genova*, **13**, 1-230.
- Burmeister, H. C. (1838). Handbuch der Entomologie. Zweiter Band, zweite Abtheilung, Kaukerke, Gymnognatha. Berlin, Th. Ch. F. Enslin, 397-756.
- Cade, W. H. (1980). Alternative male reproductive behaviors. *Florida Entomologist*, **63**, 30-45.
- Cade, W. H. and Cade, E. S. (1992). Male mating success, calling and searching behaviour at high and low densities in the field cricket *Gryllus integer*. *Anim. Behav*; **43**, 49-56.
- Castner, J. L. (1987). *Larra bicolor* a natural enemy of mole crickets. *Hort. Sci.*, **22**, 1060.
- Castner, J. L. (1988). Biology of the mole cricket parasitoid *Larra bicolor* (Hymenoptera: Sphecidae), 423-432.
- Caudell, A. N. (1927). On a collection of Orthopteroid insects from Jawa made by Owen Bryant and William Palmer. *Proc. U.S. Nat. Mus*; **71**, 1-42.

- Chatterjee, R. N. (1955). Ecology and control of cricket *Gymnogryllus humeralis* Walker (Orthoptera, Gryllidae), a minor pest of *Casuarina equisetifolia* Forst. seedling in Bombay State, with a list of other pests of *Casuarina*. *Ind. Forest. Rec.*, **81**, 509-511.
- Chopard, L. (1918). Etude des Gryllides du Museo civico di Storia naturale di Genova. *Ann. Soc. Ent. Fr.*; **86**, 509-574.
- Chopard, L. (1924a). Note sur quelques orthopteres cavernicoles de Sumatra et de Jawa. *Ann. Soc. Ent. Fr.*; **93**, 189-192.
- Chopard, L. (1924b). On some cavernicolous Orthoptera and Dermaptera from Assam and Burma. *Rec. Ind. Mus.*; **26**, 81-92.
- Chopard, L. (1924c). Note sur quelques Orthopteres cavernicoles de Sumatra et de Java. *Ann. Soc. Ent. Fr.*; **93**, 189-192.
- Chopard, L. (1925a). Descriptions de Gryllides nouveaux de Java. *Treubia*, **6**, 151.
- Chopard, L. (1925b). Results of Dr. E. Mjoberg's Swedish Sci. Expedition to Australia (1910-1913). *Ark. Zool.*; **18** A (6), 1-57.
- Chopard, L. (1925c). Descriptions de Gryllides nouveaux (Orthopteres). *Ann. Soc. Ent. Fr.*; **94**, 291-332.

- Chopard, L. (1925d). The Gryllidae of Ceylon in the British Museum Collections. *Ann. Mag. nat. Hist*; (9), **15**, 505-536.
- Chopard, L. (1927). Descriptions de Gryllides nouveaux. *Ann. Soc. Ent. Fr*; **96**, 147-174.
- Chopard, L. (1928a). Revision of the Indian Gryllidae. *Rec. Ind. Mus*; **30**, 1-36.
- Chopard, L. (1928b). Additional notes on the Gryllidae of Ceylon. *Spol. Zeyl*; **14**, 197-208.
- Chopard, L. (1929a). Fauna of the Batu Cave, Selangor. 12. Orthoptera and Dermaptera. *Jour. Fed. Malay.States. Mus*; **14**, 366-371.
- Chopard, L. (1929b). Spolia Mentawiensia. Gryllidae. *Bull. Raffles Mus*; **2**, 98-118.
- Chopard, L. (1930). The Gryllidae of Sarawak. *Sarawak Mus. J*; **4**, 1-42.
- Chopard, L. (1931a). On Gryllidae from the Malay Peninsula. *Bull. Raffles Mus*; **6**, 124-149.
- Chopard, L. (1931b). Dr. E. Mjoberg's Zoological Collections from Sumatra. 12. Gryllidae. *Ark. J. Zool*; **23A**, (9), 1-17.
- Chopard, L. (1933a). New species of Indian Gryllidae (Orth.). *Stylops*, **11**, 115-120.
- Chopard, L. (1933b). Gryllidae de l'Inde

meridionale *Rev. Suisse Zool*; **40**, 161-167.

Chopard, L. (1935). On a collection of Gryllidae from India made by Mr. B.M. Fletcher. *Ann. Mag. Nat. His*; **(10)**, 16, 284-296.

Chopard, L. (1936). The Tridactylidae and Gryllidae of Ceylon. *Ceylon. J. Sc*; B. **20**, 9-87.

Chopard, L. (1941). Results of the Oxford Univ. Exped. To Sarawak (Borneo), (1932). Gryllacridae and Gryllidae. *Ent. mon. Mag*; **76**, 189-224.

Chopard, L. (1951). A revision of the Australian Grylloidea. *Rec. S. Austl. Mus; Adelatide*, **9**, 397-533.

Chopard, L. (1954). Le difficile probleme de systematique pose par les grillons. *Ann. Mus. Congo. Tervuren, Zool*; 326-327.

Chopard, L. (1961). Les divisions du genre *Gryllus* basees sur l'etude de l'appareil Copulateur (Orthoptera: Gryllidae). *Eos*; **37**, 267-287.

Chopard, L. (1969). The Fauna of India and Adjacent countries. Orthoptera, 2, Grylloidea. The Manager of Publications, Govt. of India, Delhi, xviii, 421.

- Chopard, L. (1970). Description de gryllidae cavernicoles nouveaux (Orth. Phalangopsidae). *Bull. Soc. Ent. Fr*; **75**, 7-123.
- Chopard, L. and Beier, M. (1967). Orthopterorum Catalogus, Gryllides Pars 10, Uitgeverij Dr W. Junk's Gravenhage, **211**, 1-21.
- Chopard, L. and Beier, M. (1968). Orthopterorum Catalogus, Gryllides, Pars 12, Uitgeverij Dr W. Junk's-Gravenhage, **288**, 213-500.
- Chopard, L. and Chatterjee, N. C. (1937). Entomological investigations on the spike disease of Sandal. Dermaptera and Orthoptera. *Ind. For. Rec.*, **31**, 3.
- Chopard, L. and Dreux, P. (1966). Contribution a l'etude des orthopteroides du Nepal. *Ann. Soc. Ent. Fr*; **2**, 601-616.
- David, M. J. (1994). Palynology and the Mole cricket. Canadian Museum of Nature Ottawa, Ontario, Canada. Elliot Burden, President's Message, CAP Newsletter. **17**(1), 2-3.
- De Geer, Carl. (1773). Memoires pour server a l'histoire des Insects, Stockholm, **3**, 44, 696.
- Fabricius, J. C. (1775). Systema Entomologica systems Insectorum classes, ordines, genera, species, adjectis synonymis, locies. Flensburg et Leipzig, Korte, 832.

- Fernando, W. (1957a). New species of Insects From Ceylon (1). *Ceylon J. Sci.*, **1**, 7- 18.
- Fernando, W. (1957b). New species of Insects from Ceylon (2). *Ceylon J. Sci.*, **1**, 73-76.
- Fernando, W. (1957c). Contributions to a knowledge of the insects of Ceylon. 2. *Ectatoderus sandasagarai*. *Ceylon J. Sci;* (B) **25**, 201.
- Forrest, T. G. (1980). Phonotaxis in mole crickets: its reproductive significance. *Florida Entomologist*; **63**, 45-53.
- Forrest, T. G. (1983). Calling Songs and mate choice in mole crickets Gwynne, D.T., Morris, G. K. (eds.) Orthopteran mating systems: sexual competition in a diverse group of insects. Westview; Boulder, Co; 185-204.
- Frank, J. H. (1990). Mole crickets and other arthropod pests of turf and pastures, 131-139 in Habeck D.H., Bennett F.D., Frank J.H. (eds.) Classical biological control in the Southern United States. Southern cooperative series Bulletin, **355**, i-viii, 1-197.
- Frank, J. H. (1994). Biological control of pest mole crickets, Rosen, D., Capinera, J.L., Bennett, F.D. (eds.) Biological control and IPM: The

- Florida Experience. Intercept and over,
England, 343-352.
- Frank J. H., Parkman J. P. and Bennett F. D.
(1995). *Larra bicolor* (Hymenoptera:
Sphecidae), a biological control agent of
Scapteriscus mole crickets (Orthoptera:
Gryllotalpidae), established in northern
Florida. *Florida Entomologist*, **78**, 619-623.
- Frank, J. H. and Parkman, J. P. (1999). Integrated
pest management Review, **4**, 39-52.
- Frank, H. and Robert, Y. (1994). Hey !the war isn't
Over yet ! *Florida Turf Digest*, 21-24.
- Fritz, G. N. (1983). A technique for separating
mole crickets from soil. *Florida Entomologist*,
66, 360-362.
- Fulton, B. B. (1930). A new species of *Nemobius*
from North Carolina (Orthoptera: Gryllidae).
Ent. News, **41**(2), 38-42.
- Fulton, B. B. (1952). Speciation in the field
cricket. *Evolution*, **6**(3), 283-95.
- Ghosh, C. C. (1912). The big brown cricket
Brachytrypes achatinus Stoll Calcutta.
Mem. Dept. Agric. Ind. Ent. Ser; **4**(3), 161-182.
- Ghouri, A. S. K. and McFarlane, J. E. (1958).
Occurrence of a macropterous form of
Gryllodes sigillatus Walker (Orthoptera:

- Gryllidae) in laboratory culture. *Can.J. Zool.*; 837-838.
- Giebel, C. G. (1870). Description of *Gryllotalpa siamensis*. *Ztschr. f. die gesamt. Naturwiss.*; **35**, 48.
- Guerin-Meneville, F. E. (1833). Insects, in Voyage aux Indes Orientales par C. Belanger. *Zoologie*, 441-512.
- Guerin-Meneville, F. E. (1845-1850). Voyage en Abyssinie execute pendant les annees 1839-1843 (par M. Lefevre). Paris, Bertrand, 239-390.
- Gupta, V. K. (1988). Advances in parasitic Hymenoptera Research. *Brill; Leiden*, 546.
- Gupta, R. K. (2004). Advancements in insect biodiversity (Agrobios, Jodhpur, 1-324.
- Haan, W. D. (1842). Bijdragen tot de Kentnis der Orthoptera, 1842-44, 45-248.
- Hebard, M. (1926). Dermaptera and Orthoptera: In Insects of Hawaii, Johnston Island and Wake Island, by E.A. Bryan (Jr.) *et. al.* *Bull. Bishop Mus.*; **31**, 82-88.
- Hudson, W. G. (1994). Life cycles and population monitoring of pest mole crickets Leslie, A.R. (ed.) *Integrated Pest Management for*

- Turfgrass and Ornamentals. CRC Press; Boca Raton, FL, 345-349.
- Hudson, W. G.; Frank, J. H. and Castner, J. L. (1988). Biological control of *Scapteriscus* spp. Mole crickets (Orthoptera: Gryllotalpidae) in Florida. *Bull. Ent. Soc. Am.*, **34**, 192-198.
- Jacobson, G. G. and Bianchi, V. L. (1905). *Orthopteres et Neuropteres de V Empire russe et des regions voisines*. Saint-Petersbourg, **10**, 952.
- Johnstone, D. E. (1975). A gynandromorphy cricket, *Gryllus bimaculatus* (Grylloptera: Gryllidae). *Can. J. Zool.*; **53**, 1505-1513.
- Jones, S. and Chopard, L. (1936). On an interesting new genus of Gryllid from India. *Ann. Mag. Nat. Hist.*; **18** (10), 234-238.
- Kaltenbach, A. V. (1979). Ergebnisse der osterreichisch indischen Andamanea. Expedition 1976. Saltatoria (Insecta: Orthopteroidea). *Ann. Naturhistor. Mus. Wien.*; **82**, 605-614.
- Karny, H. (1909). Ost-afrikanische Orthopteren Sammelausbeute von A. Borgert (1904-1905). *Zool. Jahrb. Syst.*, **27.**, 477-480.
- Khalifa, A. (1950). Sexual behaviour in *Gryllus domesticus* L. *Behaviour*, **2**, 264-274.

- Khan, N. H. (1954). Ecological observations on the eggs of *Gryllodes sigillatus* Walker. *Indian. J. Ent.*, **16**, 24-26.
- Kirby, W. F. (1906). Orthoptera Saltatoria, Part I. (Achetidae et Phasgonuridae). A Synonymic Catalogue of Orthoptera, London **2**, 562
- Latif, A. and Asghar, M. A. (1957). Two new species of Gryllidae. *Proc. 8th Pak. Sci. Con;* 1956, *Sec. biol;* 69.
- Latreille, P. A. (1804). Order Second. Orthopteres; Orthoptera in Histoire naturelle, generale et particuliere des Crustaces et Insectes. Paris **12**, 81-164.
- Latreille, P. A. (1829). Insectes dans Le Regne animal de Cuvier, **3**, 1-329. Paris, Masson.
- Le Guillou, E. J. F. (1841). Description des Orthopteres nouveaux recueillis pendant son voyage de circumnavigation sur la corvette *Zelee*. *Rev. Zool;* Paris, **4**, 292-295.
- Linnaeus, Carl Von. (1758). *Systema Naturae per Regna tria Naturae*, (Ed.10) Stockholm **1**, 823.
- Mark, J. F. and David, A. G. (2001). Divergence between the courtship songs of the field crickets *Gryllus texensis* and *Gryllus rubens* (Orthoptera, Gryllidae). *Ethology*, **107** (12), 1075-1085.

- Mayr, E. (1969). Principles of Systematic Zoology. Tata McGraw Hill Publishing Co. Ltd; x + 428.
- Meagher, R. L. and Frank, J. H. (1998). *Larra bicolor* (Hymenoptera: Sphecidae: Larrinae) collected in pheromone- and phenyl/acetaldehyde-baited traps. *Florida Entomologist*, **81**, 555-556.
- Nguyen, K. B. and Smart, G. C. (1992a). Addendum to the morphology of *Steinernema scapterisci*. *J. Nemat*; **24**, 478-481.
- Nguyen, K. B. and Smart, G. C. (1992b). Life cycle of *Steinernema scapterisci* Nguyen and Smart. *J. Nemat*; **24**, 160-169.
- Omachi, F. (1926). Preliminary note on a gynandromorphy. *Madasumma marmorata*. *Proc. Imp. Acad; Tokyo*, **2**, 554-558.
- Otte, D. and Cade, W. (1984). African crickets (Gryllidae). **6**. The genus *Gryllus* and some related genera (Gryllidae, Gryllinae). *Proc. Acad. Nat. Sci. Phila* ; **136**, 98-122.
- Pallas, P. S. (1771). Reisen durch verschiedene Provinzen des Russischen in den Jahren 1768-1774. Petersburg Akadem. Buchhandl. **1**:468.
- Pantel, J. (1896). Notes: Orthopterologiques. *Ann. Soc. Esp. Hist. Nat*; **25**, 47-118.

- Parkman, J. P. and Frank, J. H. (1993). Use of a sound trap to inoculate *Steinernema scapterisci* (Rhabditida: Steinernematidae) into pest mole cricket populations (Orthoptera: Gryllotalpidae). *Florida Entomologist*, **76**, 75 - 82.
- Parkman, J. P., Frank, J. H., Nguyen, K. and Smart, G. C. (1994). Inoculative release of *Steinernema scapterisci*. (Rhabditida: Steinernematidae) to suppress pest mole crickets (Orthoptera: Gryllotalpidae) of golf courses. *Environ. Entomol*; **23**, 1331-1337.
- Rambur, J. P. (1839). Fauna entomologiques de l'Andalousie. II. Dermapteres et Orthopteres, 1-94.
- Randell, R. L. (1964). The Male Genitalia in Gryllinae (Orthoptera: Gryllidae) and a Tribal Revision. *Can. Ent*; **96**, 1585-1607. (W.L. 1314).
- Rao, A. S. and Mani, M. S. (1974). Ecology and Biogeography in India. Dr W. Junk b.v. Publishers. The Hague. XIX + 773.
- Rehn, J. A. G. (1902). Notes on the Orthoptera of New Mexico and western Texas. *Proc. Acad. Nat. Sci. Phila* ; **54**, 726-727.

- Rehn, J. A. G. (1903). Description of a new genus of Gryllidae with a note on the genus *Aphonogryllus*. *Ent. News*, **14**, 258-260.
- Rehn, J. A. G. and Hebard, M. (1915). The genus *Gryllus* (Orthoptera) as found in America. *Proc. Acad. Nat. Sci. Phila* ; **67**, 292-322.
- Sailer, R. I., Reinert, J. A., Drion, B., Philip, B., Kepner, R. L., Forrest, T. G., Hudson, W. G. and Walker, T. J. (1984). Mole crickets in Florida. University of Florida, Gainesville, Institute of food and Agricultural Sciences *Bulletin*, **846**, 1-54.
- Sandrasagara, T. R. (1954). Checklist of the Tridactylidae and Gryllidae (Insecta, Orthoptera) of Ceylon with records of distribution. *J. Bombay nat. Hist Soc*; **52**, 540-562.
- Saussure, H. D. (1874). Etudes sur les insectes Orthopteres. *Miss. Sci. Mex. Amer. Centr. (Rech. Zool; 6, 1)* **3**, 293-516.
- Saussure, H. D. (1877). Melanges Orthopterologiques. Ve fascicule. Gryllidae. *Mem. Soc. Geneve*, **25**, 1-352.
- Saussure, H. D. (1878). Melanges Orthopterologiques. VIe fascicule. Gryllidae. *Mem. Soc. Geneve*, **25**, 369-702.

- Sassure, H. D. (1894-1897). Gryllidae. *Biologia Centrali-Americana. Insecta Orthoptera*, **1**, 198-284.
- Schimmer, F. (1911). *Mymecophila escherichi*, eine neue termitophile Ameisengrille, in Escherich Termitenleben aus Ceylon. *Iena, G. Fischer*, 233-235.
- Scudder, S. H. (1862). Material for a monograph of the North American Orthoptera, including a catalogue of the known New England species. Bost. *Jour. Nat. Hist*; **7**, 409-480.
- Scudder, S. H. (1869). Revision of the large stylated fossorial crickets. *Mem. Peabody Academy of Sc.*, first Mem. Salem, 1-28.
- Scudder, S. H. (1901). The species of *Gryllus* on the west coast. *Psyche*, **9** (307), 267-270.
- Scudder, S. H. (1902). The species of *Gryllus* found in the United States east of the Sierra Nevadas. *Psyche*, **9** (309), 291-296.
- Searcy, W. A. and Andersson, M. (1986). Sexual selection and the evolution of song A. *Rev. Ecol. Syst*; **17**, 507-533.
- Serville, M. A. (1831). Revue methodique des Insectes. Orthopteres. *Ann.Sc. Nat*; **22**, 1-262.
- Serville, M. A. (1839). Histoire naturelle des Insectes. Orthopteres. Paris, Roret, 776.

- Shiraki, T. (1930). Orthoptera of the Japanese Empire. I. Gryllotalpidae and Gryllidae (Insecta Matsumurana), 4, 181-252.
- Shishodia, M. S. and Tandon, S. K. (1975a). New record of *Ornebius pendleburyi* Chopard from India. *Newsl. Zool. Surv. India*, **1** (1), 6.
- Shishodia, M. S. and Tandon, S. K. (1975b). General Insect Survey of Tripura State. *Newsl. Zool. Surv. India*, **1**(2), 14.
- Shishodia, M. S. and Tandon, S. K. (1977). Some new records of Grylloidea (Insecta: Orthoptera) from Andaman Islands. *Newsl. Zool. Surv. India*, **3** (3), 125-126.
- Short, D. E. and Koehler, P. G. (1979). A sampling technique for mole crickets and other pests in turfgrass and pasture. *Florida Entomologist*, **62**, 282-283.
- Shrivastava K. P. (1996). A Textbook of Applied Entomology. Kalyani publishers, ^{vol. II} 1-507.
- Sinha, K. M. and Agrawal, S. M. (1977). A new cavernicolous Orthoptera, *Kempiola shankari* (Orthoptera: Phalangopsidae) from Madhya Pradesh. *Ind. For.*, **103**(2), 150-152.
- Smart, G. C. and Khuong, N. B. (1986). Biological control of mole crickets with a neoaplectanid

- nematode. Soil Crop. Sci. Soc. Florida, Proc;
45, 192.
- Snodgrass, R. E. (1935). Principles of insect morphology Mc-Graw-Hill, New York. 1-667.
- Snodgrass, R.E. (1937). The male genitalia of Orthopteroid insects. *Smithson. Misc. Collect*;
96, 1-107.
- Stoll, C. (1813). Representation exactement coloree d'apres nature des Spectres ou Phasmes, des Mantes, des Sauterelles, des Grillons, des croquets et des Blattes qui se trouvent dans les quatre parties du Monde, l'Europe, l'Asie, l'Amerique. Amsterdam, J. C. Sepp et fils, un in **4**, 180.
- Suzuki, K. (1934). Gynandromorphs in *Homoeogryllus japonicus* de Hann. *Proc. IMP. Acad*; Tokyo, **10**, 509-512.
- Tandon, S. K. and Shishodia, M. S. (1972). Notes on the collection of Grylloidea (Orthoptera) from NEFA, India. *Oriental Ins*; **6**(3), 281-292.
- Tandon, S. K. and Shishodia, M. S. (1974). Descriptions of two new species of *Velarifictorus* (Orthoptera: Grylloidea) from India. *Oriental Ins*; **8**(3), 299-302.
- Tandon, S. K.; Shishodia, M. S. and Dey, A. (1976). On a collection of Orthoptera (Insecta) from the

- Kanha National Park, Mandla, Madhya Pradesh, India. *Newsl. Zool. Surv. India*, **2** (4), 167-170.
- Townsend, B. C. (1980). A taxonomic study of two similar species of *Teleogryllus* (Orthoptera: Gryllidae), *J. nat. Hist.*; **14**, 153-162.
- Tweedie, M. (1965) Gynandromorphs-both male and female but not hermaphrodites. *Animals* (London), **8** (1), 22-24.
- Uvarov, B. P. (1925). Orthoptera (except Blattidae) collected by Prof. Gregory' expedition to Yunnan. *J. Asiat. Soc. Bengal*, **20**, 313-335.
- Uvarov, B. P. (1935). A new name for the genus *Gryllus auct. Nec L.* *Ann. Mag. Nat. Hist.*; **10** (20), 120.
- Uvarov, B. P. (1940). Twenty-eight new generic names in Orthoptera *Ann. Mag. Nat. Hist.*; **11** (5), 173-176.
- Vasanth, M. (1978). Three unknown females of crickets (Orthoptera: Gryllidae) from Northeast India with notes on their distribution. *Entomon*, **3**(2), 273-276, (W.L. 18270)
- Vasanth, M. (1980). Two new species of crickets of the genus *Turanogryllus* Tarbinskii

(Orthoptera: Gryllidae) from Maharashtra.

Biovigyanam, **6**, 115-119.

Vasanth, M. (1988). Observation on the mating behaviour of *Gryllodes sigillatus* Walker

(Insecta: Orthoptera: Gryllidae) *Rec. zool. Surv. India*, **85**(3), 411-418.

Vasanth, M. (1993). Studies on crickets (Insecta: Orthoptera: Gryllidae) of Northeast India. *Rec. Zool. Surv. India*, **132**, 1-177.

Vasanth, M., Lahiri, A. R., Biswas, S. and Ghosh, A. K. (1975). Three new species of Gryllidae (Insecta: Orthoptera). *Oriental Ins*; **9** (2), 221-228.

Vickry, V. R. (1977). Taxon ranking in the Grylloidea and Gryllotalpidea. *Lyman ent. Mus. Res. Lab. Memoir*, **4**, 32-43.

Walker, F. (1859). Characters of some apparently undescribed Ceylon Insects. *Ann. Mag. Nat. Hist*; **3** (4), 217-223.

Walker, F. (1869). Catalogue of the specimens of Dermaptera Saltatoria in the collection of the British Museum. Gryllidae, London, British Museum, 1-117.

Walker, F. (1871). Catalogue of the specimens of Dermaptera Saltatoria in the collection of the British Museum, Supplement, 1-18.

- Walker, T. J. (1966). Annotated Checklist of Oecanthinae (Orthoptera: Gryllidae) of the World. *Florida Entomologist*, **49** (4), 265-277.
- Walker, T. J. (1982). Sound traps for Sampling mole cricket flights (Orthoptera: Gryllotalpidae: *Scapteriscus*). *Florida Entomologist*, **65** (1), 105-110.
- Walker, T. J. (1986). Monitoring the flights of Field crickets *Gryllus* spp. and a tachinid fly *Euphasiopteryx ochracea* in north Florida. *Florida Entomologist*, **69**, 678-685.
- Walker, T. J. (1989). A live trap for monitoring *Uphasiopteryx* and tests with *E.ochracea* (Diptera : Tachinidae). *Florida Entomologist*, **72**, 314-319.
- Walker, T. J. (1996). Acoustic methods of monitoring insect pests and their natural enemies. 245-247 In D. Rosen, J. L. Capinera, and F.D. Bennett (eds.), *Pest management in the Subtropics: Integrated Pest Management -A Florida Perspective*. Intercept; Andover, UK.
- Walker, T. J. and Fritz, G. N. (1983). Migratory and local flights in mole cricket, *Scapteriscus* spp. (Gryllotalpidae). *Environ. Entomol.*; **12**, 953-958.

West, M. J. and Alexander, R. D. (1963). Sub-social behaviour in a burrowing cricket *Anurogryllus muticus* De Geer (Orthoptera: Gryllidae). *Ohio J. Sci*; (1), 19-24.