



BIBILOGRAPHY

BIBLIOGRAPHY

- Akarte S.R. and Mane U.H. (1988); Toxicity of folithion to three species of fresh water bivalve molluscs in different seasons. J. Environ Biol. Vol. **9** (1) 27-38.
- Akerlund, G.(1974); Oxygen consumption in relation to environmental oxygen concentration in the ampullid snail, *Malisa cornuariensis*(L.).Comp. Bioche. Physiol. **47A** 1065-1075.
- Alam, S. M.and Lomate V. S. (1984) ; Effect of zinc sulphate on the oxygen consumption of fresh water gastropod, *Bellamyia bengalensis*. Mar. Uni. Jou. Sci. **23** (16) 35-38.
- Amabile Cristina, Zavaglia Dos Santos and Erasmo Garcia Mendes (1981), Oxygen Consumption of the amphi bious snail, *Pamacea lineata*; Influence of weight, sex and environment. Comp. Biochem. Physiol **69(A)** 595-598.
- Arnason J.T. Philogene B.J.R. and morand P.(1989),Insecticides & Plant origin. ACS Symp. Ser.387 American Chemical Society, Washington D.C. P P 213.
- Awati A. A.(2004);Comparative study on toxic effect of synthetic and natural molluscicides on respiratory and reproductory physiology of aquatic snail, *Viviparus bengalensis* (Lamarck), Ph. D. thesis submitted in Zoology to Shivaji University, Kolhapur.
- Balavenkatasubhaiah, M., Philip, G. H., Purushotham and Ramamurthi, R. (1984); Effect of mercury on oxygen consumption of fresh water mussel, *Lamellidens marginalis*. Geobios; **11** 87-89.
- Babu N. (1965); Observation on the taxicity of the seed of *Croton tiglium* (Linn.) on predatory and weed fishes. Sci. Cult. **31**. 308-310.
- Barrackpore (1968);In "Central Inland Fisheries Research Institute" Page 93.

- Barrackpore (1969); In "Central Inland Fisheries Institute" Page 114.
- Banerjee, V. and Banerjee M. (1988) :Effect of heavy metal poisoning on peripheral haemogram in *Heteropneustes fossilis* (Bloch)Mercury, Chromium and zinc chlorides (LC50) Comp. Physiol. and Ecol. **13** : 128-134
- Bayne, B.L.And Sarlard, C. (1978); Rate of oxygen consumption by *Thias lapillus* (L).J. Exp. Mar. Bio.Eco. **32(1)** 97-111.
- Berg, K. and Ockelman, K. W. (1959); The respiration of fresh water snails, J. Exp. Bio.**36**, 690-708.
- Bryan, G.W. and Uysal, H. (1978); Heavy metals in burrowing bivalve *Serobicularia plana* from the Tamar estuary in relation to environment levels. J. Mar. Biol. Ass. (U.K.) **58**, 89-108.
- Buckingham, M. J. and Freed, D. E. (1976); Oxygen consumption in prosobranch snail, *Viviparus contectoides*; Effect of temperture and p^H.Comp. Bioche. Physiol. **53A**. 249-252.
- Bhide M. (1986) : Effects of thioures on the development of *Lymnea stagnalis*. Symp. On Man. Bioresources Development and Environ. Ab.No. 46,42.
- Bhide M. (1987) :Toxicity of certain pesticides on the behaviour, mortality and on the development of the fresh water snail, *Pila globasa* and their egg masses. Trends in Environ. Pollu. And Pesticides Toxicology, Jagminder Book Agency, New Delhi, 355-362.
- Bhide M. (1989) : Comparative Studies on the effect of thiorea BHC on behaviour and mortality in adult snails of the species *Lymnea stagnalis*, and on their egg masses Folia Morphologica. 37(1) 13-18.

- Bhide M. (1991) : Effect of organophosphorus pesticides on the behaviour, mortality and on the development of *Lymnea stagnalis*, In : Perspective in Aquatic Eco. Toxico. (Ed: Nalim K. Shastree), Narandra Publishing House Delhi, 110005, India.
- Bhide Mangla (1998); Effect of nuvan, methyl parathion and thimet on the mortality, behavior and reproduction performance of fresh water molluscs, *Lymnaea stagnalis*, J. Environ Biology Vol.19 (4), 325-332.
- Bhilave M.P., Muley D.V. and Deshpande V.K. (2003); Impact of heavy metals on Fresh water fish *Cyprinus carpio* in relation to Oxygen consumption. 23rd Annu. Sess. Environ. Biology Abst. 195.
- Bharati C. H. , Sandeep, B.V., Subharao BVSSR. (2002); Effect of monocrotophos on oxygen consumption of fresh water edible crab, *Paratelphus hydrodomas*. J. Ecophysio. Occupl.J. Hlth 2(1 and 2) 85-88.
- Bhosale T.S.(1988) Studies on *Sapindus laurifolius* (Vahl.) toxin in the control of undesirable fishes. M.Phil. dissertation submitted in Zoology to Shivaji University, Kolhapur.
- Bhuyan B.R.(1967); Eradication of unwanted fish from ponds by using indigenous plant fish poisons.Sci.Cult.32(2): 82-83.
- Bhat, J.P. and Singh H.R. (1985) Effect of *Engelhardtia colebrookiana* (Lin.) on a freshwater teleost, *Barilius bendelisis*.(Ham.) Science and culture,51 : 132:133
- Bhatia, H. L. (1970): Use of Mahua oil cake in fishery management, Indian F mg, 20:39-40.
- Caroll. N.R. Logley, R.W. and Row J. M. (1956) ; Glycogen determination in liver and muscles by use of anthrone reagent J. Biol. Chem. 220 : 583 - 593

- Chandravathy Mary V. and Reddy S.L.N. (1994); In vivo recovery of protein metabolism in gill and brain of freshwater fish, *Anabas scandens* after exposure to lead nitrate. *J. Env. Biol.* Vol. **15** (1), 75-82.
- Chakraborty D.P. Nandy, A.C. and Phillipose M.P. (1972); *Barringtonia acutangula* Gaertn as a fish poison. *Indian J. Exp. Biol.* Vol. **10** 78-80.
- Chowdhuri, H. (1960); contributions to the techniques of pond fish culture in India. Unpublished M.Phil. Thesis, Univ. of Calcutta, Calcutta.
- Chowdhury, N.K. (1968), Role of Mahua (*Bassia latifolia*) oil cake in the management of fish seed farm. Paper presented at the seminar on production of quality fish seed for fish culture, Central Inland Fisheries Research Institute, Barrakpore (Suppl. Abstract).
- Choudhari, T.R. Jadhav, M.L. and Lomate V.S. (1988); Effect of herbicide baseline on survival and respiration of fresh water snail, *Bellamya bengalensis*, *Geobios*, 15(6), 259-262.
- Choudhari Ravindra D. and Kulkarni A.B. (1994); Alteration in the carbohydrate metabolism due to monochlorophenol toxicity of the terrestrial snail, *Zootecus insularis*, *Env. Eco* Vol. **12** (1), 119-122.
- Choudhary S.M., Rao T.R. and Patil P.N. (1998); Altered level of lipids and cholesterol in the gastropod, *Indopanorbis exustus*. *J. Aqua. Biology* Vol. **13**; 107- 109.
- Choudhary T.R. and Lomate V.S. (1991); Pesticidal impact on protein metabolism in the digestive gland of snail, *Bellamya bengalensis*, *Environ Eco.* Vol. **8**; 189 – 191.
- Choudhary T.R., Patil P.N., Rao K.R. and Subhash M. (1998); Effect of sodium pentachlorophenolate on protein metabolism of the

- gastropod, *Indoplanorbis exustus*. Utt.prad. J. 2001. Vol. **18** (2), 87-90.
- Das,P.R.(1969); piscicidal plants. J. Indian Pharm. Mfr. Vol. 7 page 197.
- Dossaji,F. (1977) ; Effect of cheshewnut, *Ananardium accidentale* extract on *B. glabrata* . Malacologa **57** 283-287.
- Eaton P., Thomau J.D. (1999); The accumulation and metabolism of amino acids by *Biomphalaria glabrata*, a freshwater pulmonate snail, Comp. Biochemical Physiol. Part A (**122**) 421-428.
- Fisher R.A. and Yates F.(1963) Stastical tables for biological, agricultural and medical research. Oliver and Byod Edinburgh Tweeddale Court. 68-70.
- Fitch, D. Duane. (1975); Oxygen consumption in the prosobranch snail, *Viviparus contectoides* (Mollusca - Gastropoda)-1. Effect of weight and activity.Comp. Biochem. Physiol **51(A)** 815-820.
- Floch J.M. Lee M. and Sloanestanley G.H. (1957) ; A simple method for the isolation and purification of total lipids from animal tissue. J. Biol. Chem. 226 ; 497 - 509
- Geoffrey (1985); In pesticides : Role of Indigenous plant material in pest control,32-38.
- Grainage, M. and Ahmed, S.(1985) Handbook of plants with pest control properties 470-502.
- Gunasekara, S. P., Kinghorn A.D. Cordwell G.A. and Farnsworth N.R. (1981): Potential anticancer agents XIX, constituents *Aquilaria malaccensis* J. Nat. Prod. 44:569-572
- Gupta A.K., Anand Muni, Ranjana and Ravindra Kur (1998); Stress induced by Cypermethrin (10EC) and Quinolphos (25 EC) on the hepatic and renal phosphotsaes in *Notoptenus notoptenses*. J.Environ, Biology Vol.**19**(3), 211-214.

- Gupta A.K., Datt, Dev, Anand, M. and Dalela R.C. of (1994); Combined toxicity of chlordane, malathion and furadon to a test fish, *Notopterus notopterus* (Mor). J. Environ. Biology Vol. **15** (1), 1-6.
- Gupta P.K. and Durve V.S. (1983); Acute toxicity of pesticide Antimycin A. Molluscicide Bayer 739 lamricicide 3 – Trifluoro methyl 4 – nitro phenol to the snail, *V.bengalensis*; *ARCH Hydroboil.* **97**; 540-550.
- Gupta R.C. and Tripathi, V.K. (1992 a) : Seasonal variations in glycogen and protein contents in liver and ovary of freshwater teleost, *Clarius batrachus* (Bloch), Him J. Environ. Zool. **6** : 138:141
- Gupta R.C. and Tripathi, V.K. (1992 b) :Effect of thiourea on RNA, DNA, protein and glycogen contents in liver and ovary of freshwater teleost, *Clarius batrachus*(Bloch), Him, J. Environ. Zool. 6:m 142-146.
- Gupta S. and Bakre P.P.(1996); Acute toxicity of lead to 2 species of fresh water gastropod, mollusc; *Lymnea accuminata* and *pila globosa*. Ind.J.Env. and Toxicol Vol.**6**, 48-49.
- Gyananath, G. and Sarojini, R.(1987); Effect of sodium pentachlorophenate on freshwater Prawn, *Macrobrachium lamerri*. Proc. Symp. Physiol. Res. Anim. Pollu. PP.20-25.
- Ghosh, R. and Shrotri. R.V. (1992) : Blood glucose and tissue glycogen relationship in *Scylla serrata* (Forsk), chronically exposed to thiodon, J. Environ, Boil. **13** : 233-237
- Hecker E.(1978): Structure-activity relationship in diterpene esters irritant and cocarcinogenic to mouse skin. In cocarcinogenesis, vol 2: mechanisum of tumor. Promotion and cocarcinogenesis J.J. Slaga, A. Sivak and R. K. Boutwell (Eds) Raven Press, New York, P P 11-48.

- Harold, R. (1987); Studies on *Lasiosiphon eriocephalus* (Decaisne) toxin in the control of undesirable Fish. M.Phil. thesis, Shivaji University, Kolhapur.
- Hileman B. (1990) ; Alternative agriculture. Chem, Eng, News 68 : 26 - 40
- Isaac A. Mohan Raj and Shahul Hameet (1991); Effect of copper, cadmium and mercury on metabolism of fresh water mussel, *Lamellidens marginalis* (Lam). J. Environ. Biology, Vol .12 (2), 131-135
- Jadhav Sunita, Sontakke Y.B.and Lomate V.S. (1995); Effect of carbonyl on protein content of freshwater bivalve *Corbicula striatella*. Ind. J. Comp.Anim. Physiol vol.13 (2), 33-35.
- Jena S. (1979) ; In symposium on Inland Aqaculture Abs. Feb 12-14 CIFRI, Barrackpore.
- Jones J. D. (1963);Aspects of respiration in *Planorbis corneus* (L.) and *Lymnea stagnalis* (L.)(Gastropoda-Pulmonata) Comp. Bioche. Physio.4 1-29.
- John I. Spicer and Roy E. Weber (1991); Respiratory impairment in crustaceans and molluscs due to exposure to heavy metals. Comp. Biochemical physiolo. Vol.100 c No.3, 339-342.
- Joshi, P. (1986); : Fish stupefying plants employed by tribasis of Southern Rajasthan. A probe.current science,55(14): 647-650.
- Jhingran, V.G. (1983) : Fish and Fisheries of India page no.678-732. Hindustan publishing corporation (India) Delhi.
- Kabeer A.I., Begum md, Sivaiah S and Raman Rao K.V. (1978) Effect of malathion on free amino acide, total proteins and some enzymes of pelecypod,*lamellidens marginalis*, (Lamark), Proc, Ind, Acad. Sci(B) 87 : 377-381

- Kapoor, S. G. and Lomate , V. S. (1987);Effect of toxic compounds (HgCl₂ and CuSo₄) on oxygen consumption of fresh water mussel, *Indonaia caeruleus* Pro. Nat.Symp. Ecotoxic.134-136.
- Kalyani R.and Durairaj G. (1995); Effect of copper sulphate on shell calcium and copper astatine fulcia (pulmonata) Ind.J.Comp. Anim. Physiol Vol.13 (2) 41-45.
- Kanasaki , T and Ohta, K. (1976) : Isolation and identification of costunolide as a piscicidal component of *Marchantia polymorpha*, Agri. Biol. Chem. 40,1239.
- Kewal Jaiswal, Sarojini R. and Nagabhushanam R. (1991); Chronic effects of naphthalene on total protein, free amno acid, RNA and DNA in certain tissues of freshwater prawn, *Macrobranchium kistnesis*. J. Environ Bio. Vol. 12 (1), 51-56.
- Kirtikar K.R. and Basu B.D. (1987) : Indian medical Plants Vol.3.
- Konar, S.K.(1969 a) Laboratory studies an tab organo phosphorus insecticides, DDVP and Phosphamidon as selective toxicants, Trans, Amer. Fish Soc;98; 430-434.
- Konar S.K. (1969 b) Use of control chemical in freshwater fishery reservoir management, In ; Seminar on the ecology and fishery of fresh water reservoirs, Nov,27-29 CIFIR, Barrackpore.
- Konar, S.K. (1969) : Piscicidal plants Sci. Cult. 25(7) :340-341.
- Khan A.K., Shaikh A.M. and Ansari N.T. (2001); cadmium chloride toxicity in glycogen level from body parts and whole body of marine edible gastropod, *Babylonia spirata* Utt. Prad. J.Zool Vol – 21 (3), 203-206.
- Khan A.K., A.M.Shaikh and Ansari N.T. (2002); Tssue glycogen level in different body parts of the green mussels, *Perna vividis* exposed to zine chlorides in summer season. Utt.Prad. J.Zool.,Vol- 22 (1), 37 – 40.

- Kulkarni A.B. and Choudhari R.D. (1995); Alteration in carbohydrate metabolism due to monocrotophos toxicity in the terrestrial snail, *Cryptozona semirugata*. Indian J. Comp Anim Physiology Vol. **13** (2), 29-32.
- Kulkarni A.B. and Bhatlawande S.B. (1987); Carbohydrate variations induced by optic tentacles in a terrestrial snail, *Cerastus moussoninus*. Indian J. Comp. Anim, Physiology Vol. **5** (1), 1-5.
- Kulkarni V.D., Chandrasekharo Reddy and B. Padmananapha Naidu (1984-85); Impact of endosulfan toxicity on certain aspects of carbohydrate metabolism of the fresh water snail, *pila globosa* Geobios. (Jodhpur) Vol. **1** (5); 195-200.
- Krishna Moorthy P. and Subramarian P. (1997); copper induced protein profile variation in a freshwater prawn, *Macrobrachium Lamarrel lamarrel* (H.Milne Edwards). J. Environ Bio. Vol. **18**(4) 371-377.
- Krishna P.V. and Sreemulu K. (1999); Biochemical studies on Diplostoman (Trematoda) effected *Labeo rohita* (Hamilton) Ind. J. Comp. Anim. Physiol. Vol. **17**(1), B-11.
- Krupanidhi S., Guruprashad S.V. and Danarajan T.M. (1994); Hematology and haemochemistry of *Pila globosa*. Ind. J. Comp. Animal physiology Vol. **12** (1) 71-80.
- Lal, M.B. and Viridi, G.S. (1972) : A study of the piscicidal properties of *Acorus calamus* (Linn). Gurukul Kanari University J. Sci., **3** 59-64.
- Lokhande P.L. and Kulkarni K.M. (1990) ; Interaction of environmental parameters with toxicity of fresh water snail *B. bengalensis*. Ann. Sess Acad. Env. Bio. Aurangabad symp 13-23.
- Lomate V.S. and Jadhav M.L. (1982); Effect of toxic compounds on O₂ consumption in fresh water bivalve *Corbicula regularis* comp. physiol. Ecol. I (I) 31-33.

- Lomate V.S. and Patil, P.N. (1989); Effect of some common pesticides on the digestive enzymes of the armyworm, *Mythima (Pseudaletia) separata*. Ind. J. Invert. Zool.Aqua. Biol. 1(2),58-62.
- Malu R.A. and Kulkarni : (1990) Accumulation of pesticides in the snail *Bellamyia bengalensis* exposed at different time intervals . II Ann Sess. Acad. Environ. Biol. Aurangabad Symp 17-25.
- Mane, U.H., Akarte S.R. and Muley D.V. (1984); Effect of cythion-malathion on respiration in three fresh water bivalve molluscs from Godavari River near Paithan. J. Environ. Biol.5(2), 71-80.
- Mane, U.H. and Hiwale V.V. (1984); Acute toxicity of nuvan to two edible estuarine lamellibranch molluscs from Ratanagiri Coast, Maharashtra State. Proc. Sixth, Europ. Malac. Congr. Malacologia 18, 347-360.
- Mane U.H., Akarte, S. R. and Kulkarni D.A. (1986); Acute Toxicity of fenthion to fresh water lamellibranch mollusc, *Indonaia caeruleus* (Prasad, 1918) from Godavari River at Paithan - A biochemical approach, Bull. Environ. Contam. Toxicol .37:622-628.
- Mane U.H. and Akarte S.R.(1988); Effect of pesticides on gill cilliary activities of 3 fresh water lamellibranches. J.Environ Bio. Vol.9 (239-247).
- Martinez C.B.R., Harris R.R. and Santos M.C.F. (1998); Transepithelial potential differences and sodium fluxes is isolated perfused gills by the mangrove crab, *Virides cordatus*; Comp. Biochemical Physiology part A 120, 227-236.
- Marnagar Dainigstar and Kharbuli B. (2001); The influence of some plant extracts on the feeding activity of small rice grasshopper, *Oxya hyla_hyla*; Utt. Prad. J.2001. Vol.21(3), 241-247.
- Mattias A.T., Rantin F.T. and Fernandes M.N. (1998); Gill respiratory parameters during progressive hypoxia in the facultative air

- breathing fish *Hypostomus regain* (Loricariidae); Comp. Biochemical Physiology part A; **120**, 311-315.
- Mauck W.L. and Olson L.E. (1976): Pyrethrins and Pyrethroids as piscicides. Arch. Environ. Contam and Toxicol 4:18.
- Moreton R.B. and Gardner D.R.(1976); Frecon neurophysiological action of a molluscicide Experimentia **32** 611-613.
- Mule M.B. and Lomate V.S. (1994); Effect of heavy metals (CuSO₄ and HgCl₂) on oxygen consumption of fresh water snail *Thiara tuberculata* J. Environ Bio. **15** (4) 263-268.
- Muley D.V. and Mane U.H.(1987 a); Pesticide induced alteration in the rate of O₂ uptake of fresh water gastropod *V. bengalensis* (L.) J.Anim. Morphol. physiol. **34** (1 & 2) 171-176.
- Muley D.V. and Mane U.H.(1987 b); Malathion induced changes in oxygen consumption in 3 species of fresh water lamellibranch molluscs from Godavari river, Maharashtra State, Indian J.Environ,Biol,8,267-275.
- Muley D.V. and Mane U.H.(1987 c); Endosulfan induced changes in oxygen consumption in two species of freshwater Lamelli branch molluscs. Indian J.comp. Anim. Physiol. Vol. **5** (1), 28-33.
- Muley D.V. and Mane U.H. (1987 d); Sublethal effects of mercuric chloride on tissue composition of a bivalve molluscs, *Lamellidens marginalis*. Biol. Bull. India 9(1) : 31-40.
- Muley D.V. and Mane U.H.(1989); Mercurial salt induced changes in respiration of fresh water gastropod, *V.bengalensis*. Poll. Res. Vol. **8**, 141-144.
- Muirhead-Thomson, R.C. (1971) : In : Pesticides and fresh-water Fauna, Academic Press London and New York, PP 71-90.
- Murugan P. and Chandran M. (2001); studies on the effects of plant extracts *Ephrosia purpurea* on the ovatestis of slug *Lavevi caulis*

- alte (Ferussac) (mollusca-gastropod). Utt. prad. J. 2001 Vol.21 (3) 229-235.
- Naduf S.B. (2004); Effect of synthetic pyrethroid in the control of snail, *Viviparus bengalensis*. A project report, Shivaji University, Kolhapur.
- Nagabhushanam, R. Awad, V.R. and Sarojini. R.C. (1975) Quantitative Estimation of protein by Micro-Kjeldhal method. 9-11, Quantitative estimation of carbohydrates (total polysaccharides-glycogen) by Anthrone reagent 14. Quantitative estimation of lipid by Soxhlet unit 15-16.
- Nagabhushanam, R. Awad, V.R. and Sarojini. R.C. (1975) Laboratory exercises in animal physiology -oxygen consumption by Winklers method. 21-24.
- Nagbhushanam R. and Chintawar B.V. (1976); Influence of environmental factors on O₂ consumption in fresh water snail, *Indoplanorbis exustus*. Ind.J. Invert. Zool 15 (8) 209-220.
- Nagbhushanam, R. Khan, A.K., Machale, P.R. and Sarojini, R. (1991); Effect of copper sulphate and zinc sulphate exposure on the biochemical constituents of the testes of crab, *Barytelphusa guerini*. Ind. J. Invert. Zool and Aqua. Biol 9(1) : 5-8
- Nag A (1992); Mortality responses and toxic action of some organic pesticides on Rishes. J. Environ. Bio.13. 309-314.
- Nanware S.G. and Harold R. (1987 a); Toxicological studies on the undesirable fishes in pisciculture using toxins of indigenous plants from Western Ghat of India; I Effect of *Lasiosiphon eriocephalus* (Decaisne) leaves toxin on dissolved oxygen and physiology of *Tilapia mossumbica* (Peter) Poll. Res. 6(2) :51-54.
- Nanware S.G. and Harold R. (1987 b); Toxicological studies on the undesirable fishes in pisciculture using toxins of indigenous plants

- from Western Ghat of India; II Effect on p^H and physiology of *Tilapia mossumbica* (Peter) Poll. Res. 6
- Nanware S.G. and Harold R. (1987 c); Toxicological studies on the undesirable fishes in pisciculture using toxins of indigenous plants from Western Ghat of India; III Effect on behaviour of *Tilapia mossumbica* (Peter) after exposure to toxin of *Lasiosiphon eriocephalus* Poll. Res. 6
- Nanware S.G. and Harold R. (1987 d); Toxicological studies on the undesirable fishes in pisciculture using toxins of indigenous plants from Western Ghat of India; IV UV spectral analysis of natural piscicide of leaves of *Lasiosiphon eriocephalus*. J. Shivaji University. (in press)
- Nanaware S.G. and Harold R. (1987 e); Toxicological studies on the undesirable fishes in pisciculture using toxins of indigenous plants from Western Ghat of India; V NMR spectral analysis of natural piscicide of the leaves of *L. eriocephalus* (Dec.) National Symp. Anim. Metabolism. Bombay (accepted).
- Nanaware S.G. and Patil R.G. (1994 a); Effect of alcoholic extract of fruits of *A.sinuata* (Lour) Mere. on the mortality of undesirable fish *Sarotherodon mossombicus* in pisciculture, and J. Animo Physoil, 12 : 109-112, proceedings of the XV Annual conference of Indian Society for comparative animal physiology, and symposium on biomedical aspects of animal physiology- 16-18 Dec. 1993.
- Nanaware S.G. and Patil R.G.- (1994 b) Effect of phytotoxin from fruits of *Sapindus laurifolius* (Vahl.) on the oxygen consumption of freshwater fish, *Cyprinus carpio*. Proceedings of National Symposium on Eco-environmental impact and organism response. Held at Govt. Mahavidyalaya, Amaravati - 15-17 Oct. , page no. 28.1 -28.3.

- Nanaware S.G. and Patil R.G.(1998)- Effect of plant toxin from *Sapindus laurifolius* on the nutritive value of the freshwater fish *Catla Catla*.4th National symposium on animal and their environment, Bangalore- Abstracts 56 PP.58.
- Nanaware S.G. and Harold R.(1988); Histological and histochemical changes in the kidney of *Sarotherodon mossambicus*. 2nd symposium of fish and their Environment Abst.16.
- Nanaware S.G. and Patil R.G.(1988); Influence of natural pesticide from the fruits of *Acacia concinna* on the behaviour of *Sarotheroden mossambicus*. Proc. 77th Ind. Sci. Cong. 252-264.
- Nanaware S.G. , Deshmane Jini and Jadhav V.R. (2003); Studies on natural molluscicides induced changes in the nutrients of gills of snail, *Bellamyia bengalensis*. Proc. Biology and Biotech Abst. 51.
- Nanaware S.G. and Mane Aparna (2004) Study of effect of leaf extract of *Eupatorium triplinerve* on snail, *V.bengalensis*. 23rd Annu. Sess. Environ Bio. (S.U.Kop) Abst.242.
- Nanaware S.G. and J.S.Deshmane (2003); Behavioural responses of freshwater snail, *V.bengalensis* to plant toxin in fruits of *Acacia sinuata*; 23rd Annu. Sess Environ Biol.(S.U.Kop) Abst.54.
- Nanaware S.G. and S.A. Bhoite (2003); Studies on heavy metals induced changes in glycogen in hepatopancrease of fresh water snail, *V.bengalensis*. 23rd Annu. Sess. Environ Biol. Abst. 198.
- Nanaware S.G., Deshmane Jini and Jadhav V.R. (2003) Studies on natural molluscicide induced changes in the nutrients of gills of snail, *V.bengalensis*, 20th Annu conf.Ind.Soci. Comp. Animal Physiology Abst.109.
- Nath Rabindra (1999); Toxicity of lethal and sublethal exposure and caustic soda on the heiematology of fresh water fish, *Labeo rohita* (Ham) Ind. J.Comp.Anim.Physiol.Vol.17(1), 37-39.

- Ohta K., Chen Y., Naruma S. and Manakata K. (1969) ; Studies on piscicidal components of *Justicia hayat* Var. decumbens Part I. Isolation and Piscicidal activities of Justicidin A and B. Agr. Biol. Chem. **33**, 610 – 614.
- Parmer B.S. and Devkumar C. (1993) Botanical and Biopesticides SPS publication No. 4 Society of Pesticides Science : India Westwill Publishing house, New Delhi PP 73.
- Patil P.N., Rao K.R., Sasane S.R. and Vedphathak J.R. (1992); Impact of zolone on the organic conitituents of the fresh water gastropod, *Thiara lineata* from Panzara river at Dhule. Environ. Biol.**2**, 192-197.
- Patil R.G. (1988) : Studies on *Acacia Concina* (DC) toxin in the control of undesirable fishes, M.Phil. Dissertition submitted to Shivji University, Kolhapur.
- Patil R.G. (2000) Studies on the effects of natural piscicides on the fresh water fishes. Ph.D.thesis in zoology , Shivaji University, Kolhapur.
- Pereira J.P. and Pereira de Souza (1975) Preliminary studies of *Anacaradium accidentale* as molluscicide. Cienc, Cult, 26 1054-1057.
- Poonmani R., Dhankkodi B. and Logaswamy S. (1997); Sublethal effect of monocrotophos on food utilization of *Cryprinus Carpio*. J.Environ. Biol.Vol.**18(4)** 321-324.
- Praveen Asfia and Vasantha N. (1994); Evalution of pesticides and impact of endorsable an on respiratory multibillions of fish, *Clarias batrachus*. Indian J. Comp.Anim. Physiology Vol.**12(1)**, 83-89.
- Radhakrishanaiah K.J. (1988) Environ. Biol. 9.73-78.

- Ram, R.N. and A.G. Sathyanesan(1984); Mercuric chloride induced changes in the protein, lipid and cholesterol levels of the liver and ovary of fish, *Channa punctatus*, Environ. Ecol. **2**, 113-117.
- Ram, R.N. and Sathyanesan, A.G.(1985) : Organophosphate induced biochemical changes in the brain, liver and ovary of the fish *Channa punctatus*, Proc.Indian Natn. Sci. Acad. **51** :537-542.
- Ramanujam S.N. and Ratha B.K. (1980 a) Studies on piscicidal plants of North Eastern India. Hope for an Indigenous plant poison for fish nursery management Curr. Sci. **49**: 251-252.
- Ramanujam, S.N. and Ratha, B.K. (1980 b) : Effect of the alcoholic extract of *Zanthoxylum armatum* on certain Haematologic parameters of *Heteropneustes fossilis*. Current Science, 49 : 487-489.
- Ramanujam, S.N. and Ratha, B.K. (1983); Bioassay and neurotoxic effect of the fruit extract of Piscicidal plant, *Zanthoxylum armatum* on fresh water fish. Proc. Ind. Nat. Sci. Acad, Part B, Bio. Sci. **49** 93 – 100.
- Ranjeetshigh A.J. and Badeja M.A. (1996); Effect of organo phosphates pesticide on aquatic snail, *Indoplanorbis exustus* J.Ecotoxic Monit. **6**, 127-130.
- Rastogi Ram P. and Maharotra B.N. (1993); Compendium of Indian medical plants Central Drug Research Institute, Lukhnow and Publication and information directorate, New Delhi.
- Sarojini R., Kewal B. Jaiswal and Nagbhushanam R. (1987); Sublethal naphalene induced alteration in total protein, free amino acids, AIAT, AAT and GDH in fresh water prawan, *Macrobrachium kistnesis*. Ind.J.comp.Anim. Physiol Vol.**5** (1), 6-11.
- Sarkar S.K.(1991) ; Toxicity of hetbicide 2,4-D on aquatic invertebrates; Effects of temperature Geobios 18 : 132-134.

- Sarkar S.K. (1999); Effects of two heavy metals (copper sulphate and cadmium sulphate) on the oxygen consumption of the fish *Cyprinus carpio* (Linn). Utt. Prad. J. 2001.vol.**19**(1) 13-16.
- Singh Ajay, Singh D.K. and Agarwal R.A.(1993); Effect of cyperlnethrin meracarbate and phorate on phosphor lipid and lipid peroxidation in the snail, *Lymnea accuminata*. Bull. Enviren contom. Toxicol. Vol.**51**(1) 68-71.
- Singh S.R. and Singh B.R.(1979); Changes on O₂ consumption of siluroid fish, *Mystus vittatus* put to different concentration of some heavy metal. Snail, Indian J. of Exp. Bio,**17** , 274-276.
- Singh S. and Sahai S. (1984); Effect of malathion on the mortality and behaviour of two freshwater teleosts, J. Environ Bio., **5** , 23-28.
- Singh Narendra N., Anil Kishor Shrivashtva and Anil K. Shrivashtva (1993); Bio-chemical changes in the freshwater Indian catfish, *Heteropneustes fossilis* following exposure to sublethal concentration of Aldrin. J. Environ Bio. **14** (10, 7-12.
- Singh V.N. and Biajrani (2003); Effect of neem oil (*Azadirachtra indica*) on luminal protein pattern in mice during pre and post implantation stages. Ind. J. Comp. Anim. Physiol. Vol.**21**, 86-89.
- Sivaramkrishna B.and Radhakrishnaih K. (1998); Impact of sublethel concentration of mercury on nitrogen metabolism of fresh water fish, *Cyprinus carpio* (Linnaeus). J. Environ Biology Vol.**19** (2), 111-117.
- Somanath Beena (1991); Effect of acute sublethal concentration of tannic acid on the protein, corbohydrate and lipid levels in the tissues of the fish, *Labeo rohita*. J. Environ Biology Vol.**12** (2), 107-112.
- Soharani P., Manohar Reddy B., Devendra Naidu M., Madhuri E. and Bhaskar M. (1999); Kinetic changes in adenine amino transferees

- of fish gill during accusation of acidic water. Ind.J.Comp. Anium. Physiol Vol. **17 (1)**, 12-17.
- Subramanain, M.A. : Hameed, M.S. and Vardaraj, G.(1988) : Haematological changes in the fish *Macrones keletius* (Gunther) after exposure to the tannery effluent, The Indian Zoologist,**12** :71-74
- Starr Forest, Starr Kim and Loyed Loope; (2003) *Cerodenrorn inerme seaside clerodendrum* imerme; united states Geological survey – Biological Resources Division Haleakala field station, Mauim Hawali.
- Swarna Kumari V.G.M. (2002); Studies on the cercarial fauna of *Thiara tuberculata* and relationship between the snail size and its infection status. Utt. Prad. J. 2001 Vol.**22(2)**, 125-130.
- Shivkumar K., Manavalaramanujam R., Ramesh M.and Lakshmi R. (1997); Cypermethrin toxicity; sublethal effects on every me activities on a freshwater fish, *Cyprinus carpio* var cotninunis. J.Environ Biol. Vol.**18(2)**, 121-125.
- Sharma Y. (1980) : Studies on synergestic action of indigenous plant. Geobios **7** : 333-334
- Stephen, Mria Antony Raj S. Murugesan, A.G. and Haniffa, M.A. (1987) : Toxicity of industrial effluents to the freshwater cat-fish *Mystus Keletius*, Current Science, **56** : 733-735.
- Tyler, M. and Merlin, E.H.H. (1985) : Antineoplastic and piscicidal 1-Alkyl Daphane ortho-esters from Pimelea species. J. Nat. Prod. (Looydla) **48**: 440-445.
- Usha Rani A. (1999); Pathological observations in gills of the fresh water teleost *Oreochromis mossambicus* (Tilapia) with reference to cadmium toxicity. Indian J.Comp.Anima. Physiology Vol.**17 (1)** , 18-22.

- Umadevi V. (1997); Heavy metal toxicity to an intertidal gastropod *Morula granulata* (Dulcos); Tolerance to copper, mercury, cadmium and zinc. J. Environ. Biol. Vol.13(3) 287-290.
- Vijayalakshmi S. and Shriramula V. (1989); Studies on the biology of slug, *Laevicaulis alte* (Ferussae) J. Annamalai University 35 , 27-47.
- Virdi, G.S. (1982) : The piscicidal properties of *Acorus calamus*, *Sapindus Mukrossi* and *Xeromphis spinosa* on 7 species of fishes of N. India. Indian J. Phys. Nat. Sci. 2 : 28-35
- Wagner W.L. and Herbst D.R. (1995); Contribution to the flora of Hawi'i IV new records and name changes Bishop Mus. Occas 42(2) 13-27.
- Welsh J.H. and Smith R.I. (1953); In Laboratory Exercise in Invertebrate Physiology. Burgers Publishing Company Minneapolis.