

LIST OF GRAPHS

Chapter III: Observations and Discussion

Section II :Proteins

Fig II.1: Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group IA: $24+24 = 48$ hrs).

Fig II.2 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group I B: $24+48 = 72$ hrs).

Fig II.3 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group IC: $24+72 = 96$ hrs).

Fig II.4 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group I D: $24+96 = 120$ hrs).

Fig II.5 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group II A: $34+24 = 58$ hrs).

Fig II.6 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group II B: $34+48 = 82$ hrs).

Fig II.7 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group II C: $34+72 = 106$ hrs).

Fig II.8 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group II D: $34+96 = 130$ hrs).

Fig II.9 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group III A: $40+24 = 64$ hrs).

Fig II.10 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group III B: $40+48 = 88$ hrs).

Fig II.11 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group III C: $40+72 = 112$ hrs).

Fig II.12 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group III D: $40+96 = 136$ hrs).

Fig II.13 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group IV A: $48+24 = 72$ hrs).

Fig II.14 Alterations in protein content by additive Hydrogen peroxide and vitamin C
(Group IV B: $48+48 = 96$ hrs).

Fig II.15 Alterations in protein content by additive Hydrogen peroxide and vitamin C (Group IV C: 48+72 = 120 hrs).

Fig II.16 Alterations in protein content by additive Hydrogen peroxide and vitamin C (Group V A: 72+24 = 96 hrs).

Fig II.17 Alterations in protein content by additive Hydrogen peroxide and vitamin C (Group V B: 72+48 = 120 hrs).

Fig II.18 Alterations in protein content by additive Hydrogen peroxide and vitamin C (Group VI A: 96+24 = 120 hrs).

Fig II.19 Alterations in protein content by additive Hydrogen peroxide and vitamin C (Group VI C: 120+24 = 144 hrs).

Section III : Lipid peroxidation

Fig III.1-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs). ($\mu\text{M}/\text{gm}$ tissue)

Fig III.1-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs). (nM/mg protein)

Fig III.2-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). ($\mu\text{M}/\text{gm}$ tissue)

Fig III.2-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). (nM/mg protein)

Fig III.3-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). ($\mu\text{M}/\text{gm}$ tissue)

Fig III.3-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). (nM/mg protein)

Fig III.4-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). ($\mu\text{M}/\text{gm}$ tissue)

Fig III.4-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). (nM/mg protein)

Fig III.5-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). ($\mu\text{M}/\text{gm}$ tissue)

Fig III.5-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). (nM/mg protein)

Fig III.6-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). (μ M/gm tissue)

Fig III.6-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). (nM/mg protein)

Fig III.7-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). (μ M/gm tissue)

Fig III.7-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). (nM/mg protein)

Fig III.8-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). (μ M/gm tissue)

Fig III.8-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). (nM/mg protein)

Fig III.9-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). (μ M/gm tissue)

Fig III.9-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). (nM/mg protein)

Fig III.10-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48=88 hrs). (μ M/gm tissue)

Fig III.10-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48=88 hrs). (nM/mg protein)

Fig III.11-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). (μ M/gm tissue)

Fig III.11-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). (nM/mg protein)

Fig III.12-A: Alteration in TBARS by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). (μ M/gm tissue)

Fig III.12-B: Alteration in TBARS by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). (nM/mg protein)

Fig III.13-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV A: 48+24=72 hrs). (μ M/gm tissue)

Fig III.13-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV A: 48+24=72 hrs). (nM/mg protein)

Fig III.14-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV B: 48+48=96 hrs). (μ M/gm tissue)

Fig III.14-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV B: 48+48=96 hrs). (nM/mg protein)

Fig III.15-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV C: 48+72=120 hrs). (μ M/gm tissue)

Fig III.15-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV C: 48+72=120 hrs). (nM/mg protein)

Fig III.16-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). (μ M/gm tissue)

Fig III.16-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). (nm/mg protein)

Fig III.17-A: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V B: 72+48=120 hrs). (μ M/gm tissue)

Fig III.17-B: Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V B: 72+48=120 hrs). (nM/mg protein)

Fig III.18-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). (μ M/gm tissue)

Fig III.18-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). (nM/mg protein)

Fig III.19-A: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V I: 120+24=144 hrs). (μ M/gm tissue)

Fig III.19-B: Alteration in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V I: 120+24=144 hrs). (nM/mg protein)

Section IV: Glutathione

Fig IV.1-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs).(μ g/gm tissue)

Fig IV.1-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs). (μ g/mg protein)

Fig IV.2-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.2-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.3-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.3-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.4-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.4-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.5-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.5-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.6-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.6-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.7-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.7-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.8-A: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.8-B: Alteration in GSH content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.9-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.9-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.10-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48= 88 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.10-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48= 88 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.11-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.11-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.12-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.12-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.13-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV A: 48+24=27 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.13-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV A: 48+24=27 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.14-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV B: 48+48=96 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.14-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV B: 48+48=96 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.15-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV C: 48+72=120 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.15-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV C: 48+72=120 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.16-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.16-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.17-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+48=120 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.17-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+48=120 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.18-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.18-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). ($\mu\text{g}/\text{mg}$ protein)

Fig IV.19-A: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V II: 120+24=144 hrs). ($\mu\text{g}/\text{gm}$ tissue)

Fig IV.19-B: Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V II: 120+24=144 hrs). ($\mu\text{g}/\text{mg}$ protein)

Section V: Formaldehyde

Fig V.1-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs). (nM/gm tissue)

Fig V.1-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I A: 24+24 = 48 hrs). (nM/mg protein)

Fig V.2-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). (nM/gm tissue)

Fig V.2-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I B: 24+48 = 72 hrs). (nM/mg protein)

Fig V.3-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). (nM /gm tissue)

Fig V.3-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I C: 24+72=96 hrs). (nM /mg protein)

Fig V.4-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). (nM /gm tissue)

Fig V.4-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I D: 24+96= 120 hrs). (nM /mg protein)

Fig V.5-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). (nM/gm tissue)

Fig V.5-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II A: 34+24=58 hrs). (nM /mg protein)

Fig V.6-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). (nM /gm tissue)

Fig V.6-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II B: 34+48=82 hrs). (nM /mg protein)

Fig V.7-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). (nM /gm tissue)

Fig V.7-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II C: 34+72=106 hrs). (nM /mg protein)

Fig V.8-A: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). (nM /gm tissue)

Fig V.8-B: Alteration in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II D: 34+96=130 hrs). (nM /mg protein)

Fig V.9-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). (nM /gm tissue)

Fig V.9-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III A: 40+24=64 hrs). (nM /mg protein)

Fig V.10-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48= 88 hrs). (nM /gm tissue)

Fig V.10-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III B: 40+48= 88 hrs). (nM /mg protein)

Fig V.11-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). (nM /gm tissue)

Fig V.11-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III C: 40+72=112 hrs). (nM /mg protein)

Fig V.12-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). (nM /gm tissue)

Fig V.12-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III D: 40+96=136 hrs). (nM /mg protein)

Fig V.13-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 48+24=27 hrs). (nM/gm tissue)

Fig V.13-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 48+24=27 hrs). (nM/mg protein)

Fig V.14-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V B: 48+48=96 hrs). (nM/gm tissue)

Fig V.14-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V B: 48+48=96 hrs). (nM/mg protein)

Fig V.15-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V C: 48+72=120 hrs). (nM/gm tissue)

Fig V.15-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V C: 48+72=120 hrs). (nM /mg protein)

Fig V.16-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). (nM /gm tissue)

Fig V.16-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+24=96 hrs). (nM /mg protein)

Fig V.17-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+48=120 hrs). (nM /gm tissue)

Fig V.17-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V A: 72+48=120 hrs). (nM /mg protein)

Fig V.18-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). (nM /gm tissue)

Fig V.18-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V I: 96+24=120 hrs). (nM /mg protein)

Fig V.19-A: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V II: 120+24=144 hrs). (nM /gm tissue)

Fig V.19-B: Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V II: 120+24=144 hrs). (nM /mg protein)