

REFERENCES

1. Lightfoot, P.C., Hawkesworth, C.J., Decy, C.W, Rogers, M.W. and Vancalstern P.W.C. J. Petrology 31, P. 1165-1200 (1990).
2. Chaudhary, N. Identification of the order of human activities, pollution water environment and suggestion for phase control. Environ. and Ecol. 1 : 45-47 (1983).
3. Haque, A. and Sharma, S. Water hyacinth to flight water pollution. December (1980) Science Reporter.
4. Clock, R.M. (1938). Nitrogen and phosphorus removal from secondary sewage treatment effluent Doctoral Dissertation, Univ. of Florida Gainsville, U.S.A.
5. Trivedi, R.K. and Joag, G.A. (1989). Treatment of industrial waste water by using water hyacinth application Pollution Management in industries (Edited by R.K.Trivedi) Environmental Publication. P.295-315.
6. Shrivastava, U.K., Reddy, D. (1983). Fisheries Development in India (Some Aspects of Policy Management). Pub. Concept Publishing Company, New Delhi, 383, p. 421.

7. Hem, J.D. (1950), Quality of water in Gila river above Coolidge Dam. Ariz. U.S. Geol. Survey Water supply Paper 1104, 1-230.
8. Handa, B.K. (1974). Methods for collection and analysis of water samples and interpretation of water analysis data. Tech. Manual. No.1 C.G.W.B. Ministry of Agricultural and Irrigation, 363.
9. Adyalkar, P.G. and Yadav, J.S.P. (1956). Diagnostic technique for saline and alkali soil of Indian Gangetic alluvium in U.P. J. Soil. Sci. 7, 709-721.
10. Sastri, J.C.V. (1976). Chemical quality of water from different lithological units in Karnatak State. Nat. Symp. Vol. Hydrological problem related to development of power and industry, Kanpur, C₁₁ 1-6.
11. Viswanathan, M.N. and Sastri, J.V.C. Deivasigamani (1976). Effect of Industrial effluent on the down stream water resources at Belagola Mandya Dist. Karnatak State, J. Mysore University, 27, 147-152.
12. Suryanarayan, K. (1889), Chemistry of Ground water in parts of Nallore district. Andhra Pradesh, India, Indian J. of Geo. Chem. 4(1), 99-106.

13. Ravi Prakash, S. and Krishna Rao, G. (1989). The Chemistry of Groundwaters in Paravada area with regard to suitability to domestic and irrigational purpose. Indian J. of Geochemistry 4(1), 39-54.
14. Hilmy, A.M. E.L. Domiaty; N.A. Duabees and A. Latife (1987). Toxicity in Tilapia Zilli and Clarias lazera induced by zinc seasonally (Bio-assay) Comp. Biochem., Physiol. Comp. Pharmacol Toxicol. 86(2), 263-266.
15. Gadkari and Marathe (1985). Toxicity of Cadmium and Lead to some fresh water shells. IAWPC Tech Annual XII 123-133.
16. Gupta, P.K. and Rajanish (1983). Acute toxicity of Pentachlorophenol to freshwater teleost Rasbora daniconias. Arch Hydrobiol. 98 (1) 127-132.
17. Walsh, D.F., L. Bernard, M. Berger, and R.Jerry. Mercury, Arsenic, Lead, Cadmium and Selenium residues in Fish. Pestic monit J. 11 (1) : 5:34.
