

6. References:

- Agarwal V.S. and Ghosh B. (1985) Drug plants of India . 330p. Kalyani publishers, New Delhi.
- Chakravarty H.L. (1982), Fascicles of Flora of India. Fascicle II. Cucurbitaceae, Botanical Survey of India, P.O.Botanic Garden, Howrah.
- Goldberg A.(1986) Classification , Evolution and Phyllogeny of the families of Dicotyledons ; (Washington; Smithsonian Institute Press)
- Hutchinson, J . (1973). The families of flowering plants; (London U.K. : Clarendon Press)
- Murashige, T. and Skoog F(1962). A Revised medium for rapid growth and bioassays with *Tobacco* tissue culture, *Physiologia Pl.* 15: 475-497.
- Naik V.N. (1998) Flora of Marathwada vol.I Amrut Prakashan 602.
- Shanta A and Radhakrishnaiah,M. (1996), Cladistics of cucurbitaceae, *Rheedea* 6: 87-96
- Shanta A and Radhakrishnaiah,M. (2000), Cladistics analysis of selected genera of cucurbitaceae, *Phytomorphology* , 50 (1) pp103-111.
- Sardesai M.M. (1999) Floristic studies on Kolhapur district , Ph.D. Thesis submitted to Shivaji University, Kolhapur, India.
- Takhtajan A. (1980) , Outline classification of flowering plants (Magnoliophyta) *Bot. Rev.* 46: 225-359.